

CROW WING COUNTY S103

COUNTY SURVEYOR - 1981 TIES

INDEX (T137-R26) (1)

CONTRACT NO. 5-103
 SURVEYOR: D. COULTER
 Book S-103 Page CSO
 CORNER DESCRIPTION

PAGE	INDEX	DESCRIPTION
10-11	A-2-3	MC N Line 6-137-26 - 56-44-26 W of Sec Cor
12-13	A-2-3	MC N Line 6-137-26 - 41-0-26 W of Sec Cor
14-15	A-3-4	MC N Line 6-137-26 - 32-26-26 W of Sec Cor
16-17	A-4-5	MC N Line 6-137-26 - 17-02-26 W of Sec Cor
18-19	A-5-6	SEC Cor 5-0-137-26 AND 31-32-138-26
20-21	A-7-8	1/4 Cor 5-137-26 AND 32-138-26
22-23	C-5-6	1/4 Cor 5-6-137-26
24-25	E-5-6	SEC Cor 5-6-7-8-137-26
26-27	E-7-8	1/4 Cor 5-8-137-26
28-29	E-9-10	SEC Cor 4-5-8-9-137-26
30-31	E-11-12	1/4 Cor 4-9-137-26
32-33	A-5-6	MC 19-20-137-26
34-35	P-5-6	1/4 Cor 19-20-137-26
36-37	P-9-10	1/4 Cor 20-21-137-26
38-39	R-3-4	1/4 Cor 19-30-137-26
40-41	R-5-6	SEC Cor 19-20-29-30-137-26
42-43	R-7-8	1/4 Cor 20-29-137-26
44-45	R-7-8	MC N Line 29-137-26 - 20-30-26 W of Sec Cor
46-47	R-8-9	MC N Line 29-137-26 - 4-2-26 W of Sec Cor
48-49	R-9-10	SEC Cor 20-21-28-29-137-26
50-51	T-5-6	1/4 Cor 30-29-137-26
52-53	V-3-4	1/4 Cor 30-31-137-26
54-55	V-5-6	SEC Cor 29-30-31-32-137-26
56-57	V-7-8	1/4 Cor 29-32-137-26
58-59	V-9-10	SEC Cor 28-29-32-33-137-26

INDEX (T 137-226)

CONTRACT No. S-103 SURVEYOR: D. COULTER

PAGE INDEX CORNER DESCRIPTION

60-61	X-5	1/4 COR	31-32/137-26
62-63	Z-2/3	MC	31-137-26/1-136-27
64-65	Z-9	SEC. COR	32-33/137-26 - TWP 136

INDEX (T 137-R27)

CONTRACT No. S-103 SURVEYOR: D. COULTER

PAGE INDEX CORNER DESCRIPTION

66-67	A-11	1/4 COR	4-137-27/33-138-27
68-69	A-13	SEC. COR	3-4/137-27/33-34/138-27
70-71	A-15	1/4 COR	3-137-27/34-137-28
72-73	C-13	1/4 COR	3-4/137-27
74-75	A/B-25	MC	1-137-27/4-137-26
76-77	C-25	1/4 COR	1-137-27/6-137-28
78-79	E-25	SEC. COR	1-12/137-27 AND 6-7/137-26
80-81	F/G-17	MC	10-11/137-27
82-83	G-17	1/4 COR	10-11/137-27
84-85	G-25	1/4 COR	12-137-27/7-137-26
86-87	H-25	MC	12-137-27/7-137-26
88-89	J-17	SEC. COR	10-11-14-15/137-27
90-91	J-18/19	MC	11-14/137-27 41.58 CK W. of Sec 1
92-93	J-19/20	MC	11-14/137-27 23.97 CK W. of Sec 1
94-95	K-15	1/4 COR	15-22/137-27
96-97	R-3	1/4 COR	19-30/137-27
98-99	R-15	1/4 COR	22-27/137-27
100-101	R-21/22	MC	24-25/137-27 79.2 CK W. of Sec 1
102-103	R-23/24	MC	24-25/137-27 32.9 CK W. of Sec 1
104-105	T-5	1/4 COR	29-30/137-27
106-107	T-U/17	MC	29-30/137-27
108-109	X-1	1/4 COR	31-137-27/36-137-28

CONTRACT NO. S-103 SURVEYOR: D. COULTER

PAGE INDEX CORNER DESCRIPTION

Book S-103 Page CSO

CONTRACT NO. S-103 SURVEYOR: D. COULTER

Page	INDEX	CORNER	DESCRIPTION
110-111	S/T 17	MC 26-27/137-27	44.84 CH. N. 0.5 SEC. COR
112-113	U/V 17	MC 26-27/137-27	7.10 CH. N. 0.5 SEC. COR
114-115	V-17	SEC. COR 26-27-34-35	137-27
116-117	A-23	1/4 COR 1-137-27	36-138-27
118-119	A-24/25	MC 1-137-27	36-138-27
120-121	X-1	1/4 COR 36-138-27	36-138-27
120-121	A-23	1/4 COR 1-137-27	36-138-27

NO. 447

NATIONAL

1138 1137 1136
1138 1137 1136
1138 1137 1136

A 2-3 MC
T 137-P 26

MC N. LINE 6-137-26 56.44 CH. W. of SEC COR
MADE SEARCH FOR THIS CORNER
IN GENERAL AREA, NO EVIDENCE
OF CORNER FOUND (ROUGH MEASURED)
Govt. DIST. W. FROM NE COR. of SEC.
THERE IS AN E-W- TRAIL
RUNNING EAST FROM THE LAKE
AND A 14" JACK PINE BLAZED
ON THE N-S Sides. THE
TREE IS ON THE SOUTH SIDE
OF THE WEST END OF THE
TRAIL IN THE EAST SIDE OF
A BOG
NO PRIOR SURVEY RECORDS
KNOWN TO EXIST OTHER
THAN ORIG. GOV'T.
TIME SPENT 1 1/4 HRS

A 2-3 MC
T 137-P 26

1138 1137 1136
1138 1137 1136
1138 1137 1136

Book S-103 Page CSO

MARCH 19, 1921
D. COULTER
P. BACON

NO. 447

NATIONAL

BRASS LAKE

NO EVIDENCE OF
CORNER FOUND
TRAIL

BLAZED JACK PINE

14

A 3-4
T 137-R 26

T138	211	211
T137	0	0
6		

MC N. LINE 6-137-26 - 32.28 CL W of 300 Cor

MADE SEARCH FOR THIS CORNER
IN GENERAL AREA.
NO EVIDENCE OF CORNER FOUND

CORNER BY GOV'T DISTANCE FALLS
ON EDGE OF LAKE IN LOW WET
AREA (ROUGH MEASURED GOV'T DIST W.
FROM NE COR. OF SEC)

STATE HAS LINE OF GAME REFUGE
SIGNS RUNNING E-W APPROXIMATELY
ON LINE

NO PRIOR SURVEY RECORDS KNOWN
TO EXIST OTHER THAN ORIG. GOV'T.


TIME SPENT 1 HOUR

A 3-4
T 137-R 26

T138	211	211
T137	0	0
6		

MARCH 19, 1981
D. COULTER
P. BACON

Book S-103 Page CSO



10/ A 4-5

T 137-R 226

T 138	R 26
T 137	R 26

MC N Linc 6-137-26-1702 CK W. of Sec Cor

FOUND 1 1/4" IRON PIPE 1' ABOVE SURFACE
ON E. SIDE PICKEREL LAKE 75' ± WEST
OF WEST END OF TRAIL TO EAST

NO PRIOR SURVEY RECORDS KNOWN
TO EXIST OTHER THAN ORIG. GOVT.

TIME SPENT 1 1/2 HRS


A 4-5

T 137-R 226

T 138	R 26
T 137	R 26


Book S-103 Page CSO

MAKOT IT. 1781
D. COULTER
P. BACON



ALL TREES DOUBLE BLADED
APPROX. 1 FEET AND 5' ABOVE GROUND

16" LEANING NOVEMBER
PINE - SINGLES BLAZE
3 INCH - 4' ABOVE
GROUND - TIE TO
BLAZE



A-7
T137-R26

138-26
5
137-26

QUARTER COR 5/137/26 AND 32/137/26

FOUND 2" IRON PIPE FLUSH IN
CENTER OF OLD TRAIL ESW
TRAIL IS HEAVILY OVERGROWN
AND BARELY DISCERNIBLE

PRIOR SURVEYS:

LOUIS KNUDSEN, 1914
(FOUND 10 PILES)
Pg 101, Book 3 (WSN)
JOHN CURE, 1922, Pg 9, CNG Book "B"
(Set 3/4" IF - Temporary COR)

TIME SPENT 2 1/4 HRS

A-7
T137-R26

138-26
32
137-26

MARCH 5, 1981 (23)
MARCH 19, 1981
D. COULTER
P. BARNES

Book S-103 Page CSO

WELL USED
TRAIL

10" WHITE OAK

5" RED OAK

IRON PIPE

ROAD UNUSED TRAIL 2


(overgrown)

14" TOPHAT

12" RED OAK

10" WHITE OAK

ALL TREES DOUBLE BLAZED
APPROXIMATELY 1 foot AND 5 feet
ABOVE ground



22) C-5

T137-R26

6-5

QUARTER CORNER 5⁶/₁₆ / 137-26

FOUND 2" IRON PIPE 0.8' ABOVE SURFACE
ON W SIDE OF N-S SNOWMOBILE TRAIL
PIPE HAS OCTAGONAL BRASS CAP
STAMPED "SECTION 4 CORNER"

NO PRIOR SURVEY RECORDS KNOWN
TO EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1 HR.

MARCH 5, 1981 (23)


D. COULTER
P. BAACON

C-5

T137-R26

6-5

Book S-103 Page CSO



ALL TREES DOUBLE BARED
APPROX. 1 foot AND 5 feet ABOVE
GROUND

24 E-5

T 137, R. 26

6 5
7 8

SEC. COR 5-6-7-8 / 137-26

FOUND 2" IRON PIPE 0.8' ABOVE SURFACE
21'± EAST OF N-S SNOWMOBILE TRAIL

NO PRIOR SURVEY RECORDS KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1 HOUR

E-5

T 137, R 26

6 5
7 8

MARCH 5, 1981 (25)
D. COULTER
P. BACON

Book S-103 Page CSO

10" white pine

SNOWMOBILE TRAIL

23 6" Norway pine

N 27° W
108.5

12" JACK PIPE

6 1/2" 6" Norway pine

IRON PIPE

S 12° E
153.2

S 14 1/2° E
28.25

5 1/2" Norway pine

16" Norway pine

ALL TREES DOUBLE BLAZED

Approx. 1 foot Abv 5 feet Above Ground

26/ E-7

T 137, R 26

QUARTER COR 5 5/8 / 137-26

FOUND 2" IRON PIPE 0.3 ABOVE SURFACE

FOUND 2 DOUBLE BLAZED BEARING TREES (see 19 27)

NO PRIOR SURVEY RECORDS KNOWN TO EXIST OTHER THAN ORIG. GOVT.

TIME SPENT 2 3/4 Hrs

27

MARCH 20, 1981


D. COULTER

P. BACON

E-7

T 137-R 26

Book S-103 Page CSO



ALL TREES DOUBLE BLAZED APPROX. 1 foot AND 5 feet ABOVE GROUND

28) E-9

T 137-R 226

5 4
8 9

SECTION COR. 4-5-8-9 / 137-226

FOUND 2" IRON PIPE 1 foot ABOVE SURFACE
ON So. EDGE TAMMACK SWAMP.
FOUND OLD B.T.-DOUBLE BLAZED (see pg 29)

PRIOR BUREAU :

JOHN CURD 1922, PAGE 628 C.W.C. BOOK A
(Get STAKE for temporary con)

TIME SPENT 2 3/4 Hrs

E-9

T 137-R 226

5 4
8 9

MARCH 20, 1981 (29)

D. COULTER
P. BACON

Book S-103 Page CSO

10" TAMMACK

10" TAMMACK
OLD B.T.

10" TAMMACK
OLD B.T.

10" TAMMACK
OLD B.T.

IRON PIPE

563°E
46.0

20" NORWAY
PINE

12" WHITE
PINE

ALL TREES DOUBLE BLAZED
APPROX. 1 foot AND 5' feet ABOVE GROUND

T 137-226

QUARTER COVER	4 1/2	9	137-26
---------------	-------	---	--------

FOUND 2" IRON PIPE 0.2' ABOVE GROUND

NO	PREV SURVEY	RECORD	KNOWN TO
	EXIST	OTHER	THAN ORIG. GOV'T.

TIME SPENT	4 Hours

11-7

T137-R226


Book S-103 Page CSQ

000

100

MARCH 20, 1981 (31)

D. COLTIER
P. BACON



ALD TREES DOUBLE BOAZED
APPROX. 1 foot AND 5 feet Above Ground

32/ o/p-5
T 137-R26

19 0 20

o/p-5
T 137, R26

19 0 20

FEB. 25, 1981
O. COULTER
P. RAGON

33

M.C. 19-20 / 137-26


FOUND 2" IRON PIPE WITH 4"
OVAL CAP ON EDGE OF SOUTH
SHORE OF DOLNEY LAKE 0.3 ABOVE SURFACE
ALSO EVIDENCED BY TWO OLD
BEARING TREES (See Pg 33)

PRIOR SURVEYS:

L.E. GARRISON, 1910-11 Book - PAGE 22
(Post from orig B.T.)

TIME SPENT 1 HOUR

Book S-103 Page CSO



ALL TREES DOUBLE PLAZED APPROX.
1 foot AND 5 feet ABOVE GROUND

34/P-5

T.137-R.26

19-0-20

QUARTER COR, 19-20/137-26

MADE SEARCH FOR THIS CORNER
IN GENERAL AREA. NO EVIDENCE
OF CORNER FOUND. FALLS IN
GRAVEL ROAD - SWAMP BOTH SIDES
(ROUGH MEASURED DIST. FROM S. LINE OF 340.)

PRIOR SURVEYS:

L.E. GARRISON, 1910-11 BOOK, PAGE 22
SET POST 2640' N. OF 340. COR

TIME SPENT 3/4 HR

P-5

T137-R.26


19-0-20

FEB. 25, 1981

D. COVERED
P. BACON

35

Book S-103 Page CSO



36 P-9

T 137, R 22C

20-21

QUARTER COR 20-21 / 137-26

FOUND 2" IRON PIPE WITH 4" OVAL CAP

0.8' ABOVE SURFACE. EVIDENCED

BY ONE REMAINING TIE FROM Co. Hwy

RECORDS 1931-1932 BOOK 197, PAGE 3

(see PG 37)

PRIOR SURVEYS:

L.E. GARRISON 1905, Page 37 - 1905 Book

JOHN GORO, 1922, Page 610 CW Co. Book A

Co. Hwy DPT 1931-32, Page 3, Book 197

TIME SPENT 1 HR

P-9

T 137-R 22C

20-21

FEB 25, 1981

D. COULTER

P. BACON

37

Book S-103 Page CSO

± UNIMPROVED
DRT ROAD
± 14' WIDE

DEAD
PINE
CROWN

10" JACK
PINE

N 50 1/2° W
80.5'

N 81 1/2° W
114.2'

12" JACK
PINE

± UNIMPROVED
PLAT ROAD

576.4' ±
194.3'

6" NORWAY
PINE

4" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

1" NORWAY
PINE

CLEARED LAND

ROAD TANGENTS

ALL TREES DOUBLE BLAZED APPROX.

1 FOOT AND 5 FEET ABOVE GROUND

R-5

T 137-A 26

19 20
30 29

SECTION CORNER 19-20-29-30 / 137-26

FOUND 2" IRON PIPE WITH 4" ROUND CAP 1.1 FOOT BELOW SURFACE IN E OF CSAH #30. LARGE ROCK ON WEST SIDE OF PIPE.

ALSO EVIDENCED BY 3 OVAL TOP CAPPED REF. MONUMENTS IN NE-NW & SW QUADS. (see pg 41)

PRIOR SURVEYS:

L.E. GARRISON, 1904, Page 32 1904 Book

" " 1910-1911 Book Page 21

John C. W. 1921, Page 580 SW Co Book A

Co Hwy Dept 1931-32 Book 197, Page 3

TIME SPENT 1 1/2 Hrs


R-5

T 137-R 26

19 20
30 29

FEB 24, 1981
D. COULTER
P. BACON

Book S-103 Page CSO



ALL TREES DOUBLE BLAZED APPROX. 1 FOOT AND 5 FEET ABOVE GROUND

42

R-7

T137, R. 26

20
29

QUARTER COR 20-29 / 137-26

MADE SEARCH FOR THIS CORNER
IN GENERAL AREA. NO EVIDENCE
OF CORNER FOUND. ROUGH MEASURED
DISTANCE WEST FROM SEC. COR

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 2 HRS

R-7

T137-R26

20
29

FEB 17, 1981
D. COULTER
P. BACON

43

Book S-103 Page CSO

CE 25A # 36

450


HIGH LAND

NO EVIDENCE
OF CORNER
FOUND. NO LINES
OF OCCUPATION

NO. 447

NATIONAL

44) R 7/8
T 137-R 26




MC 20-29/137-26 20.3 CL. W. OF SEC. COR.

MADE SEARCH FOR THIS CORNER
IN GENERAL AREA. NO EVIDENCE
OF CORNER FOUND. ROUGH MEASURED
WEST FROM SEC. COR.

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GAV'T.


TIME SPENT 2 HRS

R 7/8
T 137-R 26



FEB. 17, 1981
D. COULTER
P. B. CON

Book S-103 Page CSO



[illegible]

FOUND 1" IRON PIPE 1 FOOT ABOVE SURFACE
ON EAST SHORE SQUARE LAKE.
THIS CORNER IS APPROXIMATELY
150 FEET WEST OF GOV'T POSITION
FOR M.C. (GOV'T MC WOULD FALL
IN HWY ROW)


NO PRIOR SURVEY	RECORD KNOWN TO
EXIST OTHER	THAN ORIG. GOV'T.

TIME SPENT	2 HAS
10	10
20	20
30	30
40	40
50	50
60	60
70	70
80	80
90	90
100	100

15-819
T137-R2C

D. COULTER
P. BA CON

Book	S-103	Page	CSO
------	-------	------	-----



ALL TREES DOUBLE CLAZED APPROX
1 FOOT AND 5 FEET ABOVE GROUND

46

1 20

48 R-9

20 21
29 28

T 137-R26

SEC. COR 20-21-28-29 / 137-26

FOUND 2" IRON PIPE WITH 4" ROUND
CAP FLUSH WITH GROUND ON N.
FACE OF CORNER FENCE POST FOR
FENCE EAST & SOUTH.
ALSO EVIDENCED BY 4 OVAL CAPPED
REFERENCE MONUMENTS IN NW-NE-SE
& SW QUADRANTS.

PRIOR SURVEYS:
SEE POST FROM ORIG. S.T.
1904 BOOK, PG 34
L.E. GARRISON, SEC. 3, BIRCH STAGE
John C. 20, 1921, PAGE 566, QU. CO. BOOK A

TIME SPENT 1 1/2 HRS


49

FEB. 17, 1981
D. COULTER
P. BACON

20 21
29 28

R-9
T 137-R26

Book S-103 Page CSO



ALL TREES DOUBLE BLAZED APPROX.
1 FOOT AND 5 FEET ABOVE GROUND

50
T-5

T137-R26

30-29

QUARTER COR. 30-29 / 137-26

ROUGH MEASURED SOUTH FROM
SECTION COR. AND MADE SEARCH
FOR THIS CORNER IN GENERAL AREA.
NO EVIDENCE OF CORNER FOUND

PRIOR SURVEYS:

L.E. GARRISON 1910, 1910-1911 BOOK, P. 21
SET POST FROM ORIGIN B.T.

TIME SPENT 1 HR

T-5

T137-R26

30-29

FEB. 24, 1981

D. COULTER
P. BACON

51

Book S-103 Page CSO


Co. Road # 114

NO EVIDENCE OF
CORNER FOUND
NO APPROPRIATION
OF

52

V-3

T 137-R 26



QUARTER CORNER 30-31 / 137-26


ROUGH MEASURED WEST FROM SECTION
CORNER AND MADE SEARCH FOR THIS
CORNER IN GENERAL AREA.
FIRST 1/4 MILE WEST FROM SEC. COR. FOLLOWS
TRAIL AND FIELD LINE. TRAIL WANDERS
FOR 2ND 1/4 MILE AND SWINGS DUE
NORTH AT APPROX. 1/4 COR. POSITION.
FOUND NO EVIDENCE OF 1/4 CORNER

NO PRIOR SURVEY RECORD KNOWN
TO EXIST OTHER THAN ORIG. GOVT.

TIME SPENT 2 HRS

V-3

T 137-R 26




FEB. 25, 1981

D. COULTER
P. BACON

53

Book S-103 Page CSO



54 V-5

30 29
31 32

T 137-R 26

SECTION COR 29-30-31-32 / 137-26

FOUND 2" IRON PIPE 0.3' BELOW SURFACE
IN E. CO. ROAD # 114. (TOP BENT - TIES TO
EVIDENCED BY 3 OVAL CAPPED REFERENCE
MONUMENTS IN NE-SW QUADRANTS
AND L.E. GARRISON 1904 TIE TO WHITE
PINE TREE (see pg 55)

PRIOR SURVEYS:
L.E. GARRISON, 1904-05, 1904 BOOK, PAGE 39
L.E. GARRISON, 1910, 1910-11 BOOK, pg 21
LOUIS KNUDSEN 1926, PAGE 17, BOOK 30 (WGN)

TIME SPENT 1 HR

V-5


30 29
31 32


T 137-R 26

FEB. 24, 1981
D. COULTER
P. BACON

55

Book S-103 Page OSO





26.1

58

V-9

T137-R26

29

29 28

32 33

SECTION COR 28-29-32-33 / 137-26

MADE SEARCH FOR THIS CORNER

BASED ON ORIENTATION FROM

QUADRANGLE MAP AND TRAILS

NORTH AND EAST. CORNER IS IN

TAMARACK SWAMP NEAR S.E. CORNER

OF KNOLL IN SWAMP. FOUND NO

EVIDENCE OF THE CORNER BY

THIS METHOD.

PRIOR SURVEYS:

1" V 20" TAPE - TEMPORARY COR.
JOHN CROO, 1922, Pg 431, CW Co. BOOK A

TIME SPENT

2 1/4 HRS

V-9

T137-R26

29

28

D. COULTER

P. BACON

59

Book S-103 Page CSO

LOGGING TRAIL

TAMARACK
SWAMPTAMARACK
SWAMP

KNOLL

NO. 447

± 700'

± 780'

FOUND NO EVIDENCE
OF CORNER.
NO APPARENT LINES
OF OCCUPATION

TAMARACK SWAMP

60 X-5

T137-R26

31-32

QUARTER COR 31-32 / 137-26

FOUND 3" IRON PIPE IN E OF
GRAVEL ROAD AND ON APPROX P.I.
OF BLACKTOP ROAD N & W

NOTE: IRON IS BENT TO THE
NORTH. COULD NOT DIG OUT
DUE TO HARD FROZEN ROAD
TIES ARE TO TOP OF IRON AS
SAME PRESENTLY EXISTS

PRIOR SURVEYS: SE POST FROM B.T.
L.E. GARRISON, 1905 BOOK, PAGE 39
LOUIS KNUDSEN, 1926, PAGE 17, BOOK 30 (WSN)

TIME SPENT 1 HR

X-5

T137-R26


31-32

FEB. 24, 1981

D. COULTER

P. BAACON

Book S-103 Page CSO



ALL TREES DOUBLE BLAZED APPROX.
1 FOOT AND 5 FEET ABOVE GROUND
UNLESS OTHERWISE NOTED

Z-2/3

T 137-R26

137-26	31
136-27	1

MC 31-137-26 / 1-136-27

FOUND 1" IRON PIPE 1.3' ABOVE SURFACE
ON W. SIDE ADNEY LAKE. OLD FENCE
RUNS WEST

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1 1/4 HRS

Z-2/3


T 137-R26

137-26	31
136-27	1

FEB. 25, 1981
D. COULTER
P. BACON

63

Book S-103 Page CSO



ALL TREES DOUBLE BLAZED APPROX.
1 FOOT AND 5 FEET ABOVE GROUND
UNLESS OTHERWISE NOTED

64

66 A-11

T137-R27

137-26
138-27
33
4
137-27

Quarter Cor 4-137-27 / 33-138-27

ROUGH MEAS WEST FROM APPROX.
LOCATION OF SEC. COR. AND MADE
SEARCH FOR THIS CORNER IN
GENERAL AREA. NO EVIDENCE
OF CORNER FOUND. NO APPARENT
LINES OF OCCUPATION

PRIOR SURVEYS:

2 1/4 X 20 FT STAKE - TEMPORARY COR
JOHN CUREO, 1922, Pg 24 CW 20. BOOK B

TIME SPENT 3 HRS

138-27
33
4
137-27

A-11
T137-R27

MARCH 18, 1981
D. COULTER
P. BACON

67

Book S-103 Page CSO

FOUND NO EVIDENCE
OF CORNER

162

68 A-13

T137-R27

T138	R27
33	34
4	3
T137	R27

SECTION COR 3-4/137-27 AND 33-34/138-27

MADE SEARCH FOR THIS CORNER
 BASED ON ORIENTATION FROM
 QUADRANGLE MAP AND TRAILS SO.
 AND WEST. ALSO ROUGH MEAS. WEST
 FROM SEC. COR. TO EAST. FOUND
 BLAZED "TIMBER CRUISED LINE" RUNNING
 SOUTH. NO EVIDENCE OF CORNER
 FOUND.

PRION SURVEYS:
 JOHN CURE, 1922, PAGE 98, CW CO. BOOK A

TIME SPENT: 3 Hrs

A-13

T137-R27

T138	R27
33	34
4	3
T137	R27

MAR. 11, 1981
 D. COULTER
 P. BACON

69

Book S-103 Page CSO

NO EVIDENCE OF
 CORNER FOUND
 NO APPARENT
 LINES OF OCCUPATION

± 400'
 ± 550'
 1/2 A TRAIL

NO. 447

NATIONAL

70
A-15

T137-R27

T138-27
34
3
T137-27

QUARTER COR 3-137-27 / 34-138-27

MADE SEARCH FOR THIS CORNER
BASED ON ORIENTATION FROM QUADRANGLE
MAP AND TRAILS N & E. ALSO
ROUGH MEAS. WEST FROM SEC. COR.
TO EAST. FOUND NO EVIDENCE
OF CORNER

PRIOR SURVEYS:

JOHN CUREO, 1922, 2" X 20" STANG. TEMPORARY COR.
P. 160, CW 2, BOOK A

TIME SPENT 1 1/2 HRS


A-15

T137-R27

138-27
34
3
137-27

MAR. 11, 1981
D. COULTER
P. B. M. CO. N

Book S-103 Page CSO



12/ C-13
T137-R27

4-3

QUARTER COR 3-4/137-27

ROUGH MEAS. SO. FROM APPROX.
LOCATION OF SEC. COR. FOLLOWING
BLAZED "TIMBER CRUISER" LINE AND
MADE SEARCH FOR THIS CORNER
IN GENERAL AREA. NO EVIDENCE
OF CORNER FOUND

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOVT.

TIME SPENT 2 3/4 HRS

C-13
T137-R27

4-3

MAR. 18, 1981
D. COULTER
P. BACON

Book S-103 Page CSO

NO EVIDENCE OF
CORNER FOUND. NO
APPARENT LINES OF
OCCUPATION

14

A/B 25

T 137 R27

T 137 - 0 - T 137
R27 1 - 6 R27

MC 1-137-27 / 6-137-26

ROUGH MEAS N. FROM 1/4 COR. AND
MADE SEARCH FOR THIS COR. IN
GENERAL AREA. NO EVIDENCE
OF CORNER FOUND

PRIOR SURVEYS:
1" X 10" STAKE - TEMPORARY COR.
JOHN CROO, 1922, Pg 93, C.W. CO. BOOK A

TIME SPENT 2 1/4 HRS

A/B-25

T 137-R27

T 137 - 0 - T 137
R27 1 - 6 R27

MAR. 5, 1981
D. COULTER
P. BACON

Book S-103 Page CSO

LAKE

G.P. A.S.


NO. 447



NO EVIDENCE OF
CORNER FOUND.
NO APPARENT LINES
OF OCCUPATION

C-25 T137 MAR. 5, 1981
 1-0-6 D. COULTER
 R27 P. BAACON

Book S-103 Page CSO



ALL TREES DOUBLE
 BLAZED APPROX.
 1 FOOT AND 5 FEET
 ABOVE GROUND

T137 T137
 R27 1-0-6 R26
 T137-R27

QUARTER COR 1-137-27 / C-137-26

FOUND 1 1/4" IRON PIPE 0.6' ABOVE
 SURFACE. EVIDENCED BY TWO
 OLD BEARING TREES (SEE PG 77)

PRIOR SURVEYS:
 2" X 20" STAKE - TEMPORARY COR.
 JOHN CUTO, 1922, PAGE 626 CW Co. BOOK A

TIME SPENT 2 HRS

T137-227

$$\begin{array}{r} T_{137} \\ \times 16 \\ \hline R_{27} \end{array}$$

SEC. COR	1-12	137-27	AND 6-7/137-26
----------	------	--------	----------------

FOUND 2" IRON PIPE 18" ABOVE
SURFACE. EVIDENCED BY OLD
BRG. TREE (see p. 79)

Prior Surveys:
21520th STAKE - TEMPORARY COR.
JOHN CURT, 1922, PAGE 606, CW CV. BOOK A

[illegible]


E-25

T137-R27

$\begin{array}{r} T137 \\ 1 \\ \hline T137 \end{array}$
 $\begin{array}{r} T137 \\ 6 \\ \hline T137 \end{array}$
 $\begin{array}{r} R2712 \\ 7 \\ \hline R2712 \end{array}$
 $\begin{array}{r} R226 \\ 7 \\ \hline R226 \end{array}$

(79)
MARCH 4, 1981
MARCH 5, 1981
D. COULTER
P. BACON

Book	S-103	Page	CSO
------	-------	------	-----



80

F/G-17
T137-R27

10-11

MC 10-11/137-27

THIS CORNER FALLS IN DEEP
WATER APPROX. 40 FEET OFF
SHORE IN LITTLE PINE LAKE

PRIOR SURVEYS
FALLS IN DEEP WATER AND BT STUMP
John Curd 1917-1918, Pg. 325, CW Co. Book A

TIME SPENT 1/4 HR

T137-R27


10-11

MARCH 3, 1921
O. COULTER
P. BAILEY

Book S-103 Page CSO

LITTLE PINE LAKE

MC IN LAKE



82/G-17

10-11

T137-R27

G-17

T137-R27

10-11

O. COULTER
P. BACON

83

QUATER COR 10-11 / 137-27

FOUND 2" IRON PIPE WITH OVAL CAP
STAMPED "1/4" 13". ALSO FOUND U.S.C.E.
CONC. MON (6" DIAM WITH BRASS CAP)
22.02' NORTH. (See Pg 83)


PRIOR SURVEYS

John Curo 1917-1919, Pg 325 Cw Co. Book A
Louis Knudsen, 1920, Pg 75 Book 9 (WSD)
John Curo 1921, Pg 537, Cw Co Book A

TIME SPENT 3/4 HR

Book S-103 Page CSO

LITTLE PINE LAKE



ALL TREES DOUBLE BLAZED APPROX
1 FOOT AND 5 FEET ABOVE GROUND

82/84

G-25

T137-R27

T137
12-0-7
R27 R26

QUARTER COR 12-137-27 / 7-137-26

FOUND 1" IRON PIPE 0.5' ABOVE
SURFACE EVIDENCED BY 3 OLD
BEARING TREES MARKED BY
R. SCHNEIDER IN MAY 1965 (See pg 85)

PRIOR SURVEYS:

J. CURRO	1922	2" x 20" STAKE - TEMPORARY COR.
" "	pg 626, C.W. CO. BOOK A	
" "	PAGE 93	" " " "
R. SCHNEIDER	1965 - I.P.	(UNKNOWN IF SET OR FOUND)

TIME SPENT / HOUR

G-25


T137-R27

T137
12-0-7
R27 R26

MARCH 11, 1981

D. COULTER
P. BACON

Book S-103 Page CSO



ALL TREES DOUBLE BLADED APPROX
1 FOOT AND 5 FEET ABOVE GROUND

84

G/H-25
T137-R27

T137-
12-7
R27-R26

G/H-25
T137-R27
T137-
12-7
R27-R26

MAR. 11, 1981
MAR 19, 1981
D. COULTER
P. BACON


MC 12-137-27 / 7-137-26

SET 3/4" X 5' IRON PIPE 1 FOOT
ABOVE SURFACE FROM 3 BRG.
TREES MARKED BY R. SCHNEIDER
IN MAY, 1965 (SEE PG 87)

PRIOR SURVEYS
2 1/4 X 20' STAKE - TEMPORARY FOR
JOHN CURE, 1922, Pg 98, Cw Co. BOOK "A"
R. SCHNEIDER 1965 - FOUND I.P.

TIME SPENT 1 3/4 Hrs

Book S-103 Page CSO



ALL TREES DOUBLE BLAZED APPROX
1 FOOT AND 5 FEET ABOVE GROUND

86) 88

10 11
15 14

J 17
T137-R27

SECTION COR 10-11-14-15 / 137-27

ROUGH MEAS SO. FROM 1/4 CORNER
2629.68 FEET (OLD CURIO DISTANCE)
CORNER FALLS IN VERY SHALLOW
MUD LAKE APPROX. 75' NORTH
OF SOUTH SHORE MADE EXTENSIVE
SEARCH WITH METAL DETECTOR.
FOUND NO EVIDENCE OF CORNER

PRIOR SURVEYS:

SET TALL STAKE FROM ORIG B.T.
John Corb, 1917-1919, Pg 325 CW Pa. BOOK A
FOUND IN PLACE
Louis Knudsen 1920, Pg 75, BOOK 9 (WISN)

TIME SPENT 2 HRS

J-17 10 11 MAR. 4, 1981 89
T137-R27 15 14 D. COUQUET
P. BACON

Book S-103 Page CSO




MARCH 4, 1981 91
D. COULTER
P. BACON

11
14

J-18/19
T137-R27

Book S-103 Page CSO



NO. 447

NATIONAL

11
14

J-18/19
T137-R27


MC 11-14/137-27 41.50 CL. W. of SEC Cor

ROUGH MEAS. E. FROM APPROX.
LOCATION OF SECTION CORNER.
MADE SEARCH FOR THIS CORNER.
FOUND NO EVIDENCE OF SAME

NO PRIOR SURVEY RECORD KNOWN
TO EXIST OTHER THAN ORIG. GUIT.

TIME SPENT 2 1/2 HRS

92/ J-19/20
T 137-R 27



MC 11-14/137-27 23.97 CH. W. OF SEC. COR.

ROUGH MEAS. E. FROM APPROX. LOC. OF SEC. COR.
FOUND 1 1/2" IRON PIPE 0.5' ABOVE
SURFACE ON EAST SIDE OF
LILY PAD LAKE.

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.


TIME SPENT 2 1/2 Hours

J-19/20
T 137-R 27

MAR. 4, 1981
D. COULTER
P. BACON

73

Book S-103 Page CSO



ALL TREES DOUBLE BLAZED APPROX.
1 FOOT AND 5 FEET ABOVE GROUND

92 J-19/20

N-15

T 137-R 27

QUARTER COR. 15-22 / 137-27

ROUGH MEAS. EAST FROM SECTION
CORNER. FOUND 4" DIAM. WOOD
POST 3 1/2' ABOVE SURFACE. EAST
FACE OF TOP OF POST SQUARED OFF
AND HAS AN OLD "MINN. CONSERVATION-
FORESTRY TWP. TAG NAILER THEREON.
POST IS 2.5' S. OF OLD FENCE
CORNER. THIS POST WOULD APPEAR
TO BE A REFERENCE TO THE CORNER
AND NOT THE TRUE CORNER. FOUND
NO EVIDENCE OF TRUE CORNER
OTHER THAN ABOVE.

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOVT.

TIME SPENT 2 1/4 HRS

15

22

N-15

T 137-R 27

Book S-103

Page


CSO

15

22

MAR. 11, 1981 '95


D. COULTER
P. BACON



NO. 447

NATIONAL

96) R-3
T137-R27



QUARTER COR. 19-30/137-27

FOUND 2" IRON PIPE WITH OVAL
CAP 0.5' ABOVE SURFACE 46'
W. OF W. SHORE OF CROSS LAKE

PRIOR SURVEYS:

LOUIS KNUDSEN, 1925, PG 15 AND 64, BOOK 25 (WISN)
LOUIS KNUDSEN, 1932, PG 21, BOOK 36


TIME SPENT 1 1/2 Hrs

R-3
T137-R27

MAR. 3, 1981
D. COULTER
P. D'ACON

97

Book S-103 Page CSO'



IRON PIPE
AT TOE OF
BANK

ALL TREES DOUBLE BLADED APPROX.
1 FOOT AND 5 FEET ABOVE GROUND

1

R-15
T137-1

227

22 27

[illegible]

MARCH 3, 1981 (99)
D. COULTER
P. BACON


QUARTER COR. 22-27/137-27

FOUND 1 1/4" IRON PIPE 0.5 BELOW
SURFACE IN E OF C.S.A.H. #36
EVIDENCED BY 3 OLD BEARING
TREES (see P. 99)

PRIOR SURVEYS
SET PAST FROM ORIG. B.T.
L. E. GARRISON, 1904, PG 30, 1904 BOOK

TIME	SPENT
	3/4 hr.

Book	S-103	Page	CSO
------	-------	------	-----



ALL TREES DOUBLE PLAZED APPROX.
1 FOOT AND 5 FEET ABOVE GROUND

Ch. W. of Sec	Cor
---------------	-----

ET ABOVE	
BASE.	

1968

NET LAKE
ATTENDED G.A.


Now	To
	F. Govt.

1 1/4 HRS

R-21/22
T137-R2

MAR. 3, 1981
D. COULTER
P. BASON

Page CSO



ALL TREES DOUBLE BLADED APPROX.
1 FOOT AND 5 FEET ABOVE GROUND

102
R-23/24
T 137-R27

25

MC 24-25/137-27 32.9 Ch. W. of Sec. Cor

FOUND 3/4" IRON PIPE 0.2' BELOW
SURFACE ON EAST SIDE VELVET LAKE

PRIOR SURVEYS:
JOHN CUBO, 1921, PG 581, CW CO. BOOK A


TIME SPENT 1 HR

R-23/24
T 137-R27

25

MAR. 3, 1981
D. COULTER
P. BACON

Book S-103 Page CSO



ALL TREES BLAZED WITH SINGLE
BLAZE APPROX 1 FOOT ABOVE GROUND

104)

T-5

T137-R27

30-29

QUARTER COR. 29-30 / 137-27

THIS CORNER NOW WELL
OUT INTO CROSS LAKE
APPROX 900-1000 FEET NORTH OF
SOUTH SHORE

PRIOR SURVEYS:
FOR. IN PLACE
LOUIS KNUDSEN, 1925, Pg 16, BOOK 25 (WBN)

TIME SPENT 0 HRS

T-5


T137-R27

MAR. 3, 1981

D. COULTER
P. BA CON

105

Book S-103 Page CSO



106)
T/U-17
T 137-R27

30-29
-0-

MC 29-30/137-27

NOTE: THIS M.C. NOT ESTABLISHED
BY GOV'T SURVEY

FOUND 3/4" IRON PIPE 0.1' ABOVE
SURFACE ON SO. SHORE CROSS LAKE

PRIOR SURVEYS:

NOT AN OFFICIAL GOV'T M.C. -
ESTABLISHED BY PLAT OF URBAN'S
POINT

TIME SPENT 1 1/2 HRS

T/U-17


T 137-R27

30-29
-0-

MAR. 3, 1981
D. COULTER
P. BACON

(107)

Book S-103 Page CSO



108

X-1

T 137-R27

T 137
36-31
R28 R27

QUARTER COR 31/137-27 / 36/137-28

FOUND 8" SQUARE CONC MON
0.7' ABOVE SURFACE. STAMPED "4"
ON N & S SIDES, STAMPED "36" ON
W. SIDE, STAMPED "31" ON E. SIDE

PRIOR SURVEYS:
T. ROBINSON, 1907, pg 139, CW Co Book 1
J. CURRO, 1922, pg 162, CW Co Book A

TIME SPENT 1 HR.


X-1

T 137-R27

T 137
36-31
R28 R27

MAR. 3, 1981
D. COULTER
P. BASCON

Book S-103 Page CSO



ALL TREES DOUBLES BLAZED APPROX
1 FOOT AND 5 FEET ABOVE GROUND

110
5/T-17
T137-R27

27 26

MC 26-27/137-27 44.84 Ch N. of Sec. Cor.

5/T 17
T137-R27

27 26

MAR. 27, 1981
D. COULTER
P. BACON

ROUGH MEAS. 50' FROM SEC. COR.
FOLLOWING LINE APPARENTLY BRUSHED
OUT WITHIN PAST 2 OR 3 YEARS.
LINE FITS MAG. N-S BEARING O.K.
FOUND NO EVIDENCE OF THIS CORNER
BUT DID FIND NAILS IN 3 TREES (NO
BLADES) IN VICINITY OF CORNER LOC.
ORIGIN OF LINE UNKNOWN - LINE
DOES NOT CONTINUE ACROSS LAKE.

PRIOR SURVEYS:
J. CURR, 1922, Pg 608, Civil Co. Book "A"
2" X 20" STAKE - TEMPORARY CUL

TIME SPENT 1 1/2 HRS

Book S-103 Page CSO

EXTENDING BRUSHED
LINE TO SEC. COR.
2 OF 3 YEARS

FOUND 3 APPARENT
TIE TACKS WITH
NAILS. NO BLADES
ORIGIN UNKNOWN

NO M.C. PIPE
OF FOUND

BIG BIRD LAKE

110
112

U/V-17
T137-R27

27-26
27-0

MC 26-27/137-27 7.10 CH. N. of SEC. COR.

RAN 50. FROM SEC. COR. TO S. SHORE
BIG BIRD LAKE. FOUND NO
EVIDENCE OF THIS CORNER

PRIOR SURVEYS:
27 30 STAKE - TEMPORARY COR
J. CURRO, 1922, P 624, CW Co. B12 "A"

TIME SPENT 1 HR

U/V-17
T137-R27

MAR. 27, 1981
O. COULTER
P. BACON

27-26
27-0

Book S-103 Page CSO

BIG BIRD
LAKE

NO. 447

NATIONAL

LITTLE
BIRD
LAKE

FOUND NO EVIDENCE
OF M.C.
NO APPARENT LINES
OF OCCUPATION

V-17
T137-R227

27 26
34 35

SEC. COR 26-27-34-35 / T137-R227

RAN 50. FROM SEC COR. TO APPROX.
LOCATION OF THIS CORNER. THIS
POSITION FITS WELL WITH LOCATION
INDICATED BY USGS QUADRANGLE MAP.
NO EVIDENCE OF CORNER FOUND

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOVT.


TIME SPENT 1 1/2 HRS

V-17
T137-R227

27 26 MAR. 27, 1981 115
34 35 D. COULTER
P. BACON

Book S-103 Page CSO

BIG BIRD LAKE



NO. 447

NATIONAL

A-23
T137-R27

[illegible]

RAN E. FROM SEC. COR. FOUND 1 1/2" WITH OVER CAP.	
IRON PIPE 1.5' ABOVE SURFACE IN	
HEAVY ALDER SWAMP AT WEST END	
OF OLD FENCE RUNNING EAST.	
PIPE LEANING NORTH IN SOLID FROZEN	
SWAMP - COULD NOT STRAIGHTEN UP.	
TIES TAKEN TO ESTIMATED POSITION	
OF PIPE IF STRAIGHTENED.	

NO PRIOR SURVEY RECORD KNOWN TO	
EXIST OTHER THAN ORIG. GOVT.	


[illegible]

A-23
T 137-

A-23
T 137-R27

MAR 27, 1981
D. COULTER
P. BACON

Book	S-103	Page	CS0
------	-------	------	-----



ALL TREES DOUBLE BLAZED APPROX.
1 FOOT AND 5 FEET ABOVE GROUND.

119

36
T138 R27
T137 R27

18.78 CH. W.
OF SEC 20R

1-137-27 / 36-138-27

ROUGH MEAS E. FROM 1/4 CORNER
FOLLOWING REMNANTS OF OLD
FENCE LINE. NO EVIDENCE
OF M.C. FOUND


NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1 1/2 HRS

A-24/25
T137-R27

MAR. 27, 1981
D. COULTER
P. BACON

Book S-103 Page CSO



A-23

T 137-1227

36	R27
T138	R27
T137	R27

QUARTER COE

1-137-27 / 36-138-27

ON 8-8-1983 I FOUND THAT THE LEANING MON FOUND AND TIED BY ME ON 3/27/81 WAS ONLY THE BROKEN OFF TOP PORTION OF THE ACTUAL CORNER. I FOUND THE BASE OF THE MONUMENT IN GOOD CONDITION APPROXIMATELY 6 FEET WEST OF THE LOCATION ORIGINALLY TIED.

I SET A 1 1/4" X 10' LONG I.P. AT THE POSITION OF THE BASE OF THE FOUND MON, LEAVING THE TOP OF THE NEW PIPE ABOUT 2 FEET ABOVE THE SWAMP AND RE-TIED AS SHOWN ON OPPOSITE PAGE 5.


NO PRIOR SURVEY RECORDS KNOWN TO EXIST AT HER. THAN ORIG. GOVT.

A-23

T 137-1227

36	R27
T138	R27
T137	R27

AUG 8, 1983

O. COULTER
P. BACON

ALL TREES DOUBLE BLAZED APPROX.
1 FOOT AND 5 FEET ABOVE GROUND