

CROW WING COUNTY S109


COUNTY SURVEYOR -1981 TIES

INDEX (T 137-R-25)

CONTRACT NO 5-109 SURVEYOR: D. COULTER

PAGE	INDEX	CORNER DESCRIPTION
8-9	E-7	4 COR 5-8 / 137-25
10-11	E-11	1/4 COR 4-9 / 137-25
12-13	L-13	1/4 COR 15-16 / 137-25
14-15	N-13	SEC COR 15-16-21-22 / 137-25
16-17	N-15-16	M.C. 15-22 / 137-25 20.39 CH. W. OF SEC. COR.
18-19	N-16-17	M.C. 15-22 / 137-25 1.43 CH. W. OF SEC. COR.
20-21	N-17	SEC COR 14-15-22-23 / 137-25
22-23	R-19	1/4 COR 23-26 / 137-25
24-25	R-15	1/4 COR 22-27 / 137-25
26-27	R-5	SEC COR 19-20-29-30 / 137-25
28-29	R-3	1/4 COR 19-30 / 137-25
30-31	R-13	M.C. 27-28 / 137-25 68.64 CH. N. OF SEC. COR.
32-33	T-13	1/4 COR 27-28 / 137-25
34-35	T-5	1/4 COR 29-30 / 137-25
36-37	V-6-7	M.C. 29-32 / 137-25 52.0 CH. W. OF SEC. COR.
38-39	V-13	SEC COR 27-28-33-34 / 137-25
40-41	V-23	1/4 COR 25-36 / 137-25
42-43	V-25	SEC COR 25-36 / 137-25 - RITAIN CO
44-45	Z-13	SEC COR 33-34 / 137-25 - TWP 136
46-47	Z-15	1/4 COR 34 / 137-25 - TWP 136
48-49	Z-17	SEC COR 34-35 / 137-25 - TWP 136
50-51	Z-19	1/4 COR 35 / 137-25 - TWP 136

Crow Wing County Surveyor



2)

Page	INDEX	CONTRACT 5-109	INDEX	INDEX	CONTRACT 5-109	SURVEYOR: D. COULTER	CORNER DESCRIPTION
54-55	G-13	INDEX (T 137-R-26)	1/4 Cor	9-10	137-26		
56-57	J-15		1/4 Cor	10-15	137-26		
58-59	R-11		1/4 Cor	21-28	137-26		
60-61	Q/R-17		MC E. Line	22-137-26	11.52 Ch N. of Sec Cor		
62-63	Q/R-17		MC E. Line	22-137-26	8.85 Ch N. of Sec Cor		
64-65	V-15		1/4 Cor	27-34	137-26		
66-67	V-23		1/4 Cor	25-36	137-26		
68-69	V-25		SEC Cor	25-36	137-26	30.31	137-25
70-71	X-21		1/4 Cor	35-36	137-26		
72-73	Y/2-21		MC	35-36	137-26	13.45 Ch N. of Sec Cor	
74-75	Z-20/21		MC	5. Line	35-137-26	63.96 Ch E. of Sec Cor	

15
3)

Page	INDEX	CONTRACT 5-109	INDEX	INDEX	CONTRACT 5-109	SURVEYOR: D. COULTER	CORNER DESCRIPTION
78-79	T-21	INDEX (T 137-R-27)	1/4 Cor	25-26	137-27		
80-81	V-19		1/4 Cor	26-35	137-27		
82-83	W-21		MC	35-36	137-27	71.06 Ch N. of Sec Cor	
84-85	V-21		SEC Cor	25-26-35-36	137-27		
86-87	X-25		MC	36	137-27	31	137-26 38.12 Ch N.
88-89	Z-25		Turn Cor	36	137-27	31	137-26
90-91	Z-23		1/4 Cor	3. Line	36	137-27	
92-93	Z-21		SEC Cor	35-36	137-27		

INDEX (T 136 - R 27)

96-97 A-21 Closing Cor 6x6, 1 ft 2. From STA 1/4 Cor 15.83 Ch

INDEX (T 138-R 26)			CONTRACT 5-109		SURVEYOR: D. COULTER	
PAGE	INDEX	CORNER DESCRIPTION	PAGE	INDEX	CORNER DESCRIPTION	
100-101	A-1	Twp. Cor. NW Cor Sec 6 / 138-26	150-151	R/16-17	MC 22-27 / 138-26	210 CH. WEST OF SEC. COR
102-103	A/2-3	MC 6/138-26 - 31/139-26 47.06 CH. W. OF SEC. COR	152-153	R/15-1	MC 30/138-26 - 25/138-27	78.85 CH. W. OF SEC. COR
104-105	A/14-15	MC 3/138-26 - 34/139-26 43.02 CH. W. OF SEC. COR	154-155	S/16-17	MC 30/138-26 - 25/138-27	46.19 CH. N. OF SEC. COR
106-107	A-15	1/4 Cor 3/138-26 - 34/139-26	156-157	T-1	1/4 Cor 25/138-26 - 30/138-27	
108-109	C-1	1/4 Cor 6/138-26 - 1/138-27	158-159	T-9	1/4 Cor 28-29 / 138-26	
110-111	G-15	1/4 Cor 7-8 / 138-26	160-161	U/16-17	MC 26-27 / 138-26	61.29 CH. S. OF SEC. COR
112-113	J-3	1/4 Cor 7-18 / 138-26	162-163	V-1	SEC Cor 30-31 / 138-26 - 25-26 / 138-27	
114-115	J/4-5	MC 7-18 / 138-26 64.87 CH. E. OF SEC. COR	164-165	V-3	1/4 Cor 30-31 / 138-26	
116-117	L-1	1/4 Cor 18/138-26 - 13/138-27	166-167	V-7	1/4 Cor 29-32 / 138-26	
118-119	L-13	1/4 Cor 15-16 / 138-26	168-169	V/18-19	MC 26-35 / 138-26	48.59 CH. WEST OF SEC. COR
120-121	N-7	1/4 Cor 17-20 / 138-26	170-171	V-19	1/4 Cor 26-35 / 138-26	
122-123	N-9	SEC. Cor 16-17-20-21 / 138-26	172-173	X-1	1/4 Cor 31/138-26 - 36/138-27	
124-125	N-11	1/4 Cor 16-21 / 138-26	174-175	X-13	1/4 Cor 33-34 / 138-26	
126-127	N/15-16	MC 15-22 / 138-26 36.15 CH. WEST OF SEC. COR	176-177	X/11-13	MC 33-34 / 138-26	39.15 CH. N. OF SEC. COR
128-129	P-25	1/4 Cor 24/138-26 - 19/138-25	178-179	Z/15-16	MC 34/138-26 - 3/137-26	47.29 CH. W. OF SEC. COR
130-131	P/Q-1	MC 19/138-26 / 24/138-27 36.29 CH. N. OF SEC. COR	180-181	Z/17-18	MC 35/138-26 - 2/157-26	71.21 CH. W. OF SEC. COR
132-133	P/Q-1	MC 19/138-26 - 24/138-27 22.92 CH. N. OF SEC. COR	182-183	X-1	1/4 Cor 31/138-26 - 36/138-27	
134-135	Q/12-17	MC 22-23 / 138-26 8.58 CH. N. OF SEC. COR				
136-137	R/1-2	MC 19-30 / 138-26 6.16 CH. E. OF SEC. COR				
138-139	R/2-3	MC 19-30 / 138-26 21.57 CH. E. OF SEC. COR				
140-141	R-5	SEC Cor 19-20-29-30 / 138-26				
142-143	R-7	1/4 Cor 20-29 / 138-26				
144-145	R-9	SEC. Cor 20-21-28-29 / 138-26				
146-147	R-11	1/4 Cor 21-28 / 138-26				
148-149	R/13-14	MC 12-27 / 138-26 17.79 CH. E. OF SEC. COR				

CONTINUED ON NEXT PAGE

INDEX (T 138-R 26)			CONTRACT 5-109		SURVEYOR: D. COULTER	
PAGE	INDEX	CORNER DESCRIPTION	PAGE	INDEX	CORNER DESCRIPTION	
150-151	R/16-17	MC 22-27 / 138-26	210	CH. WEST OF SEC. COR		
152-153	R/15-1	MC 30/138-26 - 25/138-27	78.85	CH. W. OF SEC. COR		
154-155	S/16-17	MC 30/138-26 - 25/138-27	46.19	CH. N. OF SEC. COR		
156-157	T-1	1/4 Cor 25/138-26 - 30/138-27				
158-159	T-9	1/4 Cor 28-29 / 138-26				
160-161	U/16-17	MC 26-27 / 138-26	61.29	CH. S. OF SEC. COR		
162-163	V-1	SEC Cor 30-31 / 138-26 - 25-26 / 138-27				
164-165	V-3	1/4 Cor 30-31 / 138-26				
166-167	V-7	1/4 Cor 29-32 / 138-26				
168-169	V/18-19	MC 26-35 / 138-26	48.59	CH. WEST OF SEC. COR		
170-171	V-19	1/4 Cor 26-35 / 138-26				
172-173	X-1	1/4 Cor 31/138-26 - 36/138-27				
174-175	X-13	1/4 Cor 33-34 / 138-26				
176-177	X/11-13	MC 33-34 / 138-26	39.15	CH. N. OF SEC. COR		
178-179	Z/15-16	MC 34/138-26 - 3/137-26	47.29	CH. W. OF SEC. COR		
180-181	Z/17-18	MC 35/138-26 - 2/157-26	71.21	CH. W. OF SEC. COR		
182-183	X-1	1/4 Cor 31/138-26 - 36/138-27				

Crow Wing County Surveyor

E-7
T137-R25

QUARTER COR 5-8 / 137-25

ROUGH MEAS. W. ALG. TRAIL
FROM APPROX. POSITION OF SEC. COR.
NO EVIDENCE OF CORNER FOUND

PRIOR SURVEY

1922 J. CORN

Set 3/4" x 10" IRON
FOR TEMPORARY COR

CWC BOOK B
PAGE 22

TIME SPENT 1 HR

E-7
T137-R25

JUL 22, 1981
O. COULTER
P. BASCON

TRAIL

NO EVIDENCE OF COR.
NO APPARENT LINES
OF OCCUPATION

Crow Wing County Survey

E-11
T137-R25

QUARTER COR 4-9 / 137-25

MADE SEARCH FOR THIS CORNER
IN GENERAL AREA INDICATED BY
USGS QUAD MAP.


OLD FENCE LINE RUNS N. ON W.
SIDE OPEN AREA. FOUND FLAGGED
SPIKE OF FAIRLY RECENT ORIGIN
0.1 BELOW SURFACE IN SO. WHEEL
TRACK OF E-W TRAIL - DID NOT
ACCEPT AS CORNER. NO OTHER
EVIDENCE OF CORNER FOUND.

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1 HR

JULY 27, 1981
D. COULTER
P. BACON

E-11
T137-R25



Crow Wing County Survey

(12)

L-13
T137-R25

16-15

QUARTER COR. 15-16 / 137-25
FOUND 2" I.P. WITH STAMPED ALUMINUM
CAP 1.3 ABOVE SURFACE IN OPEN
FIELD EVIDENCED BY 2 D.M.A. 1952
POWER POLE TIES.

PRIOR SURVEYS

1919	MURPHY CO. ENG.	FOUND COR	BOOK 45 C.M.D. Pg 29
1921	J. Curo	50x2" x 24" STAKE	C.W.C. BOOK A PAGE 589
1952	O. ANDERSON	2" x 50" IP W/CAP	BOOK 71 PAGE 26

TIME SPENT 1 HR


WING COUNTY
VANDERBILT

L-13
T137-R25

16-15

JULY 27, 1981
D. COULTER
P. BACON

Orow Wing County Surveyor



14

N-13
T137-A25

16 15
21 22

SECTION COR 15-6-21-22 / 137-25
ROUGH MEAS 1320' SO. ON MAG. BRG.
FROM ROAD / INTERSECTION NORTH TO
POSITION FOR COR. INDICATED BY USES
QUAD MAP. - FOUND COR - 555°E
215'± FROM ABOVE LOCATION.
2" I.P. WITH STAMPER ALUM. CAP.
1.3' ABOVE SURFACE IN TAMARACK SWAMP
EVIDENCED BY 3, 1952 D. ANDERSON.
TIE TREES (ONE LIVE, ONE DEAD - ONE STUMP)

Prior Surveys
1922 J. Curo
1952 D. Anderson

SET 2" x 20" STAKE
FOR TEMP. COR
SET & TIED MON. BK 71, Pg 28


TIME SPENT 2 HRS

N-13
T137-A25

16 15
21 22

July 27, 1981
D. COULTER
P. BACON

Orow Wing County Surveyor



ALL TREES DOUBLE BLAZED
APPROX. 1' 5" ABOVE GROUND

16

N/15-16
T 137-R25

15
0
22

M.C. 15-22-137-R25
26.39 CH. W. OF SEC. COR.

SEARCHED FOR M.C. IN GENERAL AREA
INDICATED BY USGS QUAD MAP
NO EVIDENCE OF CORNER FOUND

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1/2 HR


17

JULY 27, 1981
D. E. OULTER
P. BA CON

N/15-16
T 137-R25

15
0
22

Orow Wing County Survey



FOUND NO EVIDENCE OF M.C.
NO APPARENT LINES OF OCCUPATION

18

N/16-17
T137-A25

15
22

M.C. ~~SEARCHED~~ ~~ALONG~~ ~~REMANANTS~~

1.43 CH. W. OF SEC. COR.

SEARCHED AREA ALONG REMANANTS
OF OLD FENCE LINE & FIELD LINE.
FOUND NO EVIDENCE OF CORNER

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. COURT

TIME SPENT 1/4 HR


N/16-17
T137-R25

15
22

Orow Wing County Survey

July 27, 1981
D. COULTER
P. BACON

19



20

N-17

T 137-R25

15 14

22 23

SECTION 1, CORNER 1/4, 22, 23, 24

FOUND 1 1/4" GALV. I.P. 1.2' ABOVE SURFACE

ALSO LARGE SPK. FLUSH 0.15 W. OF I.P.

FIELD LINE RUNS E-W & REMNANTS OF

OLD FENCE LINE RUN E-W.

MR. D. HATCHER, OWNER OF PROPERTY

TO NORTH FOR PAST 12 YEARS STATED

THAT PRIOR OWNER TOLD HIM THIS

POINT IS SECTION CORNER. HE ALSO

STATED THAT THIS POINT WAS PREVIOUSLY

A PIECE OF FLAT "STAP" METAL AND

WAS REPLACED WITH THE PIPE BY

PERSONS UNKNOWN.

PRIOR SURVEYS

1922

J. Curo 56 3/4" x 10" IRON

CWC BOOK A
PAGE 143

1952

O. Anderson sec. Cor. In place

BLET, Pg 30

TIME SPENT

1 1/4 HR

Crow Wing County Surveyor

N-17

T 137-R25

15 14

22 23

JULY 27, 1981

D. COULTER

P. BAACON

OLD
HOUSE

TIE TO SIDING

3" Norway Pine

8" Norway Pine

PIPE

8" Norway Pine

N 18° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'N 78° E
93.25'

OPEN FIELD

ALL TREES HAVE SINGLE LOW BLAZE ONLY

NOTE: FOUND POSITION OF THIS CORNER
IS 50' ± WEST OF POSITION
INDICATED BY USGS QUAD MAP
ACCORDING TO BUILDING
POSITIONS SHOWN ON QUAD MAP.

NO. 447

NATIONAL

R-19
T137-R25

23
26

QUARTER COR 23-26 / 137-25

MADE SEARCH FOR CORNER
IN GENERAL AREA INDICATED
BY USGS QUAD MAP
FOUND NO EVIDENCE OF CORNER


NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1 HR

R-19
T137-R25

23
26

JULY 17, 1981
D. COULTER
P. DACON



FOUND NO EVIDENCE
OF CORNER,
NO APPARENT LINES
OF OCCUPATION

Crow Wing County Surveyor

24

R-15

T 137-225

QUARTER COR 22-27 / 137-25

FOUND 1/2" PINCHED END I.P. 0.1' AS ONE

SURFACE EVIDENCED BY ONE OLD

B.T. CORIGIN UNKNOWN AND OLD

N-S LINE OF BLAZED TREES

NO PRIOR SURVEY RECORD KNOWN TO

EXIST OTHER THAN ORIG. GOVT.

TIME SPENT 1 1/2 HRS

RECORDS MAINTAINED

22
27

R-15

T 137-225

July 17, 1981

D. COULTER

P. BACON

22
27

GRAVEL ROAD

± 145'

12" TWIN
RED OAK

± 240'

12" RED OAK

IRON PIPE

SB88E 10" BLACK
CLUMP OF 4
BLACH

± 180'

12" RED OAK
(OLD B.T.)

± 12" BASSWOOD

± 28'

± 28'

TWIN LAKES

Orow Wing County Surveyor

ALL TREES DOUBLE BLAZED

APPROX. 1' ± 5' A.P. (G. COULTER)

NO. 447

NATIONAL

R-5

T137-225

19 20

30 29

SECTION COR 19-20-24-30/137-25

FOUND 3/8" X 12" SPIKE FROM 1978
 HWY. DEPT. TIES
 REPLACED SPIKE WITH
 1" X 24" I.P. 0.5' BELOW SURFACE

Prior Surveys

1900 White lay Set Post 1919
 1905 Garrison SET STONE FROM ORIG. BT 1905 Book PG. 72
 1922 J. Curro SET 3/4" X 10" IRON CWC BOOK A PG. 62
 1925 CRAIG 6" X 24" CONC. MON. FILED IN SEC. OF STATE OFFICE
 1935 CO. HWY MON IN PLACE RUNNING CAR #5
 1978 CO. HWY MON. GONE RESET FROM DMI TIES & RE-TIED RUNNING 636 CHD

TIME SPENT 1 1/4 Hrs

R-5

T137-225


19 20

30 29

July 10, 1981

D. COULTER

P. B. H. AN



ALL TREES DOUBLE BLAZEN
 APPROX. 1' S ABOVE GROUND

Crown Wing County Survey

R-3
T137-R25

19
30

QUARTER CORNER 19-30 / 137-25

FOUND ANGLE IRON (COLORED RAIL?) 0.2'
BELOW SURFACE IN SOUTH DITCH OF
CSAH #36. EVIDENCED BY 1-1978
Co. Hwy TIE TREE STILL STANDING & 1
1978 Co. Hwy B.T. STUMP.

PRIOR SURVEYS


1900	Whiteley	SET POST FROM ORIG. B.T.	BOOK W-15 PG 72
1935	Co. Hwy	FOUND IN PLACE	1935 R.W.M.P. CAPS / C36 CHD
1978	"	NEW TIES	

TIME SPENT 1 1/4 HRS

JULY 10, 1981
D. COULTER
P. BA CON

19
30

R/3
T137-R25



Orow Wing County Surv 3/3r

ALL TREES DOUBLE BLAZED
APPROX. 1' & 5' ABOVE GROUND

R/S-13
T137-R25


28-27

M.C. 27-28 / 137-25
68.64 CH. N. OF SEC COR
MADE SEARCH FOR CORNER IN
GENERAL AREA INDICATED BY
USGS QUAD MAP
NO EVIDENCE OF CORNER FOUND

R/S-13
T137-R25

28-27

July 17, 1981
D. COVETER
P. BACON



PRIOR SURVEYS
1921 J. C. ROO SET 3/4" X 10" 1200 MON
CWO BOOK A
PAGE 590

TIME SPENT 3/4 Hr

THANK YOU VERY MUCH AND HAVE A GOOD DAY

Crow Wing County Surveyor

D. Coulter
P. Bacon

QUARTER CORNER 27-28 / 137-25

ROUGH MEAS.	SOUTH ALONG	TRAIL
FROM TRAIL	INTER	SECTION $\pm 1400'$
NORTH AND	MADE	SEARCH FOR COR.
IN GENERAL	AREA INDICATED BY	
USGS QJAD	MAP.	
NO EVIDENCE	OF CORNER	FOUND

Prior Supervisors

1922	J. Curo	Set 3/4" x 10" / RON
		FOA TEMP. COR

QWE BOOK A
PAGE 617

TIME SPENT $\frac{3}{4}$ HR

Figure 1

Grow Wing County Surveyor

NO EVIDENCE OF COR.
FOUND - NO APPARENT
LINES OF OCCUPATION

34

T-5
T137-R25

30-29

QUARTER COR.

29-30 / 137-25

MADE SEARCH FOR THIS CORNER IN
GENERAL AREA INDICATED BY
USGS QUAD. MAP.
FOUND NO EVIDENCE OF CORNER

PRIOR SURVEYS

1921 J. C. ROO
SET 3 1/4" x 10" IRON
FOR TEMP. COR
C.W.C. BOOK A
PAGE 570

1925 H.D. CRAIG
FOUND NO EVIDENCE OF COR.

TIME SPENT
1 1/2 HRS

DATE WHEN RESEARCH WAS DONE

35

July 16, 1981
D. COUTER
P. BACON

30-29

T-5
T137-R25

GRAVEL ROAD

250'

NO EVIDENCE OF COR.
FOUND - NO APPARENT
LINES OF OCCUPATION

Orrow Wing County Surveyor

V/G-7
T137-R28

27
0
32

MC 29-32 / 137-25

56.00 CH. W. OF SEC. COR

MADE SEARCH FOR CORNER IN GENERAL
AREA INDICATED BY USGS QUAD MAP
FOUND NO EVIDENCE OF MONUMENT
BUT DID FIND 3 OLD DOUBLE
BLAZED B.T.'S OF UNKNOWN
ORIGIN. D.M.R. MAY HAVE RECORD
OF TIES SINCE THIS M.C. IS NEAR
A PUBLIC ACCESS

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.


TIME SPENT 1 1/4 HR

ALL TIES FOUND

24
0
32

July 27, 1981
D. COULTER
P. BACON

Crow Wing County Surveyor



NO MONUMENT
TIES SHOWN ARE TO ESTIMATED POSITION
OF CORNER AS INDICATED BY BLAZES
FOUND ON THE 3 OLD B.C.G. TREES

38

V-13

T137-225

28	27
33	34

SECTION 27-28-33-40-43-44-45

ROUGH MEAS.	SOUTH ALONG TRAIL FROM
TRAIL INTERSECTION	4050'± NORTH
AND MADE SEARCH FOR CORNER IN	
GENERAL AREA INDICATED BY	
USGS QUAD MAP	

APPROX. 150' SOUTH OF ABOVE NOTED:

POSITION WE	FOUND A SINGLE STEEL		
"I" FENCE POST 3' ABOVE THE SURFACE			
WITH TOP PAINTED ORANGE AND			
ADJACENT TREES ALSO PAINTED ORANGE			
DID NOT TIE. POST IS OF RECENT			
ORIGIN & BELIEVED TO BE APPROXIMATE			
CORNER ONLY.			

Prior	Surveys
-------	---------

1921	J. Curro	set 3/4" x 10" iron	CWC BOOK A
		for TEMP. COR.	PAGE 576

TIME	SPENT	/HR
------	-------	-----

Grow Wing County Surveyor

V-13

T137-R25

28	27
33	34

July 17, 1981
D. Coulter
P. Bacon

39.

Trail

7	1	6	8	4	7
---	---	---	---	---	---

7	4200	
---	------	--

SMAC 201
F.I.
QIA
SMA 201

68

FOUND FENCE POST
NO OTHER EVIDENCE
NO APPARENT LINES
'S, OF OCCUPATION

V-23

T137-R25

25

36

QUARTER COR 25-36 / 137-25

ROUGH MEAS. EAST ALG. $\pm$ OF
GRAVEL ROAD FROM SEC. COR.
FOUND NO EVIDENCE OF MON.
(NOTE: THERE IS A METAL CULVERT
UNDER THE ROAD AT APPROX $\frac{1}{4}$ COR
POSITION)

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT $\frac{3}{4}$ HR

ROW WING COUNTY SURVEYOR

JULY 16, 1981

D. COULTER

P. BACON

V-23

T137-R25

25

36

OPEN FIELD

NO EVIDENCE OF
CORNER FOUND

ROAD

GRAVEL

CULVERT

WOODS

FIELD LINE

OPEN FIELD

ROW WING COUNTY SURVEYOR

V-25
T137-225

1137
 25
 36
 225
 AIRLINE
 COUNTRY

SECTION CORNER 1536/137-25 - AITKEN CO

4 0.1 ABOVE SURFACE

FOUND 1/4" DIAM IRON ROD AT APPROXIMATE

P.I. OF BARELY DISCERNABLE OLD

ROUND BED: NO EVIDENCE OF ANY

B: T's
ROD HAD REMNANT OF OLD

PIECE OF ORANGE PLASTIC FLAG

ATTACHED. FITS GENERAL LOCATION

INDICATED BY USGS	QUAD	MAP.

NOT CERTAIN IF THIS POINT IS FOR

513. C.R. OLD ROAD P.I.

No	PRIOR	SURVEY	RECORD	KNOWN TO
EXIST	OTHER	THAN	ORIG. GOV'T.	

TIME	SPENT	1 1/2 HRS
------	-------	-----------

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

$$\begin{array}{r} 1137 \\ 25 \\ \hline 36 \\ R25 \end{array}$$


V-25

T137-E25

ATLANTA
COUNTY

July 16, 1981
D. COULTER
P. BACon

43



all trees have single low BLAZE

Grow Wing County Survey, et.

T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N

Z-13
T 137-R 25

T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N

SECTION COR 33-34 / 137-25 - Twp 136

MADE SEARCH FOR CORNER IN GENERAL
AREA INDICATED BY USGS QUAD MAP.
FOUND EVIDENCE OF OLD BLAZED EAST -
WEST TREE LINE AND ALSO
EVIDENCE OF FAIRLY RECENT EAST -
WEST BRUSHED LINE ABOUT 10' SOUTH
OF OLD LINE.

FOUND NO EVIDENCE OF CORNER

PRIOR SURVEYS

1900 Whiteley found Post
1922 J. Caro Set 3/4" x 10" iron
for TEMP. COR

TIME SPENT 2 HRS

T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N

Z-13
T 137-R 25


T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N

T 137 R 25
33 34
T 136 N



Crow Wing County Survey

46

Z-15
T 137-R 25

T 137 R 25
34
T 136 N

QUARTER COR 34/137-25 - T 136

ROUGH MEAS. WEST ALONG E OF
GRAVEL ROAD FROM APPROXIMATE
LOCATION OF SECTION COR.
FOUND NO EVIDENCE OF CORNER

PRIOR SURVEYS
1900 Whiteley Found Post

BOOK W-13
PAGE 73

TIME SPENT 1 HOUR

THEY WERE VISIBLE AND IN VIEW


Z-15

T 137-R 25

T 137 R 25
34
T 136 N

JULY 16, 1981
D. COULTER
P. BACON

47



Crow Wing County Survey 34.25

48

Z-17
T137-R25

T137 R25
34 35
T136 N

SECTION COR 34-35/137-25 - T136
ROUGH MEAS WEST ALONG E OF
GRAVEL RD. FROM ROAD INTERSECTION
AT APPROX 1/4 CORNER TO EAST
FOUND NO EVIDENCE OF CORNER

PRIOR SURVEYS

1900 Whiteley Post Set for Cor
1911 EFFERTZ SET FOR FROM B.T. STUMP

BOOK W-13
PAGE 73
BOOK 3
PAGE 57

TIME SPENT 1 1/4 HRS

GRAVEL ROAD


DRIVEWAY

49

JULY 16, 1981
D. COULTER
P. BACON

T137 R25
34 35
T136 N

Z-17
T137-R25



Crow Wing County Surveyors

July 16, 1981
D. COURTER
P. B. CAN

T137 R25
35
T136 N

Z-19
T137-R25

QUARTER COR 35/137-25 - T 136

ROUGH MEAS E. ALG. FENCE LINE
FROM ROAD INTERSECTION AT APPROX.
1/4 CORNER TO WEST.

FOUND NO EVIDENCE OF 1/4 COR.

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOVT.

TIME SPENT 1 HR

AS WORKED WITH D. COURTER

FOUND NO EVIDENCE OF
CORNER
APPROXIMATELY 1/4
FENCE LINE
OLD FENCE
LINE

NO. 447
T 1320'

NO. 447
NATIONAL
ROAD

Crow Wing County Surveyor

54

G-13

T 137-R-26

9-10

QUARTER CORNER 9-10 / 137-26

FOUND 2" I.P. WITH AVAL CAP 0.6 ABOVE
SURFACE ON EAST SIDE TRAIL.
EVIDENCED BY 1929 E.F.N. BAG TREE

PRIOR SURVEYS:

1924 KNUDSEN SET FORD AXEL, P457, BK 22 (WSN)
1927 KNUDSEN P44 Sec. 6 or BK (WSN)
1929 E.F.N. FND MON., AGE-07, P455 (G.S.A.)

TIME SPENT 2 HRS


G-13

T 137-R-26

9-10

JULY 2, 1981
P. COUTER
P. BACON

Crow Wing County Surveyor



QUARTER CORNER 10⁵15/137-26

FOUND NO. EVIDENCE OF CORNER			
OTHER THAN FENCES AS SHOWN ON			
OPPOSITE PAGE			

No	Prior	Survey	Record	Known	To
Exist	Other	Than	Orig.	Gov't.	

TIME SPENT	1 1/4 Hr
1	1 1/4 Hr

July 2, 1981
D. Coulter
P. Bacon

51-5

T 137-R 26

96H. H. I. C. 77

Crow Wing County Surveyor

58

R-11

T137-R26

21
28

QUARTER CORNER 21 & 28 / 137-26

FOUND 3/4" I.P. 0.5' ABOVE SURFACE ON
EAST SIDE OF TRAIL

PRIOR SURVEYS:

1904 GARRISON POST FROM ORIG. B.T.S

TIME SPENT 1 1/2 HRS

59

JULY 2, 1981

D. COULTER

P. BACON

R-11

T137-R26

21
28

18" NORWAY PINE
TIE TO TREE BLAZE
5' ABOVE GROUND

8" MAPLE

TRAIL

12" BALSAM

8" BALSAM

IRON PIPE

10" NORWAY PINE

14" NORWAY PINE

ALL TREES DOUBLE BLAZED
APPROX. 1' & 5' ABOVE GROUND

Crow Wing County Surveyor

Q/R-17
T 137-R 26

22-23

D. COOPER
P. BACON


Q/R-17
T 137-R 26

22-23

M.G. E. LINE SEE 22-137-26
11.52 CH. N. OF SEC. COR. IN LAKE
FOUND NO EVIDENCE OF CORNER
(POINT SET BY E.F.N. NOTED BELOW
NOW IN LAKE)

PRIOR SURVEYS:
1930 E.F.N. SET I.M. 35' 30" OF M.O. IN LAKE
ACE-06-050, P. 26

TIME SPENT 1/2 HR



Crow Wing County Surveyor

Q/R-17

T 137-R26

MC E. LINE SEC 22-137-26

B.85 CH. N. of SEC. COR. IN CARE

FOUND 2" I.P. 1.0' ABOVE SURFACE

EVIDENCED BY OLD B.T. TO S.W. ORIGIN

UNKNOWN

PRIDE SURVEYS:

1930 E.F.N. SET. 1.11. 587.9' N. OF SEC. COR. AS WITNESS AGE-06, P. 26 650


TIME SPENT 1 1/4 HRS

Crow Wing County Surveyor

Q/R-17

T 137-R26

JULY 2, 1981
O. COULTER
P. BACON



ALL TREES DOUBLE
BLAZED APPROX. 1'
AND 5' ABOVE GROUND

V-15

T 137-R 26

27

34

QUARTER COR. 27 & 34 / 137-26

SEARCHED FOR CORNER IN GENERAL AREA
INDICATED BY USGS QUAD MAP. FOUND
REMNANTS OF OLD E-W FENCE LINE.
CORNER MAY FALL IN SMALL WET
SWAMP. FOUND NO EVIDENCE OF COR.

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOVT.


TIME SPENT: 1 HR

V-15

T 137-R 26

34

Crow Wing County Surveyor



NO. 447

WILSON

JULY 2, 1981
D. COULTER
P. BA CON

25
36

V-23

T 137-R26

QUARTER CORNER 25 36 / 137-26
FOUR 1965 D.N.R. TIE TREES
STILL STANDING (ONE DEAD).
NO EVIDENCE OF MONUMENT.
SET 1/4" X 26" IRON PIPE FROM
ABOVE TIES 0.5' BELOW SURFACE IN
APPROX. 1/4 OF E-W GRAVEL ROAD

PRIOR SURVEYS:

1965 JOE REBACH FOUND 1 1/2" IP. DNR/LM/I LCA/78

Time Spent 1 1/2 HR


NOTE: DNR 1965 BEARINGS TO
TREES DO NOT MATCH MINE
BY 12 OR 13 DEGREES ON ALL
TIES BUT RELATIVE ANGLES
BETWEEN TREES FIT QUITE WELL.

V-23

T 137-R26

Crow Wing County Surveyor

JULY 10, 1981
D. COULTER
P. BAZON



ALL TREES DOUBLE BLAZED
APPROX. 1' 5.5' ABOVE GROUND

V-25

25 30
26 3125 30
26 31

T. 137-R26

SEC. COR. 25-36/137-26 & 30-31/137-25

FOUND 1 1/2" I.P. FLUSH IN E OF
OLD E-W ROAD BED. EVIDENCED BY
OLD BT'S N & NE (ORIGIN UNKNOWN)

PRIOR SURVEYS:

1933 J. PRESTON Found I.M. PG 23, BK 207 CHD
1965 J. PERPICH Found 3/4" Iron Pin in
1 1/2" I.P. Down 0.4' One/Im/E, Loc 178

TIME SPENT: 1 HOUR

NOTE: I BELIEVE DATA SHOWN ON

COUNTY LAND CORNER RECORD

SHEET FOR THIS COR. IS ACTUALLY

FOR SOME OTHER CORNER FOR.

THE FOLLOWING REASONS:

CORNER IS FLUSH IN OLD ROAD BED - NOT DOWN 0.4'

1 1/2" I.P. FOUND DOES NOT HAVE 3/4" PIN IN CENTER

THERE IS NO EVIDENCE WHATEVER OF THE THREE

1965 ONE TIE TREES LISTED AND BY BEARINGS


INDICATED, ONE WOULD HAVE BEEN IN THE E OF ROAD

V-25

25 30
26 3125 30
26 31

T. 137-R26

Crow Wing County Surveyor



NOTE I CALLED! SAW ONE 7/21/81 I HAVE
THE WRONG THE DATA RECORDED THE
OLD BT'S ARE OUR TIES ALSO THEY CHECK
ALL TREES DOUBLE BLAZED T.D.B.
APPROX. 1' & 5' ABOVE GROUND 7/31/81
A.C.S.

X-21
7137-R26

35-36

QUARTER CORNER 35-36/137-26

FOUND 2" I.P. WITH OVAL CAP 0.1' ABOVE
SURFACE ON WEST SLOPE OF DITCH

PRIOR SURVEYS:

1926 Knudsen Found Post

1930 E.F.N. Found I.M. 17'E, 08' E A.C.E.-06, P. 23, C.S.O.


TIME SPENT 1 1/2 HR

Crow Wing County Surveyor

July 10, 1981
D. COULTER
P. BA CON

35-36

7137-R26



ALL TAGES DOUBLE BLAZED
APPROX. 1' 5\"/>

75
73

Y/2 - 21
T 137-R 26

Y/2 - 21
T 137-R 26


Grow Wing County Surveyor

July 10, 1981
D. COULTER
P. BROWN

SEARCHED FOR CORNER IN GENERAL
AREA INDICATED BY USGS QUAD MAP,
FENCE LINE & ROAD FOUND NO
EVIDENCE OF CORNER

NO PAID SURVEY RECORD KNOWN
TO EXIST OTHER THAN ORIG. GOVT.

TIME SPENT 3/4 HR



35-137-26
T 136 N

Z - 20/21
T 137-R 26

MC SOUTH LINE 35 / 137-26
63.96 CH. E. OF SEC. COR

SEARCHED FOR CORNER IN GENERAL
AREA INDICATED BY USGS QUAD
MAP. FOUND NO EVIDENCE OF SAME
SHORE BANK IS OLD DUMPING AREA
MAKING METAL DETECTOR ALMOST
USELESS.

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOVT.


TIME SPENT 1 HOUR

Crow Wing County Surveyor

35-137-26
T 136 N

Z - 20/21
T 137-R 26

July 10, 1981
D. COUCHER
P. B. H. CO. N



NO. 447

7-13-81

19 75

T-21
T 137-R27

26-25

QUARTER COR 25-26 / 137-27

ROUGH MEAS SOUTH ON MAG BEG

FROM SEC. COR.

FOUND MINN. - CONS- FORESTRY PLATE

ON W. FACE OF 6" RED OAK (DEAD TREE)

ALSO LIGHT BLAZE ON 12" DEAD JACK

PINE 15' E WEST OF ABOVE OAK.

FOUND NO OTHER EVIDENCE OF CORNER

NO PRIOR SURVEY RECORD KNOWN TO EXIST
OTHER THAN ORIG. GOV'T.

TIME SPENT 2 1/2 HRS

T-21
T 137-R27

26-25


MAY 14, 1981
D. COULTER
P. BACON

Crow Wing County Surveyor

* FOUND NO EVIDENCE
OF CORNER OTHER
THAN PLATE ON TREE
NOTED ON OPPOSITE PG.
NO VISIBLE LINES OF
OCCUPATION.

V-19

T 137-227



QUARTER COR 26-35 / 137-227

ROUGH MEAS WEST ON MAG FROM

SEC. COR.

FOUND NO EVIDENCE OF COR.

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T

TIME SPENT 2 1/4 HRS

V-19

T 137-R27

26

35

JULY 17, 1981
D. COULTER
P. BA CON

Crow Wing County Surveyor

FOUND NO EVIDENCE OF
CORNER - NO VISIBLE
LINES OF OCCUPANCY

80
 V-W/21
 T137-R27

35-36
 36

M.C. 35-36/137-27
 71.06 CH N. OF SEC COR

ROUGH MEAS 30. ON MAG FROM SEC. COR.
 FOUND NO EVIDENCE OF M.C.


NO PRIOR SURVEY RECORD KNOWN TO EXIST
 OTHER THAN ORIG. GOV'T.

TIME SPENT 1 1/2 HR

V-W/21
 T137-R27

35-36
 36

Crow Wing County Surveyor.



83
 MAY 14, 1981
 D. COUTER
 P. BACON

V-21

T 137-R27

26 25
35 36

SEC. COR. 25-26-35-36 / 137-27

ROUGH MEAS. SO. ON MAG. FROM APPROX
1/4 COR POSITION. FOUND 1/2" X 12" IP
LEANING BADLY IN BOG. REMOVED
AND RESET LEAVING SAME 3' ABOVE
BOG SURFACE. PIPE QUITE SOLID NOW

NO PRIOR SURVEY RECORD KNOWN TO EXIST
OTHER THAN ORIG GOVT.

TIME SPENT 3 1/2 HRS

V-21

T 137-R27

26 25
35 36

MAY 14, 1981
D. COULTER
P. B. HAN

1" JACK PINE

N 25° E
147.0

14" NORWAY PINE

10" JACK PINE

BOG


IRON PIPE 2"

1/2" X 12"

BOG

Crow Wing County Surveyor

ALL TREES DOUBLE BLAZED APPROX.
1' ± 5' ABOVE GROUND



86

X/Y-25
T137-R27

36-31
137-27-137-26

M.C. 36/137-27 - 31/137-26
38.12 Ch. N. of Sec. Cor.

ROUGH MEAS. N. ON MAG. from
SEC. COR. FOUND NO EVIDENCE
OF MC

PRIOR SURVEYS:


1922 J. CURTO Set 2" x 20" Stake TEMP. COR. CWC BOOK A PG. 625

TIME SPENT 1 1/2 HRS

87

X/Y-25
T137-R27
36-31
137-27-137-26
JULY 17, 1981
O. COURTES
P. BACON

Crow Wing County Surveyor



48
Z-25
T137-R27

T137-R27
36 31
T136

Z-25
T137-R27
36 31
T137-R22
MAY 8, 1981
D. COULTER
P. BACON

59

58

57

56

55

54

53

52

51

50

49

48

47

46

45

44

43

42

41

40

39

38

37

36

35

34

33

32

31

30

29

28

27

26

25

24

23

22

21

20

19

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

0

-1

-2

-3

-4

-5

-6

-7

-8

-9

-10

-11

-12

-13

-14

-15

-16

-17

-18

-19

-20

-21

-22

-23

-24

-25

-26

-27

-28

-29

-30

-31

-32

-33

-34

-35

-36

-37

-38

-39

-40

-41

-42

-43

-44

-45

-46

-47

-48

-49

-50

-51

-52

-53

-54

-55

-56

-57

-58

-59

-60

-61

-62

-63

-64

-65

-66

-67

-68

-69

-70

-71

-72

-73

-74

-75

-76

-77

-78

-79

-80

-81

-82

-83

-84

-85

-86

-87

-88

-89

-90

-91

-92

-93

-94

-95

-96

-97

-98

-99

-100

-101

-102

-103

-104

-105

-106

-107

-108

-109

-110

-111

-112

-113

-114

-115

-116

-117

-118

-119

-120

-121

-122

-123

-124

-125

-126

-127

-128

-129

-130

-131

-132

-133

-134

-135

-136

-137

-138

-139

-140

-141

-142

-143

-144

-145

-146

-147

-148

-149

-150

-151

-152

-153

-154

-155

-156

-157

-158

-159

-160

-161

-162

-163

-164

-165

-166

-167

-168

-169

-170

-171

-172

-173

-174

-175

-176

-177

-178

-179

-180

-181

-182

-183

-184

-185

-186

-187

-188

-189

-190

-191

-192

-193

-194

-195

-196

-197

-198

-199

-200

-201

-202

-203

-204

-205

-206

-207

-208

-209

-210

-211

-212

-213

-214

-215

-216

-217

-218

-219

-220

-221

-222

-223

-224

-225

-226

-227

-228

-229

-230

-231

-232

-233

-234

-235

-236

-237

-238

-239

-240

-241

-242

-243

-244

-245

-246

-247

-248

-249

-250

-251

-252

-253

-254

-255

-256

-257

-258

-259

-260

-261

-262

-263

-264

-265

-266

-267

-268

-269

-270

-271

-272

-273

-274

2-23
137-27

36
137-27
T 136

QUARTER COR. 50. LINE 36/137-27

FOUND 1" I.P. 0.1' ABOVE SURFACED
EVIDENCED BY MINN-CONS-FORESTRY WOOD
POSTS TAG NEXT TO I.P., AND ALSO
ONE OLD B.T., ORIGIN UNKNOWN

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG GOVT.


TIME SPENT 3/4 HR

2-23
T 137-R 27

36
T 137 R 27
T 136

Crow Wing County Surveyor

MAY 8, 1981
O. COULTER
P. BACON



ALL TREES DOUBLED PLANTED
APPROX 1' ± 5' ABOVE GROUND

90
Z-21
T 137-R 27
T 136

SEC. COR 35-36 / 137-27

ROUGH MEAS W. ON MAG. FROM 1/4 COR.
SEC. COR. FALLS IN AREA OF RECENT
STATE TREE PLANTING IN ALL FOUR
QUADRANTS. NO EVIDENCE OF CORNER


NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOVT.

TIME SPENT 2 3/4 HRS

Z-21
T 137-R 27
T 136

Crow Wing County Surveyor

TRAIL



185'

NO EVIDENCE OF
CORNER FOUND
NO APPARENT
LINES OF OCCUPATION

10'

TRAIL

ALL FOUR QUADRANTS
RECENTLY PLANTED IN
NORWAY PINE (± 2' to 3' TALL)

96
 T137 R27
 T137
 2 1
 T136 R27
 A-21
 T136-R27

CLOSING COR SECS 1 & 2 / 136-27
 15.83 CH. EAST of STD 1/4 COR.
 ROUGH MEAS EAST FROM STD. 1/4
 COR ON MAG. BRG. FOUND NO
 EVIDENCE OF COR.

NO PRIOR SURVEY RECORD KNOWN TO
 EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1 HOUR

A-21
 T136-R27
 T137
 2 1
 T136 R27
 MAY 8, 1981
 D. COUTER
 P. BACON

Crow Wing County Surveyor

FOUND NO EVIDENCE
 OF CORNER.
 NO APPARENT LINES
 OF OCCUPATION

100
A-1
T 138-R-26

CASS CO
138-27 138-26

Township Corner - NW Cor Sec 6 / 138-26

Found 1" I.P. 0.1' Above Surface

Prior Survey 95:
1922 J. Curo
Set 2" x 10" Stake
For Temp. Cor

CWC Book A
Page 627


Time Spent 3/4 hr

A-1
T 138-R-26

CASS CO
138-27 138-26
JUNE 24, 1981
D. Coulter
P. Bacon

Crow Wing County Surveyor

DRIVEWAY



12" JACK PINE
DOUBLE BLAZED

ALL TREES HAVE SINGLE LOW
BLAZE UNLESS OTHERWISE NOTED

A/2-3

T138-R26

T139-26	31
T138-R26	6

MC 6/138-26 - 31/139-26

47.06 CH W. of SEC COR

FOUND 1 1/4" IP 3' ABOVE SURFACE

NOTE: THIS COULD BE M.C. OR POSSIBLY
JUST A PIPE STICKING UP IN
THE YARD FOR SOME OTHER USE.
SHOULD NOT BE USED AS M.C.
WITHOUT FURTHER VERIFICATION

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.


TIME SPENT 3/4 HR

A/2-3

T138-R26

T139-26	31
T138-R26	6

Crow Wing County Surveyor



ALL TREES HAVE SINGLE LOW BLAZE

JUNE 24, 1981
D. COULTER
P. BACON

104
 34
 T139 226
 T138 226

A/14-15
 T138-226

MC 3/138-26 - 34/139-26

43.02 CH. W. of SEC Cor

FOUND 1 1/4" IP 0.2' ABOVE SURFACE
 MARKED BY 1" IP 2.0' ABOVE SURFACE

PRIOR SURVEYS:

1970 D. Coulter FOUND I.P. FROM INFORMATION BY D. ANDERSON BK 509-Pg 155


TIME SPENT 3/4 Hr

Crow Wing County Surveyor,

July 1, 1981
 D. COULTER
 P. BACON

34
 T139 226
 T138 226

A/14-15
 T138-226



ALL TREES DOUBLE BLAZED
 APPROX. 1' & 5' ABOVE GROUND

108

C-1
T 138-R26T 138
1-0-6
R26

QUARTER COR & 138-26 - 1/138-27

MADE SEARCH FOR CORNER IN
GENERAL AREA INDICATED BY
USGS QUAD MAP. NO EVIDENCE
OF CORNER FOUND.

PRIOR SURVEYS:

1922

J. C. RO
SET 2" x 20" STAKE
FOR TEMP. COR.CWC BOOK A
PAGE 93

TIME SPENT

1/2 HR

C-1

T 138-R26

T 138
1-0-6
R26JUNE 24, 1981
D. COUNTER
P. BACON

109

Grow Wing County Surveyor

MICHIGAN
LAKE RDNO EVIDENCE OF
CORNER FOUND
NO APPARENT CHANGES
OF OCCUPATION

TRAIL

G-5

T138-R26

7-0-8

G-5

T138-R26

7-0-8

July 1, 1941

D. Cowley

P. A. CAN

QUARTER COR 7-8 / 138-26

MADE SEARCH FOR CORNER IN
GENERAL AREA INDICATED BY
U.S.G.S. QUAD MAP.FOUND A 12" BIRCH TREE DOUBLE
BLAZED ON ALL FOUR SIDES. FOUND
NO OTHER EVIDENCE OF CORNER

PRIOR SURVEYS:

1923

MURPHY

MONUMENT FOUND
TIED TO 2 POSTS.

C.H.D.

LOOSE LEAF BK 129

TIME SPENT: 1 HR

Crow Wing County Surveyor

GRAVEL RD.

±200'

001

12" Birch Double
Blazed on 4 sides
No other evidence
of corner.
No additional signs
of occupancy.

112

J-3

T 138-R26

7
18

QUARTER COR 7-18/138-26

MADE SEARCH FOR CORNER IN
GENERAL AREA INDICATED BY
USGS QUAD MAP
NO EVIDENCE OF CORNER FOUND

PRIOR SURVEYS
ESTRIM
1939 C.C.C.

POSSIBLY FOUND
COR-

BR 11, PG 20
D.N.R. / W.C.

TIME SPENT 3/4 HR

J-3


T 138-R26

7
18

Crow Wing County Surveyor.


JUNE 24, 1981
D. COULTER
P. BACON

113



115

J/4-5
T138-R26



M.C. 7-18 / 138-26

64.87 CL. E. of sec. cor.

MADE SEARCH FOR CORNER IN
GENERAL AREA INDICATED BY USGS
QUAD MAP. NO EVIDENCE OF
CORNER FOUND

PRIOR SURVEYS

1939 ESTREMA
C.C.C.


NO EVIDENCE FOUND

BOOK 11, PG 19
D.N.R. / W.L.

TIME SPENT


3 1/4 HR

J/4-5
T138-R26



Crow Wing County Surveyor

JUNE 24, 1981
D. COULTER
P. BACON



117

L-1

T138-226

T138
13-0-18
R27 R26

QUARTER COR 10/138-26 - 13/138-27

FOUND 1 1/2" I.P. 2' ABOVE SURFACE
IN LOW-WET AREA. DRIVE PIPE
DOWN TO 1' ABOVE SURFACE IN ORDER
TO STABILIZE SAME

PRIOR SURVEYS:

1922 J. CURD

SET 2" X 20" STAKE
FOR TEMP. COR.

CWC BOOK A
PAGE 93


TIME SPENT 1 HR

L-1

T138-226

T138 T138
13-0-18
R27 R26

Crow Wing County Surveyor.



ALL TREES DOUBTLESS BLAZED
APPROX. 1" & 5' ABOVE GROUND

July 1, 1981
D. COULTER
P. BACON

16-0-15

L-13

T 138-R26

Crow Wing County Surveyor

QUARTER COR 15-16 / 138-26

MADE SEARCH FOR CORNER IN
GENERAL AREA INDICATED BY

U.S. G.S. QUAD MAP.

FOUND "PK" NAIL $\pm 5.5'$ E. OF $\pm 0'$

STH #6 IN LINE WITH FENCES

RUNNING EAST & WEST FROM HWY.

DID NOT ACCEPT NAIL OR TIE AS COR.

PRIOR SURVEYS

1922 J. CORO

1948 L. KNUDSEN

SET $3/4" \times 10"$ IRON
FOR TEMP. COR.


SHOWS DISTANCE TO
THIS COR. IN SURVEY

CWC BOOK A
PAGE 600

BOOK 48-PG 45

TIME SPENT

$1/2$ HR.



July 1, 1981
D. COOPER
P. BACON

14
20

Crow Wing County Surveyor

14
20

N-7
T138-R26

QUARTER COR 17-20 / 138-26

ROUGH MEAS W. FROM SEC. COR.
ALONG TRAIL. FOUND NO
EVIDENCE OF CORNER

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 3/4 HR

FOUND NO EVIDENCE
OF CORNER. NO VISIBLE
LINES OF OCCUPATION

TRAIL

-- 12040 --
COR

123

N 9
T138-R26

17 16
20 21

SECTION COR. 16-17-20-21 / 138-26

FOUND 2" I.P. WITH OVAL CAP. 0.3'
BELOW SURFACE IN APPROX. Φ OF
E-W TRAIL. EVIDENCED BY TWO
B.T'S AS INDICATED BY D. ANDERSON
IN 1955 - PAGE 44, BOOK 85

PRIOR SURVEYS:

1902	E. Whiteley	See Book 85's Lost	BOOK 85-12 PG 28
1922	J. Euro	SET 2" x 20" STAKE FOR TEMP. COR.	CWA BOOK A PAGE 627
1955	D. Anderson	Found Pipe From Ties MADE NEW TIES	BOOK 85 PAGE 44


TIME SPENT 1 HOUR

123
N 9
T138-R26

17 16
20 21

JULY 1, 1981
D. COULTER
P. BACon

Crow Wing County Surveyor



ALL TREES DOUBLE BGAZED
APPROX 1'5" ABOVE GROUND

126

N/15-16
T138-R2615
0
22

M.C. 15-16 / 138-26

36.13 CH. W. OF SEC. COR.

MADE SEARCH FOR CORNER ALONG
E-W FENCE LINE $\frac{1}{4}$ OF ROAD EXTENDED
EAST. FOUND NO EVIDENCE OF MON.

PRIOR SURVEYS:


1948	KNUDSEN	Shows Pipe in Survey	BK 48 - PG 44A
1952	D. ANDERSON	SET NUB 255' EAST OF 1/4 STONE	BK 74 - PG 20

TIME SPENT 1/2 HR

N/15-16
T138-R2615
0
22JULY 1, 1981
D. COULTER
P. BACON

(127)

Crow Wing County Surveyor



128

P-25
T138-R26

T138
24-19
R26 R25

QUATER COR 24/138-26 - 19/138-25

MADE SEARCH FOR CORNER IN GENERAL
AREA INDICATED BY USGS QUAD MAP
FOUND NO EVIDENCE OF COR.

PRIOR SURVEYS:

1903 GARRISON SET GROUND MARK
MIDWAY BETWEEN
3 CORNERS N 55
1922 J. COLO SET 2" x 20" STAKES
FOR TEMP. COR. CWC BK A
Page 629

TIME SPENT 1 HR

129

JULY 1, 1981
D. COULTER
P. BRADON


T138 T138
24-19
R26 R25

P-25
T138-R26

GROW WING COUNTY SURVEYOR

DE TRAIL

FOUND NO EVIDENCE OF
CORNER - NO VISIBLE
LINES OF OCCUPATION



7138	7138
24	19
227	226

P/Q-1
T138-R26

T 138	T 138
240	19
827	827

JUNE 17, 1981
D. COULTER

(131)


MC 19	138-26	- 24	138-27	36,29 CH. N. of SEC 20R
-------	--------	------	--------	----------------------------

FOUND	1 1/4" I. P.	1.3'	ABOVE SURFACE
EVIDENCED BY	ONE OLD	B.T.	- ORIGIN UNKNOWN
ALSO REMNANTS OF	OLD	N-S	FENCE LINE

Prior	Surveys				
1922	J. Curro	SET 2" X 20" STAGE FOR TEMP. COR.		CWC BOOK A PAGE 147	
1968	D. Coulter	FND. I.P.		BOOK 501 PAGE 93 10	

TIME	SPENT	$\frac{1}{2}$ HR
------	-------	------------------

Crow Wing County Surveyor



134

Q/R-17
T.138-R26

22-23

MC 22-23/138-26

8.58 CH. N. OF SEC. COR

FOUND 3/4" IP 0.3' ABOVE SURFACE

EVIDENCED BY 2 OLD BT'S - ORIGIN UNKNOWN

PRIOR SURVEYS:

1921	J. CURD	SET 5" X 7" STONE	CWC BOOK A PAGE 351
1938	KNUDSEN	PLACED ON SHORE IN LINE OF SURVEY	BK 59 - PG 41
1952	D. ANDERSON	FOUND I.P. IN PLACE	BK 74 - PG 23

TIME SPENT


1/2 HR

135

Q/R-17
T.138-R26

22-23

Crow Wing County Surveyor

JUNE 25, 1981
D. COULTER
P. BACONALL TAGES DOUBLE BEADED
APPROX. 1' ± 5' ABOVE GROUND

R/1-2
T 138-R26

19
0
30

MC 19-30/138-26

C.16 CH. E. OF SEC COR

FOUND 1 1/4" I.P. 1.0' ABOVE SURFACE

PRIOR SURVEYS

1939 MATTSON C.C.C.

No EVIDENCE FOUND

1977

D. COULTER

No EVIDENCE FOUND

BOOK 11, PG. 8
P.M.E. / W.L.C.

BOOK 525 - PG 45

TIME SPENT

3 1/4 HR

R/1-2
T 138-R26

19
0
30


Crow Wing County Surveyor

JUNE 16, 1981
D. COULTER
P. BACON

APPROXIMATE H.W. LINE

BUTTERFIELD LAKE

PRESSENT SHORE LINE



ALL TREES DOUBLE BLAZED
APPROX. 1' 5.5' ABOVE GROUND

(138)

R/2-3
T138-226

19
0
30

MC 19-30 / 138-26

21.57 CH. E. OF SEC COR

FOUND 1 1/4" I.P. 0.3' ABOVE SURFACE
ON E-W FENCE LINE

PRIOR SURVEYS

1939	MATTSON C.C.C.	NO EVIDENCE FOUND	BK 11, PG 8 D.N.R. / J.W.L.
1977	D. COULTER	FOUND I.P. IN PLACE	BK 525 - PG 46

TIME SPENT 3/4 HR


R/2-3
T138-226

19
0
30

Crow Wing County Surveyor

(139)

JUNE 17, 1981
D. COULTER
P. BA CON



ALL TREES DOUBLE BLAZED
APPROX. 1.5' ABOVE GROUND

R-5
T 138-226

19 20
30 29

SECTION COR 19-20-29-30 / 138-226

ROUGH MEAS EAST ON MAR. BRG.
FROM 1/4 COR.
FOUND 3/4" I.P. 1.2' ABOVE SURFACE
EVIDENCED BY TWO 1955 D. ANDERSON TIES


PRIOR SURVEYS:
1927 BATHYMETRIC FOUND JACK PINE POST - NEW AGE-4 PAGE 5, C.S.O
1939 CCC NO MON. FOUND - SET COR (POST?)
1955 D. ANDERSON SET IRON PIPE FROM ORIG. B.T. BK 85 - PG 64

TIME SPENT 3 1/2 HRS

19 20 June 17, 1981
30 29 D. COULTER
P. BACON

MR-5
T 138-226

Crow Wing County Surveyor



NOTE: AREA BASICALLY LOGGED OFF
TIE TREES RATHER SCRUBBY
ALL TREES DOUBLE BEAZED
APPROX. 1' ± 5' ABOVE GROUND

142
1400

R-7
T138-226

20
29

QUARTER COR 20-29 / 138-20

ROUGH MEAS WEST ON MAG BEG.

FROM SEC. COR.

FOUND POINTED 2" OAK STUB OF FAIRLY

RECENT ORIGIN 0.2' ABOVE SURFACE

ALSO FOUND RECENT LIGHT BURN IN

E. FACE OF 28" BURNED PINE STUMP -

DOES NOT APPEAR TO BE ORIG. B.T.

FOUND NO OTHER EVIDENCE OF

CORNER. DID NOT ACCEPT OAK

STUB - WOULD APPEAR TO BE THE WORK

OF LOGGERS, LOGGING OFF N.E. Q. UAD.

PRIOR SURVEYS

1939 MATTHEWSON C.O.C.

FOUND NO EVIDENCE OF COR. OR B.T.

BOOK 11, PG 5

D.N.R. / W.L.

TIME SPENT 1 1/2 HRS

20
29

Crow Wing County Surveyor

JUNE 24, 1981
D. COULTER
P. BACON

143

NE QUAD
RECENTLY LOGGED

FOUND OAK STUB
NOT ACCEPTED AS COR.

NO OTHER EVIDENCE
OF CORNER FOUND.
NO APPARENT LINES
OF OCCUPATION.

145

R-9
T138-226

20 21
29 28

JUNE 24, 1931
D. COULTER
P. BACON

Crow Wing County Surveyor


SECTION COR. 20-21-28-29 / 138-26

FOUND 2" I.P. WITH DIAL CAP 1.0' ABOVE
SURFACE IN MOUND. EVIDENCED BY
1 OLD B.T. - ORIGIN UNKNOWN

PRIOR SURVEYS

1902 Whiteley SET CORNER
1922 J. COLO SET 2" x 20" STAKE
FOR TEMP. COR
1927 KNUDSEN SET MON. IN PLACE
OF STAKE IN MOUND
1939 MATTHEW FOUND IN PLACE

TIME SPENT 1/2 HR



ALL TREES DOUBLED BLAZED
APPROX. 1' x 5' ABOVE GROUND

148
R/13-14
T138-R26

22
27

M.C. 22-27/138-26

17.79 CH. E. OF SEC. COR.

FOUND 2" I.P. WITH OVAL CAP 1.3' ABOVE SURFACE

PRIOR SURVEYS

1927	KNUDSEN	SET M.C. FROM ORIG. N.W. B.T.	BOOK 31 (W.S.N) PG 44
1939	MATTSON C.C.	FOUND M.C. IRON AND ORIG. B.T.	BR 11, PG 9 D.N.R./W.L.
1952	D. Anderson	FOUND NP/ICE	BR 74, PG 21


TIME SPENT 3/4 HR

R/13-14
T138-R26

22
27

Crow Wing County Survey

JUNE 25, 1981
O. COULTER
P. BACON



ALL BUILDING TIES TAKEN TO FOUNDATION

150
R/16-17
T138-226

22
27

MC 22-27/138-26

2.0 CH. WEST OF SEC. COR.

FOUND 2" I.P. WITH OVAL CAP 1.2' ABOVE
SURFACE EVIDENCED BY ONE ORIG.
GOVT BAG. TREE, DEAD BUT STILL
STANDING ONE OTHER OLD B.T. OF
UNKNOWN ORIGIN.

ORIG GOVT B.T. QUITE OBVIOUS & SCRIBING
ON SAME QUITE EVIDENT.

FOUND MON DOES NOT FIT BEARING
SHOWN IN ORIG GOVT NOTES BY 30 DEGREES
(FOUND NOTHING AT POINT INDICATED BY MEASURING
GOVT DIST & BAK FROM B.T.)

PRIOR SURVEYS

1920	J. C. RO	8" x 8" STONE WITH + SET FROM ORIG SW B.T.	CWC BOOK A PAGE 401 SEC COR BOOK (WGN) PG 44
1927	KNUDSEN	SET FROM OLD B.T.	BOOK 3 (WGN) PG 44
1938	MATTSON C.C.O.	FOUND M.C. PPG 401 B.T. WITH SCRIBING INTACT	BOOK 11, PG 10 D.N.R. WIL.
1952	D. ANDERSON	FOUND MON. IN PLACE	BR 74-PG 21


TIME SPENT 3/4 HR

R/16-17
T138-226

22
27

Crow Wing County Surveyor

JUNE 25, 1981
D. COULTER
P. BACON



ORIG U.S. GOVT B.T. (DEAD)
GOVT NOTES SHOW TIME OF
5:15 PM - 40 LK (26.4')

ALL TREES DOUBLE BLAZED APPROX. 1' x 5'
ABOVE GROUND UNLESS OTHERWISE NOTED

153

R/5-1
T138-R26

T138 - 25-30
R27 - R26

MC 30/138-26 - 25/138-27
78.85 CH. N. OF SEC. COR.

Found 1 1/4" I.P. 0.8 ABOVE SURFACE

PRIOR SURVEYS

1922 J. CURR SET 2" X 20" STAKE FOR TEMP. COR.
1968 D. COULTER NO EVIDENCE OF MC BK 501 PG 96

TIME SPENT 1/2 HR

R/5-1
T138-R26

T138 - 25-30
R27 - R26

Crow Wing County Surveyor

SEC. COR. - STONE MON WITH IRON PIPE ON N. SIDE

10" WHITE OAK

12" WHITE OAK

10" PAPER

IRON PIPE

10" PAPER

APPARENT H.W. LINE

PRESENT SHORE LINE

BUTTERFIELD LAKE

ALL TREES DOUBLE BLAZED
APPROX. 1' 5' ABOVE GROUND

153

JUNE 16, 1981
D. COULTER
P. BACON

154

S/T - 1

T138-R26

T138 - T138
25 - 30
R27 - R26

MC 30/138-26 - 25/138-27

46.19 CH. N. OF SEC COR.

FOUND NO EVIDENCE OF M.C.

FOUND 3/4" I.P. 0.7 ABOVE SURFACE

AT 330' ± N. OF QUATER COR (TIED SAME)

PRIOR SURVEYS

1905 GARRISON

SET POST FORMED FROM
ORIG. AT STUMPS1904 BOOK
PAGE 104

1922 J. C. ROO

SET 2" x 10" STAKE
FOR TEMP. COR.C.W.C. BOOK A
PAGE 626

1937 KNUDSEN

SET M.C. FROM 2
ORIG. AT STUMPS

BK 59-PK 67

TIME SPENT


1 1/2 HR

S/T 1

T138-R26

T138 - T138
25 - 30
R27 - R26
JUNE 16, 1941
D. COULTER
P. B. A. CO.

Crow Wing County Surveyor

ALL TREES HAVE SINGLE LOW BLAZE
ONLY UNLESS OTHERWISE NOTED

T138-226

7138

23

851

כ

2.

2.

QUATER COR. 30/138-26 - 25/138-27

FOUND	AXEL	SHAFT	FLUSH
-------	------	-------	-------

EVIDENCED	By 1937	FLUSH
BT		KNOWS

B.T.	NE 1/4	1137 KNUDSEN
		By B.T. of UNKNOWN

ORIGIN S.W. D.I. OF UNKNOWN

PRIOR	SURVEYS
-------	---------

2061

WHITELEY

GARRISON

1922

FIGURE 1

Naasen

KNUDSEN

Book W-12
Page 70

904 Book

SEE ALSO 1905
NEW BOOKS

Page 2

K 57-PG 65

K 59-P 67

TIME SPENT	1 1/2 HR

1242

Crow Wing County Surveyor

Fi

T 138-R 26

138


20-2

8312

JUNE 16, 1981

$P, \text{Court} \in \mathbb{R}$
 $P, \text{BAC} \in \mathbb{R}$

5



158

T-9

T 138-R 26

29-28

QUARTER COR 28-29 / 138-26

FOUND 1 1/2" I.P. 0.5' BELOW SURFACE
IN APPROX. $\pm$ OF N-S GRAVEL ROAD

PRIOR SURVEYS

1902 Whiteley SET 1/4 POST
MIDWAY bet. Sec. Cors.
1922 J. CURRO 3" x 3" x 36" BIRCH
STAKE

BOOK W-12
PAGE 24A
CWC BOOK A
PAGE 627

TIME SPENT 3/4 HR


161
159

T-9

T 138-R 26

29-28

JUNE 24, 1981
D. COULTER
P. BACON



Crow Wing County Surveyor

ALL TREES DOUBLE BLAZED
APPROX. 1' & 5' ABOVE GROUND

U/V-17

T138-R26

27-26

M.C. 26-27 / 138-26

61.28 CH. SO. OF SEC. COR

Found 1 1/4" IP 1.2' ABOVE SURFACE
EVIDENCED BY 1 OLD B.T. - ORIGIN
UNKNOWN

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1 HR

Crow Wing County Surveyor

14" A SSW 500

18" TWIN BASSWOOD
OLD B.T.

5" ASH

N 74° 10' W
34.2

6" ASH

12" ASH

N 74° 10' E
25.62

IRON PIPE

± 8'

LAKE EMILY

ALL TREES DOUBT BLAZED
APPROX 1' 5" ABOVE GROUND

JUNE 25, 1981
D. COULTER
P. BACON

27-26

T138-R26

161

163

T 138

V-1

JUNE 16, 1981
D. COULTER
P. BACON

25

30

36

31

R 27

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

R 26

T 138-R 226

Crow Wing County Surveyor


SECTION COR 30-31/138-26 - 25-36/138-27

FOUND 2" I.P. WITH GVAL CMP 0.1' BELOW
SURFACE IN APPROX. 1/4 OF GRAVEL
ROAD'S N-S & E, EVIDENCED BY
REFERENCE MON N 46° W - 50.0'

PRIOR SURVEYS

1902	Whitley	SET BY PROPORTION	BOOK W-12 PAGE 29
1921	J. CURD	SET 3/4" X 10" IRON MON	QWC BOOK A PAGE 540
1937	KNUDSEN	IRON MON + 2 REF.	BR 59-10666
?	RANKIN	FOUND MON REF	R/W FILE 1A
	E.O. HWY	MON'S IN PLACE	SARE 50 LAKES

TIME SPENT 1/2 HR



ALL TREES DOUBLE BLADED
APPROX 1' 5\"/>

164

V-3

T138-A26

30

31

QUARTER COR 30-31/138-26

FOUND R.R. SPIKE FLUSH IN E OF
BLACKTOP ROAD - CSAH #1

PRIOR SURVEYS

1902	Whiteley	IN PLACE	BOOK W-12 PAGE 27
1921	J. CORO. RANKIN CO. HMY	SET 3/4" X 10" IRON MON MON IN PLACE	CWC BOOK A PAGE 565 RW FILE 11, SAR #1 50 LINES TO EMILY
1939	C.C.C.	SET APPROX. COR	COC BOOK 11/31

TIME SPENT 3/4 HR

165

JUNE 16, 1981

D. COULTER
P. BACON


30

31

V-3

T138-R26

Crow Wing County Surveyor



ALL TREES DOUBLE BLAZED APPROX. 1' & 5'
ABOVE GROUND UNLESS OTHERWISE NOTED

167
V-7

T 138-R 26

29
32

QUARTER COR 29-32/138-26

FOUND 2" IP WITH OVAL CAP 0.5' BELOW
SURFACE EVIDENCED BY J. D. ANDERSON
1955 B.T.

PRIOR SURVEYS

1902	Whiteley	IN PLACE	BOOK W-12 PAGE 29
1920	J. CURD RANKIN Co. Hwy	Set 2" x 20" STAKE FROM ORIG B.T. STUMPS	OWIC BOOK A PAGE 401
?		IN PLACE	FILE 1A, SAR #1 ROW MAP
1939	C.C.C.	IN PLACE	CCC BOOK 11, PG 27 D.N.R. / W.L.
1955	D. ANDERSON	TIES FOR COR	BK 85-P 451

TIME SPENT 3/4 HR


V-7

T 138-R 26

29
32

Crow Wing County Surveyor

JUNE 24, 1981
D. COULTER
P. B. ANDERSON



ALL TREES DOUBLE BLAZED
APPROX 1' ± 5' ABOVE GROUND

168

V/18-19
T138-P26

26
35

MC 26-35 / 138-26

48.59 CH. W. OF SEC. COR.

FOUND NO EVIDENCE OF M.C.

SHORE LINE IS ONLY 215' ± WEST OF 1/4 COR.

GOV'T NOTES CALL FOR 8.59 CHAINS

FOUND OLD ROTTEN 1" X 2" HUB ON TOP

OF BANK 172.25' W. OF 1/4 COR.

DID NOT TIE

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.


TIME SPENT 1/4 HR

V/18-19
T138-P26

26
35

JUNE 25, 1981
D. COULTER
P. BACON

Crow Wing County Surveyor



170
V-19
T138-R26

26
35

QUARTER 300 26-35 / 138-26

FOUND 14" IP WITH ALUMINUM CAP
0.3 ABOVE SURFACE EVIDENCED
134 2 OLD B.T.'S - ORIGIN UNKNOWN

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.


TIME SPENT 1 1/4 HR

V-19
T138-R26

26
35

TUNE 25, 1931
D. COULTER
P. BACON

Crow Wing County Surveyor



ALL TREES DOUBLED BLAZED APPROX.
1' ± 5' ABOVE GROUND

172

X-1

T 138-R 26

T 138
36-31
R 27 R 26

QUARTER COR 31 / 138-26 - 36 / 138-27

Found 3/4" IRON ROD 0.3' BELOW SURFACE

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 3/4 HR

X-1

T 138-R 26

T 138
36-31
R 27 R 26

Grow Wing County Surveyor

POWER POLE #P236

PAVED
LINE

POWER
CONTROL BOX

IRON
ROD

GRAVEL

NO. 447

NATIONAL

RETURNED TO

5.73
138.14

12" JAW PINE

12" Norway
PINE

TREES HAVE SINGLE LOW BLAZES ONLY

X-13

T 138-226

33-34

QUARTER COR 33-34 / 138-226

FOUND 2" IP WITH QVAL CAP 1.0 ABOVE
SURFACE EVIDENCED BY TWO OLD
B.T.'s

PREIOR SURVEYS

(DID NOT HAVE COUNT, RECORD SHEET
FOR THIS CORNER)

TIME SPENT 1 HR

X-13

T 138-226


33-34

JUNE 25, 1931

D. COOPER
P. BACON

Crow Wing County Surveyor

GRAVEL 20



ALL TREES DOUBLE BUNDED
APPROX. 1' ± 5' ABOVE GROUND

X/Y-13
T138-R26

33-0-34

MC 33-34 / 138-26
39.15 CH. N. OF SEC. COR.

FOUND 1/2" I.P. 0.1' ABOVE SURFACE

NO PRIOR SURVEY RECORD KNOWN TO
EXIST OTHER THAN ORIG. GOV'T.

TIME SPENT 1/2 HR

X/Y-13
T138-R26

33-0-34

Crow Wing County Surveyor

1/4 CORNER
(See Previous Page)

8" BUTTER NUT

10' WHITE OAK

CLUMP OF 4
12" B. OAK

10.25'

IRON PIPE

± 28'

DAHLER LAKE

ALL TREES DOUBLED BLAZED
APPROX. 1' 5" ABOVE GROUND

NO. 447

NATIONAL

Z/15-16
T 138-R26

T 138-R26	3	4	0
T 137-R26	3	0	0

MC 34/133-26 - 3/137-26

27.28 CH. W. OF BE. COR

SEARCHED FOR COR ON 6/25/81 DID NOT FIND.
SEARCHED AGAIN ON 7/2/81 AFTER RECEIVING
1930 E-F-N DATA AND FOUND 2" IP
IN SMALL SWAMPY AREA EVIDENCED
BY EFN B.T. STILL STANDING

PRIOR SURVEYS

1930	EFN	FOUND MON	ACE 106 PAGE 16 C.S.O.
1939	WOODS C.E.C	FOUND MON	BOOK C.C. 17 Pg 56 C.S.O.
1967	MND.O.F.	FOUND MON	SP/1802-13 TH 6 BK 21, PG 29


TIME SPENT 3/4 HR ON 6-25-81
1 HR ON 7-2-81
1 3/4 HR TOTAL

JUNE 25, 1981
JULY 2, 1981
D. COULTER
P. BACON

T 138-R26	1	3	4
T 137-R26	3	0	0

Z/15-16
T 138-R26

22" NODULAR PIPE
(1930 E.F.N. B.T.)



Crow Wing County Surveyor

ALL TREES DOUBLE BLAZED
APPROX. 1' ± 5' ABOVE GROUND

178

T 138-R-26

T 138-R-26	35
0	2
T 137-R-26	

2/17-18

T 138-R-26

M.C. 35/138-26 - 2/137-26

71.21 CH. W. OF SEC COR

MADE SEARCH FOR CORNER IN

GENERAL AREA INDICATED BY

USGS QUAD MAP.

FOUND NO EVIDENCE OF COR

PRIOR SURVEYS

1931 KNUDSEN FOUND IN PLACE BK 57-PG 29

TIME SPENT 1/2 HR

181

JUNE 25, 1931

D. COULTER

P. A. LON

T 138-R-26

35


0

2

T 137-R-26

2/17-18

T 138-R-26



GROW WINE COUNTRY SURVEYOR