


Crow Wing County Surveyor
No. S-113

CONTRACT S-113

RYANDERSON
PLS 10798

CROW WING COUNTY
MINNESOTA



INDEX

1.	V-3	1/4 COR.	S 1/4	SEC. 30-44-28
12.	Z-3	1/4 COR.	S 1/4	SEC. 31-44-28
13.	Z-5	SEC. COR.	S.E.	SEC. 31-44-28
14.	Z-1(A)	TWP. COR.	S.W.	SEC. 31-44-28
15.	Z-7	1/4 COR.	S 1/4	SEC. 32-44-28
16.	Z-9	SEC. COR.	S.E.	SEC. 32-44-28
17.	R-7	1/4 COR.	S 1/4	SEC. 20-44-28
18.	J-7	1/4 COR.	S 1/4	SEC. 8-44-28
19.	N-1	SEC. COR.	S.W.	SEC. 18-44-28
20.	N-3	1/4 COR.	S 1/4	SEC. 18-44-28
21.	P-1	1/4 COR.	W 1/4	SEC. 19-44-28
22.	R-1	SEC. COR.	S.W.	SEC. 19-44-28
23.	V-1	SEC. COR.	S.W.	SEC. 30-44-28
24.	T-1	1/4 COR.	W 1/4	SEC. 30-44-28
25.	R-15	1/4 COR.	S 1/4	SEC. 22-44-28
26.	V-7	1/4 COR.	S 1/4	SEC. 29-44-28
27.	V-5	SEC. COR.	S.E.	SEC. 30-44-28
28.	X-1	1/4 COR.	W 1/4	SEC. 31-44-28
29.	R-5	SEC. COR.	S.E.	SEC. 19-44-28
30.	Q/R-5	M.C.	WEST LINE	SEC. 20-44-28
31.	R-4/5	M.C.	SOUTH LINE	SEC. 19-44-28
32.	T-5	1/4 COR.	W 1/4	SEC. 29-44-28
33.	X-5	1/4 COR.	W 1/4	SEC. 32-44-28
34.	Q/R-5	M.C.	WEST LINE	SEC. 20-44-28

25	X/Y-9	M.C.	WEST LINE	33-44-28
26	W/X-9	M.C.	WEST LINE	33-44-28
✓27	Z-23	1/4 COR.	S 1/4	36-44-28
✓28	Z-21	SEC. COR.	S.E.	35-44-28
29	V-17	SEC. COR.	S.E.	27-44-28
30	T/U-17	M.C.	WEST LINE	26-44-28
✓31	Z-19	1/4 COR.	S 1/4	35-44-28
✓32	Z-17	SEC. COR.	S.E.	34-44-28

30-44-28
31-44-28

V-3 1/4 COR.

FOUND CURB & MONUMENT
CORNER AS SHOWN.

ORIGINAL TIE NOT FOUND

1893 WHITLEY TIES NOT
FOUND.

TIME 2 1/2 HRS.

30-44-28

V-3 1/4 COR.

31-44-28

9-1-81

HOMER

ROW.

TIE MON.
3" DEEP
DAMAGED TOP

NAIL N.E. FACE
OF POLE

30-44-28

NO. 447

W. TELEPHONE

CAPPED MON.
BENT TO LINE.
4" BELOW SURFACE

N45W
42.79

N60E
45.29

S50W
45.29

S45E
45.29

24' BIT. SURFACE

ROAD
COUNTY

TIE MON.
12" HIGH
GOOD COND.

TIE MON.
14" HIGH
IN DITCH
GOOD COND.

31-44-28

31-44-28
6-43-28

Z-3 1/4 COR.

FOUND CURB S MONUMENT
CORNER IN PLACE

NO ORIG TIES FOUND

THIS CORNER WOULD BE
APPROX. P.I. FOR COUNTY
ROAD NO. 8

TIME 2 1/2 HRS

9-1-81
HOMER
RAN.

31-44-28
6-43-28

Z-3 1/4 COR.

31-44-28

TIE MON.
24" HIGH
TIPPED N.E. 0.20'

NEW TIE
9" JACK PINE
DOW BLAZE

33.89
N 38 W

CAPPED MON.
6" DEEP
GOOD COND.

54.81
S 86 E

TIE MON.
5" HIGH
GOOD COND.

6-43-28

TIE MON.
19" HIGH
GOOD COND.

44.96
S 44 E

44.96
N 45 W

NO. 447

W. B. DINE

44-28
31 32
6 5
43-28

FOUND CURB S MON. CORNER
AS SHOWN.

GARRISON 1903 TIES NOT FOUND
ORIG. TIES NOT FOUND.

THIS CORNER WOULD BE APPROX.
P.T. FOR COUNTY ROAD #8

TIME 2 1/2 HRS

44-28
31 32
6 5
43-28

31-44-28
TIE MON.
5" DEEP
GOOD CONNECTION

32-44-28

TIE MON.
3" HIGH
TIPPED 0.8 N

446W
45.54

CAPPED PIPE
4" DEEP
2' SOUTH OF E
TIPPED S.E.

530E
68.81

TIE MON.
6" HIGH
TIPPED 0.15 S.W.

6-43-28

TIE MON.
NOT FOUND

NAIL
1/4"

TELEPHONE
GUY POLE

5-43-28

9-1-81
HOMER
RAW

446W
45.54

GRAVEL
ROAD

530E
68.81

36 31
 44 44
 29 28

 1 6
 43 43
 29 28

TOP COR.
 Z-1 SEC. COR.

FOUND CURB 5 MAN. CORNER
 IN PLACE AS SHOWN.

NO EVIDENCE OF ORIG. B.T.S

FOUND POSSIBLE 1921 OAK
 TREE THE OF CURB

TIME 3 HRS.

36 4
 44 9-2-81
 29 HOMER

 43 RON
 29 43
 28 28

Z-1 SEC. COR.

36-44-29

TIE MON.
 6" HIGH
 3000 CONDMON.

45.00
 45.03

SEC. COR. ROUND TOP
 12" DEEP 2' WEST
 OF 4

TIE MON.
 3" HIGH
 9000 CONDMON.

1-43-29

31-44-28

16" OAK 10" BLAZE
 VISIBLE N42E
 45.3'

TIE MON.
 8" HIGH
 4000 CONDMON.

45.00
 45.03

TIE MON.
 TOP CORNER
 HIT BY PLOW
 RESET 16" DEEP

6-43-28

10' FIELD ROAD

FIELD

NO. 447

32-44-28
5-43-28

32-44-28
5-43-28

Z-7 $\frac{1}{4}$ cor.

18-2-6

FOUND REMAINS OF CURCO

5 mod. CORNER AS

5/17/2020

VA COR.	NOT	FOUR
---------	-----	------

ORIGINAL B.T.S NOT FORWARDED

10-15-91

SET CAC CAST FLOW

mon. 0.4' DEEP FROM

NW & SW TIES, RE SET

N.E. T/E MAX. 0.5 HIGH

Time 2-Hrs

10-15	TIME	1 1/2 HRS.
-------	------	------------

32-44-28

32-44-28

Z-7 1/4 cor.

Row

Row

10-5-81

FOUND HORIZONTAL	
RESET 0.5" HIGH	

RESET 0,5' 14,94

TIME MOVED

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

32-44-28

NO. 447

~~45.00~~
N45~~350.95~~

SET C.W.C. -
C.I. MONUMENT
0.4 DEEP @ 4

GRAVEL
ROAD

5-43-28

THE WORD.

Good comp.
Top clipped

TIE MON.
BENT TO NORTH
NOT USABLE

R-7 1/4 COR. 20 29

T44N-R28W

FOUND MONUMENT

AS SHOWN.

NO EVIDENCE OF

ORIGINAL TIE

1944 C.W.C. HIGHWAY

DEPT. BOOK 288, PAGE 1

FOUND 4 MONUMENTS

S.W. WAS MISSING??

NO OTHER TREES NEAR

TIME 2 1/2 HRS.

R-7 1/4 COR. 20 29

T44N-R28W

20-44-28


29-44-28

7

9-3-1981

HUMER

RON



8
17


J-7 1/4 COR.
T44N R28W

WE TAPE AND COMPASS
EAST FROM J-5 (IN PLACE)
2640, FOUND TYPICAL
5 MONUMENT CORNER
CENTER MONUMENT BUT
NO THE MONUMENTS IN
FOUND. PINE STUMP @
565E 177LK - NO SCRIBING
VISIBLE: NOTHING FOUND
N46E 168CK. 3 CHAINS
EAST TO SWAMP FITS
GOOD

TIME 6 HRS.

8

J-7 1/4 COR. 8
T44N - R28W 17
9-17-81
Ray
Homer
P. Cloudy - Cool



ALL DIS. ARE TOP
MON. TO FACE BOTTOM
BLAZE - ON SLOPE

N-1 SEC. COR. 13 18
 24 19
 T44U-R29W T44U-R28W


NOTHING FOUND BUT
 FENCE CORNER.
 ORIGINAL TIES ARE
 ASPEN & BIRCH.
 PROPERTY OWNER
 Garwood?
 TO SOUTH OF FENCE
 CORNER DID NOT HAVE
 ANY INFORMATION FOR
 US

TIME 2 HRS

N-1 SEC. COR. 13 18
 24 19
 4-28

9-17-81
 RAY
 9

13-44-29 18-44-28
 24-44-29 19-44-28
 WOODS
 WOODS
 3094 CORN
 28381 TO CR #8
 OLD FENCE
 NEW FENCE
 WOODED PASTURE LAND



18
19

N-3 1/4 COR.
T44N R28W

NO CORNER FOUND
NO EVIDENCE OF
ORIG. B.T.

TIME 1 HR.


10-1-1981

18
19

N-3 1/4 COR.
T44N R28W

18-44-28

19-44-28



R-1 SEC. COR. 62 24 19 28
25 30 44

WE TAPE WEST ON OLD
FENCE LINE - LAST
1000' IN SWAMP AND
LOW GROUND. FENCE
MOSTLY DOWN. FIND
OLD FENCE GOING NORTH
AT 2980
GRIS. GT. ARE ASPEN
OWNED TO S.E. (SMUDS)
WAS UNABLE TO FURNISH
ANY INFO.

TIME - 3 HRS

12
10-1-1981
Ray
Warner
cloudy, cool

R-1 SEC. COR. 62 24 19 28
25 30 44

19-44-28

24-44-29

25-44-29

30-44-28

FIELD BODGE

1316
2980
(30954 Spv.4)

N-1. SEC. COR. N 25 30 E 36 31 F

V-1 SEC. COR. N 25 30 E 36 31 F

10-2-1981
clear, cool

WE FIND S MON. CORNER
IN PASTURE IN VERY
BAD CONDITION.

CENTER MON. 2.3' HIGH

TIPPED S.W. 0.80' E

N.W. TIE MON 2.2' HIGH

TIPPED S.W. 0.70' E

N.E. TIE MON LAYING FLAT ON
GROUND

S.E. TIE MON 1.9' HIGH

TIPPED N 46 W 15' E


S.W. TIE MON 2.3' HIGH

TIPPED NORTH 0.5' E

WE STRAIGHTEN MONUMENTS AND
DRIVE DOWN TO ELEVATION
SHOWN. AREA IS LOW BUT THEY
FIRMED UP WELL

TALKED WITH MR RADDATZ - WAS

AWARE OF CORNER - NO COMMENTS



TIME 2 1/2 HRS.

22
27

R-15 1/4 COR.

T44N R28W

WE TAPE EAST ON ROAD
FROM R-13 IN PLACE
2640 - SWAMP TIES
SEEM TO FIT.

UNABLE TO FIND CORNER
OR TIES OF CURD IN 1926

NO INFO ON W.S.N. SECTION
CARD.

TIME 2 1/2 HRS.

22
27

R-15 1/4 COR.

T44N R28W

22-44-28

27-44-28

15

10-6-1981

Ray

Homer

clear, cool

NO. 447

W. S. N. SECTION

10-6-1981
RAY
HOMER
Clear, Cool

30 | 29
31 | 32

V-5 SEC. COR.
T44N R28W

FOUND ALL MONUMENTS
OF 5 MONUMENT CORNER
IN PLACE IN EXCELLENT
CONDITION.

29-44-28


30-44-28

TIE MON.
3 1/2" HIGH
WOODED TIE MON.
5" HIGH
PASTURE

NO EVIDENCE OF ORIG.
B.T.S

32-44-28

31-44-28




TIME 2:42.5

10-7-81
Homer
Ray
Clear, warm

31-44-2
36-44-2

X-1 1/4 COR



31-44-28
36-44-29

X-1 1/4 COR.

WE TRIED TO TAPE NORTH
FROM 2-1 IN PLACE BUT
NOT PRACTICAL. WALKED
V-1 AND TAPE SOUTH -
DISTANCE FITS SOUTH
EDGE OF OPEN FIELD,
FIND SMALL SECTION OF
FENCE - NO OTHER
EVIDENCE FOUND.

TIME 4 HRS.

R-5 SEC COR.

19 20

T44N R28W

30 29

WE DUG DOWN 3' AND GET
SOUND ON LOCATOR - CORNER
MAY BE IN.
FIND THE MONUMENT IN SWAMP
AS SHOWN.

CORNER WOULD FALL 2.25'
N.W. FROM FACE OF POST.

1 MILE WALK TO THIS
CORNER SO DO NOT SET
C.W.C. MONUMENT; CAN
GET TO IT WITH TRUCK
WHEN CROPS ARE OFF
AND HAVE FREEZE.

TIME 2 1/2 HRS.

R-5 SEC COR.

19 20

T44N R28W

30 29

cloudy, cool

Corn field

TIE MON.
FLUSH

20-44-28

TIE
MON.
NOT FOUND

19-44-28

30-44-28

TIE MON.
NOT FOUND

29-44-28

TIE MON.
NOT FOUND

TIE MON.
FLUSH


45.24
44.76
90.00

19
10-8-1981

RAY

HOMER

Q/R-5 M.C.
THUN R2BW




WE TAPE NORTH FROM
LAST CORNER (R-5)
410.52' TO SHORE OF
LAKE.

NO CORNER OR ORIG.
BITS FOUND.


TIME 1 HR

Q/R-5 M.C.
THUN R2BW



10-8-1981
RAY

HOMER
clean cool



21

10-8-1981

RAY
HOMER

clear, cool

19
30

R-4/5 M.C.

T44N R28W

19
30

R-4/5 M.C.

T44N R28W

THIS LINE IS ALL IN
THE LAKE

T-5	1/4 COR.
-----	----------

M822 A4742

10-6-81	WE' TAPE NORTH FROM
	V-5 2640 ALONG FENCE
	AND EDGE OF WOODS.
	NO CORNER FOUND.

10-8-81	WE TAPE FROM R-5	SOUTH ALONG FENCE	1/16 FENCE AT 132 Z±	2640 BRINKS US TO	SAME LOCATION AS	ON 10-6-81.	NO CORNER OR ORLG	BT'S FOUND
---------	------------------	-------------------	----------------------	-------------------	------------------	-------------	-------------------	------------

IF THIS IS A 5 MON. CORNER
IT MUST BE OFF LINE FENCE,
IN PLOWED FIELD?

10-6-81 14R.

10-8-81 2 1/2 HR.

T-5	1/4 COR.
T-44W	R28W

REMAINS OF OLD
FENCE - DOWN

11-10-54

22-44-62

82-44-08

0.5

4

7	0	7	7	0
---	---	---	---	---

70492

1861-8-01
22

RAY
HOMER
CLEAR, COOL


23
10-15-81

X-5 1/4 COR. 31 32
T44N R28W

WE TAPE SOUTH FROM 1-5 IN
PLACE 1330 TO FENCE CORNER.
TAPE AND COMPASS TO
2640. FIND REMAINS
OF 15 MON. CORNER
AS SHOWN.
1/4 CORNER BADLY TIPPED
TO EAST WE STRIGHTEN
AND DRIVE DOWN TO 0.7'

TIME 3 1/2 HRS.

X-5 1/4 COR. 31 32
T44N R28W



31-44-28

32-44-28

57

10-15-81

Ray

HOME R

clear, warm

19/20

Q/R-5 M.C.

T44A e28w

Q = 4

02

548

2A

64			
----	--	--	--

19/20

Q/R-5

T44N R28W

WE TAPE SOUTH FROM

P-5	ALONG	GOOD	FENCE
-----	-------	------	-------

1419 to m.c.	LOCATION
--------------	----------

NO. 114 110220

TIME 24RS,


25
10-16-81

X/Y-9 M.C. 32-33
T44N R28W

DEAN M. ANDERSON
RAW WEST LINE, SEC
33, 1949 BOOK 55 WSN
M.C.'S NORTH AND
SOUTH SIDE LONG LAKE
NOT FOUND: 1/4 COR. (IN LAKE)
SET ON SPLIT.
HAVE NO IDEA WHAT
THIS PIPE REPRESENTS;
IT MAY BE OLD SECTION
LINE BUT TOO FAR FROM
LAKE TO BE M.C.
OLD TIES HAD SINGLE
BLAZE CHEST HIGH AND
FACED CORNER.

TIME 3 1/2 HRS.

X/Y-9 M.C. 32-33
T44N R28W



32-44-28
33-44-28

W/X-9 M.C. 32/33
T44N R28W

WE WALK TO THIS AREA
AND FIND LOCATION FROM
QUADRANGLE MAP.
SEE NOTES PAGE 25
NOTHING FOUND

TIME 3 1/2 HRS.

26
W/X-9 M.C. 32/33
T44N R28W
10-16-81
Ray
Homer
Clear Warm

W099
W099
W099

32

33

W099
W099
W099


27
10-20-81
RAY
Homet
Pr. Cloudy
Cool

36-44-28
1-43-28

Z-23 1/4 COR.

36-44-28

7" maple



1-43-28

36-44-28
1-43-28

Z-23 1/4 COR.

WE TAPE SOUTH ALONG
WEST LINE OF PORT
MILKE LACS JUNCTION.
FIND CORNER IN SWAMP.
TIED OUT AS SHOWN.

19.18
7" maple

28.02

TIME 1 1/2 HR.

28

10-20-81

Ray

Homer

DR. CLOUDY

COOL

44-28

35 36

2 1

43-28

Z-21 SEC. COR.

35-44-28

GOOD COND.

10" HIGH

TIE MON.

TIPED SLIGHTLY SW

6" HIGH

TIE MON.

36-44-28

40 46

84 SE

CAPPED MON.

14" HIGH

GOOD COND.

2-43-28

40 46

84 SE

TIE MON.

12" HIGH

GOOD COND.

1-43-28

40 46

84 SE

TIE MON.

15" HIGH

GOOD COND.

44-28

35 36

2 1

43-28

Z-21 SEC. COR.

FOUND TYPICAL S MON.

CORNER IN SWAMP

AS SHOWN

TIME 1 HR.

V-7 SEC. COR.

27

26

34

35

T44N R28W

FIND TYPICAL S MONUMENT
CORNER AS SHOWN

D.M. ANDERSON, 1955,
BOOK 86/38 W.S.W.
FOUND IRON PIPE IN PLACE?

WE SPENT SOME TIME
LOOKING FOR ANOTHER
CORNER - NONE FOUND?

TIME 2 1/2 HRS.

29

10-20-81

Ray

V-17 SEC. COR.

29

26

Homer

61004-0004

T44N R28W

34

35

Good Cond.
TIE MON.
10' HIGH

26

27

SLOPE TOP OF MOUNTAIN
4 1/2' HIGH
WOODS

FOUND CAPPED PIPE
7' HIGH
GOOD COND.

4003
5456

35

TIE
MON.
3' HIGH
GOOD COND.

TIE MON.
4' HIGH
GOOD COND.

34


ROAD

LAKE

SMITH

50
10-20-81
Ray
Homer
PT. cloudy
cool

T/V-17 M.C.
T44N R28W



26

27

T/V-17 M.C.
T44N R28W

27/26

FOUND 2" I.P. 3'± LONG
TIPPED INTO LAKE.
TIPPED BACK TO VERTICAL
POSITION AND DROVE DOWN
TO 9" I. HIGH. PILED LARGE
ROCKS IN LAKE FOR
PROTECTION.

D.M. ANDERSON, 1955,
SET IRON PIPE ON SHORE
SMITH LAKE BOOK 86/36
W.S.N. TIE SHOWN IS
FOR NORTH SIDE LAKE;
TIE FOR THIS CORNER
14" R.O. 56.55 30' (REL.

WSN SECTION CARD)

NOTE: THIS CORNER MAY
NOT BE IN EXACT POSITION
IT WAS SET IN!

TIME 2 HRS.

44-28
34 | 35
3 | 2
43-28

Z-17 SEC. COR.

WE TAPE AND COMPASS
WEST FROM Z-19 ON
VERY OLD BRUSH LINE.
BRUSH LINE SEEMS TO
END AT THIS LOCATION!

FOUND ROUND WOOD POST
20' N. NORTH OF BRUSH
LINE W/ POSSIBLE VERY
OLD TIES @ 2600' WEST
OF 1/4 COR.

ALSO FOUND LARGE OAK
@ 2700' W/ DEFINITE
AXE MARKS.
NO CORNER FOUND.

CONTINUED WEST BUT
COULD NOT GET TO
M.C. LOCATION ON EAST
SIDE OF SMITH LAKE

TIME 4 1/2 HRS.

44-28
34 | 35
3 | 2
43-28

Z-17 SEC. COR.

EFFORT WILL BE MADE TO
RETURN TO THESE TWO LOCATIONS
ON THE ICE.

32
10-21-81
Ray
Homer
Snow-Cold