

Crow Wing County  
Surveyor Office

5-120

Crow wing  
COUNTY

Removalment All in

CONTRACT 5-120

NO. 447

TELEPHONE



# INDEX TWP 47N R 29 W 2 R 30 W

|    |       |                           |                           |      |      |
|----|-------|---------------------------|---------------------------|------|------|
| 1  | V-13  | SEC COR                   | 29-28-33-34               | R 29 | T 47 |
| 2  | V-13  | "                         | "                         | "    | T 47 |
| 3  | V-13  | MC CORNER TO SEC          | 29-28-33-34               | R 29 | T 47 |
| 4  | W/X-1 | MC CORNER TO SEC          | 36-47-30                  | T 47 | R 29 |
| 5  | T-1   | QUARTER CORNER            | COMMON TO SEC 28-33       | R 29 | T 47 |
| 6  | T-9   | QUARTER CORNER            | COMMON TO SEC 28-33       | R 29 | T 47 |
| 7  | X-13  | QUARTER CORNER            | COMMON TO SEC 33-34       | R 29 | T 47 |
| 8  | R-9   | WITNESS TO SEC COR        | 28-29-30-31               | R 29 | T 47 |
| 9  | P-9   | QUARTER CORNER            | SEC 20-21                 | R 29 | T 47 |
| 10 | V-15  | QUARTER CORNER            | SEC 27-28                 | R 29 | T 47 |
| 11 | X-9   | QUARTER CORNER            | SEC 32-33                 | R 29 | T 47 |
| 12 | V-11  | QUARTER CORNER            | COMMON TO SEC 28-33       | R 29 | T 47 |
| 13 | V-1   | SECTION CORNER            | SEC 30-31                 | R 29 | T 47 |
| 14 | R-5   | SECTION CORNER            | SEC 19-20                 | R 29 | T 47 |
| 15 | O/P-5 | MC SEC                    | 19-20                     | R 29 | T 47 |
| 16 | R-3   | QUARTER CORNER            | SECTION 5                 | R 29 | T 47 |
| 17 | R-1   | MC SEC                    | 20-21-22-23               | R 29 | T 47 |
| 18 | V-5   | SEC COR                   | SECTION 29-30             | R 29 | T 47 |
| 19 | T-5   | QUARTER CORNER            | SEC 29-30                 | R 29 | T 47 |
| 20 | V-3   | WITNESS COR TO SEC CORNER | SEC 30-31                 | R 29 | T 47 |
| 21 | V-9   | SEC COR                   | COMMON TO SEC 28-29-30-33 | R 29 | T 47 |
| 22 | L-9   | QUARTER CORNER            | SEC 16-17                 | R 29 | T 47 |
| 23 | J-9   | SECTION CORNER            | SEC 8-9-16-17             | R 29 | T 47 |

PAGE

24 J-8/A Sec Cor 8/50 849 / 16/17 R29 T47  
 25 H/J-9 MC Comm to Sec 859 T47 R29  
 26 V-9 Corner of Sec 16-17/20-21 T47 R29  
 27 V-7 1/4 Cor Sec 29/32 T47 R29  
 28 X-5 W/20-25 Sec 70 1/4 Cor Sec 31/32 R29 T47  
 29 V-23 1/4 Cor SEC 25/36 T47 R30W  
 30 V-22/23 MC Comm to Sec 25/36 R30 T47  
 31 Z 2 1/2 MC Comm to 36/47/30 1/4/30  
 32 1/2-21 MC Comm to Sec 35-36 T47  
 33 Z 20/1 MC Comm to Sec 35/30-2/46/30  
 34 Z-21 Sec Cor. Comm to Sec 35-36/4730  
 And Sections 1-2 1/16/30  
 35 N-11 1/4 Corner Comm to Sec 16-21/47/29  
 36 1/4-17 MC Comm to Sec 14-15 T47 R29  
 37 N-17 Corner Comm to 20  
 Sections 14/15-22 2/23 T47 R29  
 38 V-17 Cor Sec 26-27-34-35 Tap 47 R29  
 39 V-23 Wireless Cor For 1/4 Cor Sec 25/36  
 T47 R29  
 40  
 41 C-1 1/4 Cor Sec 15/16 T46 R29W  
 42 A/B-1 MC Comm to Sec 44/69-1/46/30  
 43 J-21/22 MC Comm to Sec 12/13/44/29  
 44 V-17 Corner Comm to Sec 26-27-34-35  
 T47 R29  
 45 X-1 1/4 Cor Sec 31/44/29 36/46/30  
 46

NO. 447

WELBYN

Page

47. V-11 1/4 cor sec 28 1/2 33 T-47-R28

48. V-23 1/4 cor common to sec 25-36 T-47-28

49. E-25 sec cor common to sec 1-12 T-47-28

AND 6-7/47/27

50. E-23 1/4 cor sec 1 & sec 12 T-47-R28

51.

52. R-11 1/4 cor sec 21 1/2 sec 28 T-47-R29

53. X-17 1/4 cor sec 34/35 T-47-R29

54. R-13 corner common to sec 21-22 + 27-28

T-47-N R29W

55.

56. W/X -1 sec common to sec 31-47-29

and sec 36-47-30

57.

58. Quarter corner common to sec 1-12

T-47-R-28

59. W-13 NE cor of SE 1/4 of NE 1/4

sec 33 T-47-N R 29W

V-13

SECTION OWNER COMMON TO  
SECTION 5 27-28-33-34-147/29

1871

POST SET

3" ASPEN N47E 87LK

3" ASPEN N40W 82LK

5" WILLOW S23W 19LK

5" ASPEN S10E 39LK

E.E. WHITELEY Fd corner in place

1903 L.E. GARRISON SET POST FROM

Orig. BT.

Marked BT. 16" BR. OAK S13E 27LK

1939 Growing County Highway Dept.

Found POST/Stub in place.

10" Red oak NE 90° FT.

6" white oak SE 59° 25

1942 Louis Knudsen Corner in intersection

of Roads

1965 Joe Perlick DNR/Land Minerals

7" B. OAK N25-15°E 84± FT

12" B. OAK EAST 61° FT

62" B. OAK S49 34E 90± FT

1981 I talked to Bud Lisabet who

said he had searched for this

corner, but was unable to

find it. This Road has been built

up with more fillings, so there

are a lot of magnetic rocks.

NOV 17, 1981

NOV 18, 1981

V-13

Tom Gallowinghouse  
Steve Blawick  
Terry SavalaJA

①

The Road was built up in the late 60's or so, to accommodate the heavy mine trucks hauling ore across the road to the storage area on the east side.

We dug the 38" Road out to check for another pipe and we had a magnetite dump below the pin, so we dug another 2' deep and we found the top of a SS Galvan Drain we didn't try to dig the Break out. We would need to dig an area about 6' in diameter through the rock to dig it out.

We set a 1/2" pipe with cap and Registration Number 9672 at the base of the 38" Road we found. Made ties to pipe. Nail cap in 20" white oak S35E 99° 20 Nail cap in 12" timbered S35W 73° 65 Nail cap in telephone pole N35W 58° 62

Time spent 4 hours 11/18/81  
2 11/19/81

see next page for sketch

Nov 17, 1981  
Nov 18, 1981

Tom Garlinghouse  
Terry Savalora  
V-13

SECTION CORNER CHAIN TO  
SECTIONS 27-28-33-34  
T 47-28

Found 36" x 24" solid Red  
Top Bent Over - Replaced  
with 1/2" pipe. Box # 9672  
6 WEST OF CHISEL CSAH #30

NAIL CAP IN  
IN TRENCH  
POSTAL

ACROSS END  
TO PITTSBURGH  
PAULINE C. MINE  
ALGOMA - ZERO

ROAD TO  
OLD ORE  
STORAGE AREA

NAIL CAP IN  
20" WHITE OAK


NAIL & CAP IN 12"  
BIRCH TRUNK

CSAH #30

535F  
9920

7.35 W  
584

535F  
9920



MC Comm to SEC 17 & 20 T47-29  
N-758

1871 "Post"

18" ELM N 75E 10 LK (6.6 FT)

9" ELM S33E 5 LKs (3.3 FT)

1981

Searched For Corner and  
Evidence of Tree Name Found.  
in Area of old fence at  
edge of River.


Time Spent 1 1/2 hours

Nov 18, 1981  
Tom Garlinghouse  
Terry Savalosa

N-758

MISSISSIPPI RIVER

SECTION 17



SECTION 20

X  
X  
X

MC Common  
AND SEC  
w/x-1

TO SECTIONS 31-4729  
36-47-30

1871 POST SET

12" ASH N BLE 103 AK

7" ASH N18W 118 AK

1981 FOUND 2" PIPE 0.5 ABOVE  
GROUND APPROX 10' WEST OF EDGE  
OF ROAD 17 15 APRX 170±  
NORTH OF LAKE SHORE

I TALKED TO EARL MILLER  
WHO HAS LIVED IN THE AREA FOR  
QUITE SOME TIME. HE USED TO  
RUN THE ROAD PATROL FOR  
THE TOWNSHIP. HE SAID THE  
PUMPWORM WAS RIGHT ON THE  
EAST SIDE OF THE LAKE BUT THAT  
ALLER IS BUILT ON A LOT OF  
AND SO CALLED WATER LAKE.  
HE SAID "SOMEWHAT THE  
MOUNTAIN" WAS THE OTHER NAME  
FOR IT.

SEE PAGE 56 FOR LOCATIONS  
OF ALLER CORNER.

TIME SPENT 1 1/2 hours

Nov 18, 1981


TOM GALLINGHOUSE  
TERRY SWANSON  
W/X-1

MC Common TO SECTIONS 31-47-29  
AND SECTIONS 36-47-30

SECTION 36

SECTION 31

MILLER LAKE



T-1

Quarter corner common to sections  
30/47/29 and 25/47/30

1871

ORIGINAL MONUMENT POST  
6" BLACK PINE N66W 11LK  
6" BLACK PINE N66E 7LK

1981 Searched AREA SOUTH  
OF SOUT edge of Field

Approx. 100 ft. According  
to 4565 Quad map

No evidence of corner  
or TIPS found.


Extended old Random  
lines into saved stone  
River into Approx Area  
of corner with compass  
line.

Time spent 2 hour

T-1

NOV 18, 1981  
TOM GARLINGHOUSE  
TERRY SAVALOGA

⑤





T-9

1871 "POST"

20" pine N58W 155 LK

8" OAK S81E 31 LK

1942 L. Knudsen Found Monument  
in place.

1981 Searched for corner  
and evidence of TIES  
Nothing Found Monument  
might have been torn out  
OR Buried when Road  
was widened.


Searched for 2 Hour

Nov 19, 1981  
Tom Garlinghouse  
Terry Savolota  
T-9

Quarter Corner Common  
to Sections 28-29 T47-R29W

COLES

LAKE



Newly widened

open plowed  
corn field

Band of Woods

Approx location  
of corner

old barbed  
wire fence

Old Field

partially grown  
over with

scattered

brush and

trees

Field  
scattered  
hardwood

X-13

1871 "POST"

5" TAMARACK SSSW 14LK

6" TAMARACK SBOE 21LK

1903 LE GARRISON "POST"

5" TAMARACK SBOE 31

LOUS KNUDSEN - IN PLACE

1939 County Highway Dept

Found Cement Monument  
with Thompson in center

14" JACK PINE NCON 28670

12" JACK PINE SSSW

1981 "Rough" TARD 1320± South  
From 1/4 Corner Location

in 2 CSAH Projected

2 South through the woods

FD 1"x30" steel pin with

chanks of concrete marked around

IT approx 9' East of Extended

2 in Swamp and at 1320±

South of 1/4 corner.

Time Spent 1 hour

X-13

QUARTER CORNER COMMON  
TO SECTIONS 33-34  
T 47-29

Nov 19, 1981

TOM GARLINGHOUSE

TERRY SAVAGUSTA

SECTION 33

SECTION 34

CSAH # 80

FD 1"x30" STEEL  
PIN BEAT AT 90°  
ON ONE END  
WITH TWO CHUNKS  
OF CONCRETE ON IT  
approx 9' EAST OF  
PROJECTED 2 of Highway

Measured South from  
1/4 corner 1320±

R-9

Nov 19, 1981

Tom Gaeleinghouse

Terry Savakajia

1871 "Post"

18" Red pine N45E 30LK

18" Red pine N22W 127LK

18" Red pine S18W 48LK

6" Maple S52E 43LK

1931 L. Knudsen S-E-T New post

From 1 Maple stump and

3 pine stumps

10" N. pine S5W 116E

10" N. pine N10W 205E

16" W. pine N10E 144E

1981

Searched area for

evidence of corner or

TTCs. None found.

except for two Norway

pine's close to lake with

possible blades facing North.

Because those knives are facing

in unlikely directions, I doubt

they are official blades, they

look like AX marks from

children playing. Time spent

2 hours

Nov 19, 1981

Tom Gaeleinghouse

Terry Savakajia

Witness to Sec. Cor

Command to Sec 20-21-28-29

Trap 47-29

R-9

Sec 20

Sec 29

Long Road

P70



Coles Lake

Ed. Two Norway  
Pines with possible  
blades facing North

They don't look

official because

of the direction they

face.

P-9 1/4 acre common to see 20-21/47-29  
1871 "past"

18" W pine N 68 E 58 LK

20" W pine N 19 W 89 LK

1978 RCAN Fd. A 2" pipe in pl.  
No ties

1981 Fd. 2" Galv pipe with cap

1' Above Ground 1' South of


Fence corner. Found very

old 24" pipe stump 10" High

N 25 W 58 E Sidam pipe

Time spent 1 1/2 hour

P-9  
Nov 19, 1981  
Tom Gabeling house  
Terry Savaloga



Y-15

1/4 Corner Cairn Road Sec 27 T47 R29

1871 "POST"

12" pine 565E 17 LKS

5 TAMARACK AGE 80 LKS

1981 Searched Area For Evidence  
of Crime and Accessories  
Nothing Found. No  
Fence. S Found either

Time spent 1/4 hour

Y-15

Nov 19, 1981

Tom Garglinghouse

Terry Sargent

\* Bear

\* Food

\* Fire

\* Shaded

\* Wide

\* Area

\* old

\* field

\* grown up

\* with brush

\* and some

\* old

\* pine

\* mixed

\* field

\* growing

\* up into

\* pines

\* mixed

\* field

\* wood

\* mixed

\* field

\* wood

\* mixed

\* field

\* wood

\* mixed

\* field

\* wood

\* mixed

\* field

1871

"POST"

24" PINE N66 W 33 E

18" PINE N66 E 88 E

1913 Unbroken fd in place

1920 John Curo Found 10" 10"

Cement post in place

4" N. PINE S52-20 E 72.5 E

4" Poplar S50-06 W 106.3 E

1981

Measured North 1320 Fathom

Intersection North of Water

Tower to Area Around Abandoned

Rail Road Tracks Searched

Area for evidence of corner

and tips Nothing Found.

Talked to Earl Miller who

said he had seen Joe Sayre,

who was along my fire

Butler Brothers purchase

came out with a catipulac

It was a pipe set in concrete.

He didn't know the exact

location.

Time spent 1 hour

Pineater corner common to SEC 32 & 33 T47-29

X-9

Nov 25 1981

Tom Geringhouse

Terry Savatka

X-9

RAMP CARING Ground

SEARCHED BUT  
COVERED OVER  
WIDE AREA

SECTION 32

SECTION 33

MANMADE EARTHEN RAMP OR ROAD  
APPROX 10' TO 15' ABOVE AVERAGE GROUND.

OLD R.R TRACKS (ABANDONED) (No RAILS)

NO. 447

Quadrant Common to Sec 28 & 33  
V-11 47-29

1871 Post

10" OAK NW 1/4 160K

20" PINE S 62 E 94 K

1903 L.E.G. SET POST on line

BETWEEN V-9 & V-13

1908 L.E. GARRISON

2" X 36" IRON PIPE

1942 Louis Knudsen

IRON PIN IN PLACE

1981 TALKED TO Bud LASART

who WORKS FOR PITTSBURGH

PACIFIC MINING COMPANY.

He said that when they STARTED

WORKING IN THE MINE IN 1975

THIS CORNER HAD ALREADY

BEEN DUG OUT. He HAD

NO INFORMATION TO REPLACE

IT OTHER THAN MA-HANNA

MINING COMPANY COORDINATES.

Time Spent 1/2 hour

(12)

V-11

Nov 23, 1981

TOM GARLINGHOUSE

FERRY SAGALOGA

SECTION 28

PIT

MINE

SECTION 33





Corner common to sec 25-30-31-36  
T-47 R 30-29 W  
V-1

Information only  
We tied this out because  
we saw it as we drove  
past - Found a 2" pipe  
with oval cap stamped  
with section numbers

1981  
NORTH  
CAP

16" white pipe with 4"x4" ALUM.  
Tag in face NORTH 34 17  
Mark in power pole N 80 E 53 30  
16" white pipe S 70 E 72 25

I talked to Edell Miller who  
said this corner had a one 8" pipe  
been pulled out and had been  
replaced in the wrong place  
It should be further into the swamp  
west of its present location

Time spent 1 hour

Nov 23, 1981 V-1  
Tom Gaskin  
Terry Savalaja

(13)

SECTION  
30

Nail found in  
6" white pipe with  
4"x4" ALUM TAG

North  
34 17

NO. 447

Found oval  
cap on 2" pipe

SECTION  
31

Lead to tree

PLANTATION

STAKE  
TRACE  
PLANTATION

SECTION  
36



SECTION CORNER GIMMON TO  
SECTION 5 19-20/29-30 T47N R29W  
R-5

1871 "Post"

6" BLK PINE N46E 50K

7" BLK PINE N50W 11K

7" BLK PINE S71W 14K

10" BLK PINE S19E 17K

1898 RK WHITELEY SET POST

FROM 40.219 BT'S

1981 Fd APPROX LOCATION USING  
INFORMATION FROM USGS Quad  
MAP.

SEARCHED AREA THOROUGHLY  
NO EVIDENCE OF CORNER OR  
TIES FOUND

Time Spent 1 hour

R-5

Nov 23, 1981

Tom Garlinghouse  
TERRY SANDALOGA

AREA LOGGED OVER  
IN POST 5 YEARS

SECTION 19  
SECTION 20



SEARCHED  
AREA

FD FLAGGING ALONG  
APPROX LINE

FD FLAGGING  
ALONG APPROX LINE

SEC 30

SEC 29

LOG 119

OLD

O/p - S

Measure Corner Corner to Sec 19-20

T-47 R 29 W

1871 Post

20" W pine 549E 144LK

12" white pine N85W 346LK

1981 Searched Area For

corner and evidence of ties

Found one 24" pine stump

that might possibly fit

for 12" pine tie. couldn't

find any other evidence of

corner in area.

Time Spent 2 hours

Nov. 23, 1981

Tom Gaeleinghouse

Terry Savalaja

3 mile road

Mississippi River

Found 24" pine stump

No evidence of blazes

Searched Area

Thoroughly

Section 19

19




Found old remains of basement

Section 20

20



Found old remains of root cellar remains



R-3

Query Corner  
T 47-R29

Common to Sec 19-30

1871 "Post"

4" PVC 560E 96KS 524

4" PVC 511E 66KS 5356

1898 RK Whiteley set from  
Original 873

1981

Searched Area using  
USGS topo map to locate  
General Area. Searched  
for ties and evidence  
of section corners. Nothing  
Found.

Time Spent 2 hours

R-3

Nov 23, 1981

Tom Gaskinhouse

Terry Savalota

Query Corner Common to Sec 19-30

T 47-R29

Searched Area  
for evidence of corner


NO. 447

WELBINE

SECTION 19

SECTION 30

~~Topography Road~~



R.S.-1

MC common to sec 30 T47 R29 and  
sec 25 T47 R30W

1871 "post"

8" BLK pine 574W 146LK

12" Norway pine 548E 301LK

1931 L. Knudson Day 68 Book 34 WSN

Reset from pine stump and

edge of river bank "Noties"

1981 Sparrowed Area for evidence  
of border and trees.

Found fence line extending  
through woods close to area  
indicated on USGS topo map.  
No fence or other signs found.

Tree Species 140m

R.S.-1  
Nov 23, 1981  
Tom Geringhouse  
Terry Savaloga

(17)

Mississippi River


Searched approx 100'  
south of river and  
75' East and West of  
fence line with  
locator.

Section 25

T47 R30

Section 30

T47 R30



V-5

SECTION CORNER COMMON TO SECTIONS 29, 30, 31 & 32

1871 "POST" T47 R29

16" Red PINE N78E 67LK

6" BLK PINE N65W 8LK

6" BLK PINE S62W 32LK

7" BLK PINE S24E 13LK

1898 E.E. Whiteley - Corner in place

1903 L.F. Garrison Set post

1909 Eng. BT's

1952 DEAN M. Robinson

6" JACK PINE S5E 42.8 FT

5" Red OAK N71W 72.3 FT

11" JACK PINE S80E 61.7 FT

24" Norway PINE S9E 10.5 FT

1981 Found 2" pipe with ALUM. CAP

Marked T47 R29 (20 29) 10' South

0.3 ft of old Logging Road

Above Ground.

Ed. Remains of 24" Norway PINE with

DOUBLE BLAZE S20E 10.5 could

possibly be original BT because of

LOCATION IN RELATION TO CORNER AND

AGE OF TREE. check D ANDERSON'S

NOTES FROM 1982. FOR MENTION OF

THIS BT.

Time spent 1 hour.

V-5

SECTION CORNER COMMON TO SECTIONS 29, 30, 31 & 32

T47 R29

Nov 24, 1981

TOM CARLINGTON

TERRY SAKALAKA

SECTION 30

SECTION 29

NAIL CORNER 12" PINE with DOUBLE BLAZE

511  
512  
513

Old Logging Road

5' SOUTH of edge of Road to 1/4 2" P. with CAP

NAIL CAP IN 14" JACK PINE with Old Double BLAZE

4325  
S5E

Ed. Remains of 24" Norway PINE with DOUBLE BLAZE possibly original

NAIL CAP IN 12" JACK PINE with Old DOUBLE BLAZE

SECTION 31

SECTION 32

NO. 447

TELEPHONE

18

T-5

QUARTER CORNER COMMON TO  
SECTIONS 29, 30, 31

1971

POST

55" TRIMMER 1/36W 19KK

5" TRIMMER EAST 3KK

1981

STANDARD CORNER AREA  
ACCORDING TO LOCATED POINT

QUAD MAP UNABLE

TO LOCATE ANY EVIDENCE

OR CORNER OF 1/36W

COULD NOT FIND ANY TRACES

OF THE LINE. QUAD MAP

LOCATION DOESN'T FIT GUT FEELS

OR LOCATION OF POWER LINE

IN RELATION TO HIGH GROUND

IN AREA

Time Spent 1/2 hr

Nov 24, 1981  
T-5 Tom Gorkinghouse  
Terry Savakofsky

(19)

QUARTER CORNER COMMON TO SECTIONS 29, 30

T-47-R29

SECTION 30

SECTION 29

SEARCHED  
AREA IN  
SWAMP

FINDING  
WOODS  
FOR  
FENCES

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

High  
Ground

V-3 '64

1871

"Post"

3" willow 512' 19 LK

3" willow N 85° E 54 LK

1981 Search of Area for

Evidence

of corner of of this

Area. used

USGS Quad map to

find General Area to

Search

Time spent 2 hours

(20)

V-3 '64


Witness corner to Quarter corner corner to

Sections 30 & 31 T47 R29W

Nov. 24, 1981

Tam G. Gallagher

Terry S. Sudaoka



NO. 447

W. T. B. W. E.

SECTION CORNER COMMON TO  
SECTIONS 28-29-32-33

V-9

1871 "POST"

14" PINE 564W 125LK

14" PINE 522E 383LK

3" BIRCH N35E 90LK

1903 LEG. SET 1" x 2" x 2' SLOPE SH

FROM ORIG POST

1898 EE WHITELEY CORNER

IN PLACE

1908 LE GARRISON 1" x 20" FENCEPOST

1951 SPENT QUITE A BIT OF TIME

LOOKING FOR THE CORNER

BECAUSE THE AREA HAS CHANGED

CONSIDERABLY SINCE 1850S TO 1900

MAP WAS MADE IN 1850 - CHANGES

ARE DUE TO MINING AND

DRAINING OF SWAMP'S AND LAKE

AS WELL AS RECLAIMING WATER

INTO SWAMPS - THERE IS

A EARTHED DIKE BUILT ON

THE SOUTH END OF THE SWAMP

WHICH MAY HAVE DESTROYED

THE CORNER. DIKE MAY BE OLD REGRADE

TIME SPENT 4 HOURS

21

V-9

SECTION CORNER COMMON TO  
SECTIONS 28-29-32-33

11/4/7-12/29

NOV 24, 1981

TOM GRELINGHOUSE

TERRY SAVALOJA

SECTION 29

SECTION 28

SWAMP

FILLED WITH

WATER FROM

PUMPING ALGOMA-

ZENO MINE

SEARCHED ALONG SWAMP FOR CORNER  
SEARCHED SOUTH TO  
"PIT" LOCATION AND  
UP TO 300' NORTH  
OF THE PIT -  
ALSO FROM EDGE  
OF SWAMP UP TO  
100' EAST OF EDGE

"K" DIKE FOR RECLAIMING

SECTION 32

SECTION 33

1970



Quarter Corner Common to  
Section 16 E 17 T 47 R 29

L-9

1871 post

6" Oak N 73 E 19 LK

6" Pine S 31 W 28 LK

1930 L. Knudsen

Established 1/4 corner on line

Between Sec. Corners North & South

20" N. Pine N 61 W 317 FT.

4" N. Pine N 41 1/2 E 182 3/4 FT

8" N. Pine S 87 1/2 E 117 1/2

1935 L. Knudsen in place

1981 Found 2" gas pipe with galv. running

Cap 1' above ground approx 35'

East of Swamp. Approx 60 to 70'

North of edge of Swamp.

Searched for BT's in the

area. There are several Norway

Pinus around in the area and

most are fire scarred on

N.E. side.

Time spent 3 hours

L-9 Quarter Corner  
Section 16 E 17 T 47 R 29

22

Nov 25 1981

Tom Carlisle

Terry Sakala

SECTION 17

SECTION 16

Nahtcap  
10" Red Oak

Nahtcap  
8" Birch

Nahtcap  
16" Red Oak

FD. 2" GALV PIPE WITH 2 GALV CAP  
Leaving West C 3 Feet

5200  
5220

Nahtcap N 6"  
Red Oak

NO. 447

WILSON

J-9

1871

10" Linden N44E 28LK  
6" Elm N13E 43LK  
20" Oak S52W 51LK  
6" Linden S10E 60LK

1930 L. Knudsen

"Set New Stake" Found old  
Stake 1' above ground & Elm & Oak  
BT Stumps  
12" Basswood S70E 20.7  
14" Basswood S75W 20.3

1981 used USGS Quad map to find  
General location of corner using  
Island in River as Landmark  
Searched area 213 FT South of  
River's edge and in line with  
and 100' either side 200' East of  
East end of Island

Time Spent 2 1/2 hour

3.60  
17.30  
19.30  
"POST"

23

SECTION Corner Contention To  
Sec. 8-9-16-17 T47-R29  
J-9

Nov 25, 1981

Tom Garlinghouse  
Terry Savaloja  
MISSISSIPPI  
Island in River

200' ±  
EAST OF EAST  
SIDE OF ISLAND

SECTION 8


SECTION 9

1033.86

Searched Area  
200' ± South of  
River Bank

SECTION 17

SECTION 16



J-8A

1891 POST

9" WHITE OAK S19W 7LK  
6 WHITE OAK N62E 4LK

we did not search for  
it because it was  
too late in the day to search  
for it with the information  
we had available. I had  
planned to take a compass  
bearing west from the section  
corner of sections 8-9-16-17  
if we had found it, but  
we ran out of time to search  
the area.

M.C. Common to Secs  
J-8A T-47-R298917

Nov 25, 1981

Tom and Lynne  
Terry Savalaja

MISSISSIPPI RIVER

SECTION 8

SECTION 9

SECTION 17

SECTION 16

NO. 447

FIELD

H/J-9

1871 POST

7" W. OAK 553W 26LK

7" W. OAK 570E 34LK

1981

Searched Area along River

BANK 200'± WEST OF EAST

END OF ISLAND IN RIVER

(Searched off USGS Quad map)

Found No Evidence of

Corner or of TICS. Searched

Area up to 300'± SOUTH of River

BANK FOR CORNER OF SECTION AND

FOR EVIDENCE OF MC. Nothing

Found.

Time Spent 2 Hours

H/J-9

MC Common TO SECTIONS 8 & 9

1-47 1229

Nov 25/1981

Tom and Linghous

Terry Savatoff

MISSISSIPPI

ISLAND

Searched up to 300'± SOUTH OF RIVER BANK

No Evidence Found OF EITHER MC OR SECTION CORNER

SECTION 8

SECTION 9

823 OK NORTH TO MC F20 100'±

SECTION 17

SECTION 16

(25)

N-9

Consider Contained in Sections 16-17 20-21  
Twp 47N R 29W

INFORMATION ONLY

1981  
Fol 1/2" Pipe in place in  
West Road 0.3  
Along Surface of Road

Time Spent 1 hour

N-9  
Nov 25, 1981

Tom Garlinghouse  
TERRY SAVALLOJA

SECTION 16

SECTION 17

Cap in  
N. 1/2" Pipe  
Norway place

78 1/2  
25 1/2  
K119N

Cap in  
N. 1/2" Pipe  
14' Poplar

25 1/2  
25 1/2  
107 1/2  
Fol 1/2" Pipe  
in place

NO. 447


W. T. B. D. N. E.

Cap in  
N. 1/2" Pipe  
6' Poplar

SECTION 20

SECTION 21

← DRIVEWAY TO BARN



V-7

Quarter Corner 120 paces to

SECTIONS 29 & 32 T-47 R-29  
1871 Post

6" BLK PINE S15W 31LK

6" BLK PINE N39W 73LK

1898 EE. Whitekey "Corner  
145 in place"

1903 LE. Garrison

Set Post From Orig BT  
Standing

1981 Found OVAL cap in  
old Road Garrison in brush  
and trees. Fd Brass BT Tag  
in 24" N.P. N30W 47 1/2' from

Old Chopped pine. Earl  
Miller who lives just South  
of the Moore Hopedous  
Road is.

Fd pinestump S25W 21' could  
be remains of old BT, Ab Blazes  
Remaining.

Time spent 2 hours

(27)

Nov 30, 1981  
Tom Garlinghouse  
Terry Savalaga  
V-7  
Quarter Corner Common

To Sections 29 and 32  
Twp 47N R 28W

Nail i cap in SEC 29  
24" N.P. with old Blaz  
+ missing

Nail i cap in  
12' sec oak

57 1/2'  
73 1/2'  
30 W

old Road  
Grown up with brush

Fd old pinestump, could  
be remains of old  
BT. No Blazes remain.

Nail i cap in 24" N.P.

Sec 32

WITNESS GIVEN TO VERNER CARRAN TO  
SECTION 5 31 32 T47-29

|      |      |
|------|------|
| 1871 | post |
|------|------|

|             |     |      |
|-------------|-----|------|
| 5" TAMARACK | 55W | 15LK |
|-------------|-----|------|

6" TAMARACK 580E 23LK

Searched Fore, But I did  
NOT find ANY Evidence  
of Location of Carver  
No Fence Lines or BT  
Straps Found. Talked to  
John Sippar about this  
Carver, He said unknown  
of it ever being in place.

| Time  | Spent/ hour |
|-------|-------------|
| 10:00 | 10:00       |
| 10:15 | 10:15       |
| 10:30 | 10:30       |
| 10:45 | 10:45       |
| 11:00 | 11:00       |
| 11:15 | 11:15       |
| 11:30 | 11:30       |
| 11:45 | 11:45       |
| 12:00 | 12:00       |
| 12:15 | 12:15       |
| 12:30 | 12:30       |
| 12:45 | 12:45       |
| 13:00 | 13:00       |
| 13:15 | 13:15       |
| 13:30 | 13:30       |
| 13:45 | 13:45       |
| 14:00 | 14:00       |
| 14:15 | 14:15       |
| 14:30 | 14:30       |
| 14:45 | 14:45       |
| 15:00 | 15:00       |
| 15:15 | 15:15       |
| 15:30 | 15:30       |
| 15:45 | 15:45       |
| 16:00 | 16:00       |
| 16:15 | 16:15       |
| 16:30 | 16:30       |
| 16:45 | 16:45       |
| 17:00 | 17:00       |
| 17:15 | 17:15       |
| 17:30 | 17:30       |
| 17:45 | 17:45       |
| 18:00 | 18:00       |
| 18:15 | 18:15       |
| 18:30 | 18:30       |
| 18:45 | 18:45       |
| 19:00 | 19:00       |
| 19:15 | 19:15       |
| 19:30 | 19:30       |
| 19:45 | 19:45       |
| 20:00 | 20:00       |
| 20:15 | 20:15       |
| 20:30 | 20:30       |
| 20:45 | 20:45       |
| 21:00 | 21:00       |
| 21:15 | 21:15       |
| 21:30 | 21:30       |
| 21:45 | 21:45       |
| 22:00 | 22:00       |
| 22:15 | 22:15       |
| 22:30 | 22:30       |
| 22:45 | 22:45       |
| 23:00 | 23:00       |
| 23:15 | 23:15       |
| 23:30 | 23:30       |
| 23:45 | 23:45       |
| 24:00 | 24:00       |

DEC 3, 1981 Tom Gaellinghouse  
Terry Savaloja

$$\frac{5}{x}$$

|         |                     |        |
|---------|---------------------|--------|
| WITNESS | CORNER TO 1/4 DOWNS | 311132 |
| COMMON  | TO SECTION 5        |        |

open field

PR 1964 4611

Edge of F

143 ± South of  
Highground  
Searched for Corner

|       |      |
|-------|------|
| Small | Pond |
|-------|------|

James, La. 10/24/95 95261

V-23

1/4 Cor Comm N to 25° E 36 T 47 R 30

1871

POST

10" Ash N 14 E 27 UK

6" Linden 53 SW 58 UK

1981

Searched for evidence of

Fence Line Going West from

Gorham Division to Section 25

25-30 - 36-31 Nothing

Found. I also talked to the

Assistant Forest Ranger in Crosby

Kels Kroger Park, who said

He had no information

on knowledge of this

Area.

We did not search

Kels Kroger Park

Area at 1:17 PM. [unclear]

Time left in the day to go into

Area and search for this corner.

Total Time Spent 1/2 hour

Talking to Forest Ranger and Earl Miller

and looking for fence going west from

Section corner

Dec 3, 1981

Tom G. [unclear] [unclear]

1/4 Cor Comm N to Sec 25 36

Section 25

200 ft East of River Bank to 1/4 corner  
According to Good Survey Notes

Section 36





V-22/23

MC Common to Sec 25+36 T47 R30

1871 "Post"

6" ASH 544E 334K

6" ASH 154E 154K

1981

Searched For Evidence

at fence line going west

From Corner Common 70

Sections 25-30 31-36

Nothing Found.

Talked to KRS Hubbard

at DNR office in CBS say

he said he didn't have information

on knowledge of this corner

I also talked to

Earl Miller who said

No knowledge of this corner

did not search for this

corner. Too late in day

to go into area searching for

corner. AS there are no access

roads. It has been searched for

by own husband.

TOTAL TIME Spent 1/2 hour  
in talking to Earl Miller and in  
searching for fence line going west from Section corner

(30)

V-22/3

MC Common to Sec 25+36 T47 R30

200 yd west of

SECTION 25

SECTION 36

MISSISSIPPI RIVER

Z 24/25

MC. Corner Command to sec 36/47/30  
and 1/46/30

1870 POST

12" Elm 557 1/2 W 102 LK

12" Ash N88W 195 LK

1931 L. KNUDSEN

"SET CORNER FROM ASH BT STUMP"

1981 searched AREA FOR EVIDENCE  
OF CORNER & BEARING TRAIL  
Nothing Found.

Area has been cleared off  
with Rotary Blade Brush  
Cutter because of power line.

Table Spent one Hour

Dec 3, 1981

Z-24/25  
Tom G. Arlinghouse  
Terry Savaloga

(31)

MC Corner Command to sec 36/47/30  
and 1/46/30

SECTION 36

Wooded

Area

Area cleared  
with Rotary  
Brush Cutter  
for power  
line

Black

BEAR

LAKE

POWER  
POLE

SECTION 1

MC Command To SECTION 35-36  
T-47 R 30

|      |        |
|------|--------|
| 1281 | "Post" |
|------|--------|

6" Elm 572E 2644

6" ASH 551W 37LK

|      |            |
|------|------------|
| 1931 | L. Knudsen |
|------|------------|

"Corner in place"

1861


SEARCHED FOR COCAINE  
AND EVIDENCE OF COCAINE  
NOTHING FOUND. USED  
USGS GUIDELINES  
AND GENERAL IDEA TO

Time Spent - 7 hours

Dec 3, 1981

Tom Garlinghouse  
Terry Savalaja

③



MC. Common To Sections 35/47/30 - 2/4/30

1870 POST

11" BURR OAK 536 W 20LK

10" BURR OAK N77 E 30LK

1931 L KNUDSEN

"Corner in place"

1981 Searched for corner  
None found no evidence  
on fence lines found  
either. Used USGS  
Quad map to find  
General Area to Search.

Time spent 216hr

Z-20/21 T47 R30  
Dec 3, 1981

TOM GAELINGHOUSE  
TERTY SAVALOTA

SECTION 35/47/30

Searched area  
By USGS USGS  
Quad Map

Section 2/4/30

Z-21

SECTION CORNER COMMON TO SECTIONS 35-36/47/30  
1-2/46/30

1870 POST

16" ELM S38W 4LK  
16" ASH N40W 8LK  
16" ELM N54E 22LK  
12" ELM S57E 5LK

1931 L. KNUDSEN  
CORNER N PLACE

1981 Searched for corner  
and ties none found  
used USGS Quad map  
to locate corner  
to search for corner

Time spent 2 hours

Dec 3, 1981 Z-21

TOM GAELINGHOUSE  
TERRY SAYALOTA

(34)

SECTION 35  
T47N R30W

SECTION 36  
T47N R30W

PP1  
River

Searched area  
for evidence  
of corner by  
using USGS  
Quad Map.

SECTION 2  
T46N R30W

SECTION 1  
T46N R30W

N-11 QUARTER CORNER COMMON TO SEC 16-21  
T47-R29

|      |      |
|------|------|
| 1871 | Post |
|------|------|

L2" TAMARACK 545W 34LK

7" TAMARACK N38 E 11 LK.

9/12 Louis Knudsen (in place)

|      |            |
|------|------------|
| 1930 | L. Kaldsen |
|------|------------|

Found old BT Stamps and Spake

8" Tarback 55W

1/2" BALSAM N 50 E

|      |                     |    |
|------|---------------------|----|
| 1981 | Searched for Corwin | AK |
|------|---------------------|----|

Evidence Board of Conv-

Qr of Ties. Found same

Blue - Redding and Hla.

|         |        |        |         |
|---------|--------|--------|---------|
| 1000000 | 500000 | 500000 | 1000000 |
|---------|--------|--------|---------|

Nov 2 12 11 10 9 8 7 6 5 4 3 2 1

To Search

| Time spent | Method      |
|------------|-------------|
| 10 min     | Handwritten |
| 15 min     | Handwritten |
| 20 min     | Handwritten |
| 25 min     | Handwritten |
| 30 min     | Handwritten |
| 35 min     | Handwritten |
| 40 min     | Handwritten |
| 45 min     | Handwritten |
| 50 min     | Handwritten |
| 55 min     | Handwritten |
| 60 min     | Handwritten |
| 65 min     | Handwritten |
| 70 min     | Handwritten |
| 75 min     | Handwritten |
| 80 min     | Handwritten |
| 85 min     | Handwritten |
| 90 min     | Handwritten |
| 95 min     | Handwritten |
| 100 min    | Handwritten |
| 105 min    | Handwritten |
| 110 min    | Handwritten |
| 115 min    | Handwritten |
| 120 min    | Handwritten |
| 125 min    | Handwritten |
| 130 min    | Handwritten |
| 135 min    | Handwritten |
| 140 min    | Handwritten |
| 145 min    | Handwritten |
| 150 min    | Handwritten |
| 155 min    | Handwritten |
| 160 min    | Handwritten |
| 165 min    | Handwritten |
| 170 min    | Handwritten |
| 175 min    | Handwritten |
| 180 min    | Handwritten |
| 185 min    | Handwritten |
| 190 min    | Handwritten |
| 195 min    | Handwritten |
| 200 min    | Handwritten |
| 205 min    | Handwritten |
| 210 min    | Handwritten |
| 215 min    | Handwritten |
| 220 min    | Handwritten |
| 225 min    | Handwritten |
| 230 min    | Handwritten |
| 235 min    | Handwritten |
| 240 min    | Handwritten |
| 245 min    | Handwritten |
| 250 min    | Handwritten |
| 255 min    | Handwritten |
| 260 min    | Handwritten |
| 265 min    | Handwritten |
| 270 min    | Handwritten |
| 275 min    | Handwritten |
| 280 min    | Handwritten |
| 285 min    | Handwritten |
| 290 min    | Handwritten |
| 295 min    | Handwritten |
| 300 min    | Handwritten |
| 305 min    | Handwritten |
| 310 min    | Handwritten |
| 315 min    | Handwritten |
| 320 min    | Handwritten |
| 325 min    | Handwritten |
| 330 min    | Handwritten |
| 335 min    | Handwritten |
| 340 min    | Handwritten |
| 345 min    | Handwritten |
| 350 min    | Handwritten |
| 355 min    | Handwritten |
| 360 min    | Handwritten |
| 365 min    | Handwritten |
| 370 min    | Handwritten |
| 375 min    | Handwritten |
| 380 min    | Handwritten |
| 385 min    | Handwritten |
| 390 min    | Handwritten |
| 395 min    | Handwritten |
| 400 min    | Handwritten |
| 405 min    | Handwritten |
| 410 min    | Handwritten |
| 415 min    | Handwritten |
| 420 min    | Handwritten |
| 425 min    | Handwritten |
| 430 min    | Handwritten |
| 435 min    | Handwritten |
| 440 min    | Handwritten |
| 445 min    | Handwritten |
| 450 min    | Handwritten |
| 455 min    | Handwritten |
| 460 min    | Handwritten |
| 465 min    | Handwritten |
| 470 min    | Handwritten |
| 475 min    | Handwritten |
| 480 min    | Handwritten |
| 485 min    | Handwritten |
| 490 min    | Handwritten |
| 495 min    | Handwritten |
| 500 min    | Handwritten |
| 505 min    | Handwritten |
| 510 min    | Handwritten |
| 515 min    | Handwritten |
| 520 min    | Handwritten |
| 525 min    | Handwritten |
| 530 min    | Handwritten |
| 535 min    | Handwritten |
| 540 min    | Handwritten |
| 545 min    | Handwritten |
| 550 min    | Handwritten |
| 555 min    | Handwritten |
| 560 min    | Handwritten |
| 565 min    | Handwritten |
| 570 min    | Handwritten |
| 575 min    | Handwritten |
| 580 min    | Handwritten |
| 585 min    | Handwritten |
| 590 min    | Handwritten |
| 595 min    | Handwritten |
| 600 min    | Handwritten |
| 605 min    | Handwritten |
| 610 min    | Handwritten |
| 615 min    | Handwritten |
| 620 min    | Handwritten |
| 625 min    | Handwritten |
| 630 min    | Handwritten |
| 635 min    | Handwritten |
| 640 min    | Handwritten |
| 645 min    | Handwritten |
| 650 min    | Handwritten |
| 655 min    | Handwritten |
| 660 min    | Handwritten |
| 665 min    | Handwritten |
| 670 min    | Handwritten |
| 675 min    | Handwritten |
| 680 min    | Handwritten |
| 685 min    | Handwritten |
| 690 min    | Handwritten |
| 695 min    | Handwritten |
| 700 min    | Handwritten |
| 705 min    | Handwritten |
| 710 min    | Handwritten |
| 715 min    | Handwritten |
| 720 min    | Handwritten |
| 725 min    | Handwritten |
| 730 min    | Handwritten |
| 735 min    | Handwritten |
| 740 min    | Handwritten |
| 745 min    | Handwritten |
| 750 min    | Handwritten |
| 755 min    | Handwritten |
| 760 min    | Handwritten |
| 765 min    | Handwritten |
| 770 min    | Handwritten |
| 775 min    | Handwritten |
| 780 min    | Handwritten |
| 785 min    | Handwritten |
| 790 min    | Handwritten |
| 795 min    | Handwritten |
| 800 min    | Handwritten |
| 805 min    | Handwritten |
| 810 min    | Handwritten |
| 815 min    | Handwritten |
| 820 min    | Handwritten |

Dec 7, 1981

Tom Gabeling house  
Steve Blawick

|      |             |             |
|------|-------------|-------------|
| N-11 | Steve Black | Terry Savan |
|------|-------------|-------------|

17-47- E29

Sheet 102

Asl

Tim Arack

## 2. BALSAM

|   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|

|   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|

SECRETED ALSO  
FOR CONSIDER  
AND EVIDENCE OF

AND EVIDENCE OF THE

Section 21

Oct 2

OK FR

1000000

NO. 447

INTEL

[illegible]

|   |      |
|---|------|
| K | Alde |
|---|------|

SWANO

不

不






Dec 7 1981  
Tom Garklinghouse  
Terry Savaloga

36

L/M-17

Meander Section Common to Sections 14-15

T-47 R 29

1871 post

12" wh oak S20E45LK

8" wh oak S88W 47LK

1981

Ed 3 1/2" 18" pipe with

pressure cap Reg #29472

40' 4" South of line shown on

N-S fence line also found

1 1/2" galv pipe in place south

of 3 1/2" pipe 31"

See WFB File 210 pos 73

Book 19 page 65

Also see WFB File 467 Book 38/41

Time spent 1 1/2 hours

L/M-17

MC Common to Sec 14-15

MISSISSIPPI RIVER

Wetland  
12" oak pipe

40' 4" South of line shown on

N-S fence line also found

1 1/2" galv pipe in place south

Section 15

Section 14

520E 45LK

8" wh oak S88W 47LK

12" wh oak S20E 45LK

1 1/2" galv pipe in place

Wetland


40' 4" South of line shown on

N-S fence line also found

1 1/2" galv pipe in place

NO. 447

TELEPHONE



N-17

SECTION CORNER COMMON TO  
SECTIONS 14 & 15 - 22 & 23 T-47 R29

" IN FOLLOWING AND CAN BY CORNER

1981 Found 2" pipe with oval cap

03 below ground level in

grove of Jack pines east

of driveway. For additional

information see WEB

FILE 210 POS 78 Box 19 pages

ALSO see WEB FILE 467 BOOK 38/31

Time Spent 1 hour

37

N-17

SECTION CORNER COMMON TO

SECTIONS 14 & 15 - 22 & 23 T-47 R29

DEC 7, 1981

TAM GARLINGHOUSE  
TELEPHONE  
STEELE BLANCH

Driveway

SECTION 15

SECTION 14

Nail capped  
10" Jack pine

NO. 347

Road


Nail capped  
10" Jack pine  
Blossom  
Blossom

SECTION 22

Nail capped  
16" Jack pine

Nail capped  
12" Jack pine

SECTION 23





V-17

Section Corner for Sections 26-27-34-35

1871

805.7

6" Elm 515N 49LK

10" Sugar 527E 29LK

8" Linden N34W 106LK

6" Maple N15E 94LK

CWC/LCB 30/ DNR/Lm/I

Found a 1" Iron P.N.O. Above

Ground

12" B. OAK N59W 82° FT

5" R OAK N30E 234 FT

24" W Pine 556E 1211 FT

6" R OAK 511W 85.4 FT

1981

Found 1" solid pin 0' Above

Ground North of Casser Lake

See WF Buckler file 650

Book 43/21 for ties.

Time Spent 1 1/2 hours

Dec 7, 1981  
Tom Garling house  
Steve Blawick  
Terry Savaloga  
V-17

Section Corner for Sections 26-27-34-35

Twp 47 R 29W

Section 27

Section 26

Nail in 12" Basswood

120

Nail in 12" Basswood

120

120

120

120

1055

1055

Nail in 12" Basswood

Section 34

Section 35

V-23

Witness corner for 1/4 corner Command to Section 25-36

T47 R29

1871 POST

5" W. ASH N7E 30LK

3" WASH S34W 11LK

1981

Searched Area for witness section

corner & tiles no

Evidence found. Saw some

Brush cuttings along south

edge of lake could possibly

be from R.C.M. Survey. For

Jim Kimball.

Time Spent 2 hours

39

V-23

Witness corner

For 1/4 corner Command to

Sections 25-36 T-47-R29

Dec 7 1981


Tom Gaden, high 18m  
Steve Black  
Terry Savala

CLINKER

LAKE

SECTION 25

Section 36



C-1

1869 "POST"

12" WHITE PINE N70W 55LK

8" BIRCH N9E 13LK

1969

DEAR AN ANDER SON

SET 2 1/2" I.P. W/ALUM CAP FROM

WD BT STUMP

5" MAPLE NW 10<sup>25</sup>

5" WHITE OAK WEST 18<sup>00</sup>

20" WHITE PINE SOUTH 23<sup>15</sup>

16" NP NE. 26<sup>3</sup>

1981 FD 2 1/2" IRON PIPE WITH ALUM. CAP

0<sup>5</sup> ABOVE GROUND - SEALED FOR

EVIDENCE OF ORIG BT STUMP N78W

55LK. NOTHING FD.

SET & MEASURED TO NAIL CAPS IN TREES

WITH OLD DOUBLE BLADES

TIME SPENT 2 hour

C-1 QUARTER CORNER COMMON TO  
SECTIONS 6 T46N R29W

Nov 30, 1981

TOM GARENGHOUSE

TERRY SAVALAJA

15' NE TO STUMP

NAIL IN 6" MAPLE

NAIL CAP IN 18" WP  
WITH BT TAG IN FACE

SECTION 6

FD 2 1/2" PIPE WITH  
ALUM. CAP

SOUTH  
23<sup>15</sup>

NAIL CAP IN 18" WP  
WITH BT TAG IN FACE

NO. 147

W. T. L. E. N. E.

SECTION 1

NAIL CAP IN  
10" WP/RESAR

1/4 S 0  
1/4 S W

18<sup>00</sup>

580 W

1/4 S 0  
1/4 S W

18<sup>00</sup>

580 W

A/B-1

1869 "POST"

6" ASH S35W 34LK

18" ELM S20E 68LK

1969 D.M. Anderson Page 38 Book 205

1 1/2" pipe SET corner Fla

10" ASH  $\pm$  20" ELM

8" TWN ASH S.W. 32 S

6" MAPLE SE. 181

6" ASH E 23°

1981 Fd 2" pipe in place AT WEST  
edge of fill.

Searched for orig. ties

Nothing found.

Time Spent 2 Hour

NOV. 30, 1981  
Tom Garlinghouse  
Terry SavalajaMEANDER CORNER COMMENTS A/B-1  
SECTIONS 6/40/29 - 1/46/30

BLACK BEAR LAKE


45' TO WATER

Fd 1 1/2" pipe @ WEST edge of FILL

SECTION 1

SET NAIL CAP  
IN 6" TRUNK  
ASH

SECTION 6

SET  
NAIL CAP IN  
10" MAPLE WITH  
OLD BLADESET NAIL CAP  
IN 10" ASH WITH  
OLD BLADE545E  
18 1/2'123E  
15'53E  
15'

21/22

1869

4051

6" Beck N15E 37Lk

7" pine 5 15W 35LK

|      |        |               |
|------|--------|---------------|
| 1964 | D.M.A. | LK plus impl. |
|------|--------|---------------|

1/4" white oak SE 32 1/2

Donnerstag 20. April 1871

1981

Found 2" Pipe Flush with

Sound 10.5 West of Lake

Made Ties using Noid's Bottle caps

But made a Blazs because

OF Populated Area.

|          |            |       |       |
|----------|------------|-------|-------|
| 11/30/81 | Time spent | 1 1/2 | Hours |
|----------|------------|-------|-------|

| Date    | Time spent | Hour   |
|---------|------------|--------|
| 12/1/81 | Time spent | 1 Hour |

J-21/22

Meander Course


|       |    |    |    |       |
|-------|----|----|----|-------|
| 12-13 | 54 | 70 | 54 | 12-13 |
|-------|----|----|----|-------|

|        |        |
|--------|--------|
| Common | To Sec |
| F-4%   | R-29   |

Nov 30, 1981

Tongueing horse  
Henry S. S. S. S. S.

2009-2010



V-17

1869 "Post"

1896 24" pine west 574LK

PK white log

1924 Post from OLG BT Good order

Kulu's sen set from BT.

1976 Stump "shown by milk Holland"

W.F.B 47/16 Edward T.M. in place

12" poplar S/SE 987

12" R. OAK N/NE 2585

12" Red oak W 3363

1981 Ed 1 "Solid Pin D's Above Ground

Re-measured Ties - Re-blazed

Traces - see W.F. Buckler File

Number 634 Book 45.

Time spent labour

NOV 30, 1981

Tom Garlinghouse  
Terry Savala

Colver Command ID  
Sec 26-27-34-35  
T 46 R 29

V-17

SECTION 27

SECTION 26

12" Red oak

58 year old  
12" Red oak

West 3366

Ed 1 "Solid  
Pin D's Above  
Ground

SECTION 34

SECTION 35

444

NO. 447

TIME

10' to  
Stump

282

58 year  
old 12" Red oak



1869 Post

7" pine 5/5 W 35 UK

1981

Ed 18" white oak with curly grain fine

|            |       |    |
|------------|-------|----|
| 11 80' W N | 36-31 | 11 |
|------------|-------|----|

|       |       |                |
|-------|-------|----------------|
| CR WN | 56-31 | -56858 unit 74 |
|-------|-------|----------------|

Found 2" pipe with oval cap

Lat 50° 40' N, Long 17° 40' W

1" X 5' GALV PIPE MARK NO.

Coccyzus in SWAMP

Time spent 2 hours

Dec 15 1981

Tom Garlinghouse

Terry SAVALLOJA  
V-1112

West  $1/4$  Corner

Twp. 46 N R 29 W

Section 36

Ed 2" pipe with

2

不

✎

五

✱

✍

5

Hardwood

# SWAMP

10. 11. 1941

Section 31

|      |              |
|------|--------------|
| Nail | CAP IN 18"   |
|      | W/IN 700214M |
|      | BK'S 179     |
|      | SALY IN      |
|      | EACH         |

NAILED CAP W  
12" WHITE OAK

Ridge

[illegible]

V-8

1981

Found oval cap at 1/4 corner  
 common to sections 29 & 32  
 T 47 R 29 W Rough Taped  
 East 1320 to search for  
 1/16 corner at NE cor of  
 NW 1/4 of NE 1/4 section 32  
 we searched for this  
 corner because Earl  
 Miller, who lives just  
 south of the corner said  
 this one was supposed to  
 be in. So we looked for  
 it to provide more  
 information as to the  
 location of the corner common  
 to sections 28-29/33-32  
 T 47 R 29 which we  
 had looked for but had  
 not found.

Time Spent One Hour

V-8 December 1, 1981  
 NE cor of NW 1/4 of NE 1/4  
 section 32 T 47 R 29


Tam Gorkinghouse

Terry Savala

4

Rough Taped 1320 ± East from 1/4 cor  
 to search for 1/16 cor  
 Nothing Found

Old Road Bed



NO. 447

W. B. E. YNE

46



Y-11

Quarter Corner Containing To  
SECTION 5 28 F 33 T 47-428 W

1870

"POST"

7" TAMARACK N 35 W 47 LK

6" TAMARACK S 50 W 58 LK

1887

RK WHITELEY - in place

P 27

BOOK W-3

1889

Page 52 Book W-3 in place

1981

Searched For Corner  
No Evidence on corner or of  
ties found.

Would Recommend Running  
Traverse via Survey To  
Pin Point corner and better.

Time Spent 2 Hours

Dec 1, 1981

Tom Garlinghouse  
Terry Savalota  
V-11

(47)

SECTION 28

Township Road

TAMARACK SW AMP

Searched area  
up to 100' E west  
of pond

Small  
pond

SECTION 33

V-23

|      |      |
|------|------|
| 1870 | 2051 |
|------|------|

|           |     |     |    |
|-----------|-----|-----|----|
| 6" Asphal | 159 | 120 | 66 |
|-----------|-----|-----|----|

|                  |         |
|------------------|---------|
| 6" Zemar's 523FW | 170 Lk. |
|------------------|---------|

19061

L. E. Gibson

6273

|      |              |          |
|------|--------------|----------|
| Bald | Jan. 11, '19 | Beak 195 |
|------|--------------|----------|

57-44219

|          | 10" | Don. Old | Aspen | N 2734W | % |
|----------|-----|----------|-------|---------|---|
| 10"      |     |          |       |         |   |
| Don. Old |     |          |       |         |   |
| Aspen    |     |          |       |         |   |
| N 2734W  |     |          |       |         |   |
| %        |     |          |       |         |   |

1913 KNUDSEN SET AT MIDWINTER

BETWEEN V-21-AND V-25 PAGE 65 BOOK 19

1981

Sealed and Registered

And I will have a fine

Abolition of Feudal Scud

distance of 4565 MAPS01 west

of 117.0 = 2.6412

RR. Grade Rough Taped

west of of 500'

| Time Spent | 3 hours |
|------------|---------|
| 1          |         |
| 2          |         |
| 3          |         |
| 4          |         |
| 5          |         |
| 6          |         |
| 7          |         |
| 8          |         |
| 9          |         |
| 10         |         |
| 11         |         |
| 12         |         |
| 13         |         |
| 14         |         |
| 15         |         |
| 16         |         |
| 17         |         |
| 18         |         |
| 19         |         |
| 20         |         |
| 21         |         |
| 22         |         |
| 23         |         |
| 24         |         |
| 25         |         |
| 26         |         |
| 27         |         |
| 28         |         |
| 29         |         |
| 30         |         |
| 31         |         |
| 32         |         |
| 33         |         |
| 34         |         |
| 35         |         |
| 36         |         |
| 37         |         |
| 38         |         |
| 39         |         |
| 40         |         |
| 41         |         |
| 42         |         |
| 43         |         |
| 44         |         |
| 45         |         |
| 46         |         |
| 47         |         |
| 48         |         |
| 49         |         |
| 50         |         |
| 51         |         |
| 52         |         |
| 53         |         |
| 54         |         |
| 55         |         |
| 56         |         |
| 57         |         |
| 58         |         |
| 59         |         |
| 60         |         |
| 61         |         |
| 62         |         |
| 63         |         |
| 64         |         |
| 65         |         |
| 66         |         |
| 67         |         |
| 68         |         |
| 69         |         |
| 70         |         |
| 71         |         |
| 72         |         |
| 73         |         |
| 74         |         |
| 75         |         |
| 76         |         |
| 77         |         |
| 78         |         |
| 79         |         |
| 80         |         |
| 81         |         |
| 82         |         |
| 83         |         |
| 84         |         |
| 85         |         |
| 86         |         |
| 87         |         |
| 88         |         |
| 89         |         |
| 90         |         |
| 91         |         |
| 92         |         |
| 93         |         |
| 94         |         |
| 95         |         |
| 96         |         |
| 97         |         |
| 98         |         |
| 99         |         |
| 100        |         |

Dec 1, 1981

Tom Garlinghouse

Terry Savalaja

323

Quarter Corner Command TO

sec 25-36 T-47-28-

Section 25

old R.R. Grade

0.14

62512


Road

2nd

Seached Area

500 to 550 ft  
west of intersection

Section 36





E-23

Quarter Corner Comm'd to Sec. 1-12 T47-R22

1870 POST

6" pine N54E 43LK 28<sup>38</sup>

6" pine S42W 122LK 80<sup>53</sup>

1981 Rough Taped 1320<sup>4</sup> East From  
Fence Corner To Find Location  
of 1400 Between Sections 1 & 12

Fd Remains of Old N-S Fence  
at 1320 From Fence Corner  
Fd Remains of Old Pine Strip  
S42W 80<sup>53</sup> From Fence Corner.

1981 I Talked to Frank Diller  
Nov 5, 1981, He said there is a  
Fence Corner in this Area. He  
Also said 40 years ago He Had  
Found an Oak Post That was  
Marked for this 1/4 Cor.

See page 54 of Field Notes  
for CMC. Reimbursement  
Contract 5-114

See page 58 of this  
Book

~~FILE SPOT 58 of this~~  
270 ft from

DEC 2, 1981

Tom Garlinghouse  
Terry Saralaja

E-23

Quarter Corner Comm'd  
to Sections 1-12  
T47-R22

18 old posts  
in swamp North  
of fence line

N 54 E

SECTION 1

4 800'

160' 1/2" 1/2"

160'

160'

160'

160'

160'

160'

160'

160'

160'

160'

160'

160'

160'

160'

160'

160'

NO. 447

WELSH

New Fence Line  
Rough Taped 1320<sup>4</sup>  
East From Fence Corner  
To Locate Area of  
North 1400

SEC 12

N 54 E  
6/80

Fd Remains of  
old pine strip  
No Blazes  
Visible

SECTION 12

Wooded  
Area

Open Area  
(Pasture)

Edge of trees  
lines up with fence

(Pasture)

50

R-11

1871 "Post"

7" OAK N20W 26LK

8" PINE S14E 100LK

1912 Knudsen "N place"

1981

Searched approx area  
for evidence of corner and  
of fence lines. Nothing found.  
Used USGS Quad map to  
find area to search

Time spent 2 1/2 hours

Dec 3, 1981  
Tom Garlinghouse  
Terry Savaloff

R-11 Quarry corner station to  
section 21 & 28 T47 R29

Section 21

Section 28

COLES LAKE


Fence line along edge of lake

Searched area  
for evidence  
of corner and  
fence lines  
found.



NO. 447

TELEPHONE



X-17 Quarter Corner Contain TO  
SECTIONS 34 & 35  
T-47-R-29

1871 POST

7" BUTTERDUT S 72° W 13 LK

7" LINCOLN S 80° E 10 LK

1965 CWC/LCB/30 JOE PURPICH

Found 1 1/2" IRON PIPE 14 FT

Above Ground

6" ASH N 21° W 8 1/2 FT

TWIN ELM N 57-30 E 13 1/2 FT

10" ASH S 5-15 W 14 1/2 FT

1981 Fd 1 1/2" PIPE 3' TALL

(LOOKS AS THOUGH IT MIGHT HAVE

BEEN WELLED UP)

See WEBS FILE #650

BOOK 43/19 POS 750

TIME SPENT 1 1/2 hours  
2 hours

DEC 2, 1981  
Tom Garlinghouse  
TERRY SAVALOJA

53

Quarter Corner Contain TO  
SECTIONS 34 & 35  
T-47-R-29

Nailhead Twin  
ELM


Found 1 1/2" pipe  
3' TALL TOP 11  
PAINTED YELLOW

SECTION 34

SECTION 35

SPK IN 12" ASK

SPK IN 14" ASK



R-13

"INFORMATION ONLY" OWNER

1981 Fd 2" Pipe with Oval  
Cap in place 3' Above  
Ground See File # 658  
Book 31/17 Pgs 132

Time spent 1/2 hour

Dec 21, 1981  
Tom Gorkinghouse  
Terry SavalaQA

R-13


Cover Chapter 21-22-28-27

T 47N R 29W

SECTION 21

SECTION 22

Nail in 16" pipe  
field




Fd 2" pipe  
with oval  
cap 3' tall

Nail cap in  
12" Birch

Nail cap in  
12" Birch

SECTION 28

SECTION



W/X-1

MC common TO SECTIONS 31-47-29  
AND SEC 36-47-30

1971 POST SET

7" ASH N18W 118LK

12" ASH N81E 103LK

1981 Found 1 1/4" pipe in place flush  
with Ground Leaking North  
Approx. 02, E of Creek  
184 ± EAST OF PIPE  
Approx 5 1/4 North of Shore

See page 4 For  
PIR Location

Time Spent 2 1/2 hours

Dec 11, 1981

TOM GARLING house  
TERRY SAVALOJA

W/X-1

1 1/4" pipe mPL  
Previously tried out  
See page 4 For TDS

SECTION 36

SECTION 31

cap?  
NAIL IN 12"  
POLE

Cottage

N 10 W  
51 1/4 91

N 10 W  
51 1/4 91  
N 10 W  
51 1/4 91  
N 10 W  
51 1/4 91

1 1/4" pipe in place  
Leaking North 02  
184 ± EAST OF  
Creek

TO WEST

BLACK BEAR LAKE

56



E-23

Quarter corner common to Sec 1-12

T 47-228

1870 POST

6" PINE N54E 43LK 28<sup>38</sup>

6" PINE S42W 122LK 80<sup>53</sup>

1981 Rough Taped 1320 ± EAST

FROM FENCE CORNER TO FIND

LOCATION OF 1/4 COR BETWEEN

SECTIONS 1 & 12 ED

REMAINS OF OLD N-5

FENCE AT 1320 FROM

FENCE CORNER. ED REMAINS

OF OLD PINE STUMP S42W

80<sup>53</sup> FROM FENCE CORNER

SET 1/4 GALV PIPE AT FENCE

INTERSECTION. MAKE TIES.

I TALKED TO F. H. WALKER.

DOT 2 LER Nov 5, 1981, He TOLD

ME THERE WAS A FENCE CORNER

IN THIS AREA. HE ALSO SAID

40 YEARS AGO HE HAD FOUND

AN OLD POST THAT WAS MARKED

FOR THIS CORNER. SEC PAGE

54 OF FIELD BOOKS ON

CWC REMONUMENTATION CONT'D

# 5-114

TOTAL

Time spent 4 Hours

Dec 11, 1981

TOM GARLINGHOUSE  
TERRY SAVALLOSA

E-23

\* See page 50 of T.L.S.

\* Look For notes on

\* This corner

\* \* \* \* \*

SECTION 1

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

160' NORTH

Rough Taped East

1320' FROM CORNER

TO LOCATE

AREA OF N/4 COR

SEC 12

NAILED CAP

IN 8" PIPE

5/16"

5/16"

5/16"

5/16"

5/16"

5/16"

5/16"

5/16"

5/16"

5/16"

5/16"

5/16"

5/16"

5/16"

NO. 447

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

W. TELBY

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

SECTION 12

</

W-13

NE COR OF SE 1/4 OF NE 1/4  
SECTION 33 T 47N R 29W  
Bud Kasnet showed us  
this corner

1981 Ed Large. SAK 1' west of Q  
OF CSAH #30 0.3 Below  
Surface of Highway.

Time spent 1 hour

Dec 14, 1981  
Tom Gabeling house -  
MAEV Kohut

W-13

NE COR OF SE 1/4 OF NE 1/4  
SECTION 33 T 47N R 29W

half cap  
in cop place

Ed Large SAK  
1' west of Q

48 43

half cap in  
14" poplar

570E  
4/107

half cap in  
14" poplar

CSAH #30

