

CROW WING COUNTY SURVEYOR OFFICE

CONTRACT S-122

LANDECKER & ASSOC INC

MYRON LANDECKER
REG # 7452

CROWWING COUNTY
CONTRACT # 4

D. LANDECKER
K. LANDECKER
J. MOE



(A)

INDEX

PAGE

MISC NOTES + COMMENTS

Z-25 T138N R29W



V-25

T-25

R-25

T138N R29W

T138N R28W

T138N R28W

T138N R29W



P-25

N-25


N-17

L-25

J-25

T138N R29W

T138N R28W



A-25

A-23

A-21

A-19

A-17

A-15

A-13

A-3

A-5

A-7

A-9

A-11

T138N R28W

PAGE

26

V-15

T137 N R29W

27

N-15

28

R-15

29

N-17

30

N-21

31

L-21

32

J-21

33

V-17

34

R-13

35

G-21

36

N-13

37

J-13

38

N-15

39

X-21

40

X-5

41

V-5

42

T-5

43

R-5

44

J-2/3

45

J-3

46

J-4/5

47

N-13

48

E-17

49

C-17

50

T137N R29W

T138N R29W

T138N R29W

T138N R28W

T138N R28W

T138N R28W

T138N R28W

T135N R28W

T135N R28W

T135N R28W

T135N R29W

T137N R28W

T137N R28W

T137N R28W

(C)

PAGE

A-17

E-23

E-25

G-25

T137N R28W

T138N R29W

T138N R29W

T138N R29W

1/2 6007
A-25 12" YEL BIRCH 588 W 19 LK
14" WH P. EAST 47 LK

YES V-25 W. BIRCH 517 E 22.7
30" 1/4 PINE STUMP N S S E 115.1

2 1000-25 4" BP N 18 1/2 E 15.1'
2" BEECH N 29 W 28.9'
3" BIRCH 561 W 19.7
✓ 2 1/2" BIRCH 566 E 7.9

400 R-25 2 1/2 3" BIRCH N 55 1/2 E 52.0'
2" BIRCH N 37 1/2 W 16.6'

- 3 N-25 7" POP N 33 E 30.4
7" POP N 31 W 67.4'
6" POP 581 W 38.8'
5" POP 530 40 E 40.3'

V L-25 6" POP N 67 E 26.8
3 1/2 2" POP 537 W 38.1

DAVID S. LANDECKER
CALL TO MY HOUSE
11-28-81 7PM

CHARLES TOLLEFSRUP.
LAND OWNER IN SEC 10 & 23
LIFE TIME RESIDENT IN
AREA.

TO ID OF OLD FRIEND BOYRS
WHO DIED IN 1960'S THAT
WORKED WITH J. CUREO
SURVEYING SECTIONS IN
GAIL LAKE TWP. AND HAD
POINTED CORNERS TO CHARLES
WHEN HE WAS YOUNGER.

TOLD ME ABOUT

* V-25 IN CORRECT
P-25 IN BLUEBERRY 100± FROM N. EAGE
5-CORNERS Street

* N-25 ROCK are found such

* L-25 5' CORNER NORTH OF TRAIL
Correct

* N-21 IRON PIPE NOT 5-CORNER
IN MOUND WEST EDGE MARSH
(SEARCHED TWICE NO CORNER FOUND)

* N-17 5-CORNER MONUMENT
Correct

N-19 NEVER ANYTHING
FOUND NOTHING

* J-19 IRON IN ROAD
Correct

* J-21 5-COR. MOUND.
Correct

R-21 IRON PIPE SEEN ONLY
ONCE. HAVE NOT
SEARCHED
YET.

AS CAN BE SEEN HE HAS
BEEN CORRECT ON MOST ACCOUNTS.
I HAVE ALSO TALKED TO HIM
PERSONALLY TWO OTHER TIMES.
SAYS NOT VERY COMMON TO
FIND 1/2 MILE POST,
REALLY ONLY FAMILIAR WITH
MILE MARKERS.

SAID CORNERS WERE ~~DUG~~ IN
GROUND AND MOUNDED UP
AROUND CORNER.

AGAIN AFTER FINDING
CORNERS MOST ARE IN
MOUNDS.

1/2 in

T138 R29W

36 31
1 6

FOUND COUNTY MONUMENT 4"
0.05 BELOW SURFACE.

BLACKTOP.

FITS E. CO. RD. #1

RUNNING E-W

ALSO FENCE LINE TO NORTH

ONE EX. TIE TREE

DUANECKER
K. MILLER

T138N R29W

E-25

11-23-81

PLATE
SEC
BLAZE
EX
6" ASH

N 40° W
116.85'

FENCE IN TREES
9" TWIN
BURR OAK

E-CO RD #1

55'

DRIVE

550'

70.63'

20' W

16" Poplar

ALL TREES DOUBLE BLAZES
AND DIAL

224

7138 R29

25/30
30/31

MEASURED NORTH FROM 2-25
± 5500'

FOUND 2" IRON DOWN
0.40 PROBABLY CAP HAS
BEEN BROKEN OFF.

ALSO FOUND 3 OF 45° IRONS - 40'
ONLY NE QUAD 5000.

CORNER IN & OLD GRASS
TRAIL

OLD FENCE RUNNING NORTH
FROM 3-25

1919 J. CURD 4" X 4" X 30 DAK STAKE

WH BRK SWAS SIDE 22.7'
30" WH PINE STUMP N55°E 115.1'

3


D. LANDECKER
K. MILLER

11-23-81

7138 R29

V-25

N



ALL TREES DOUBLE BLAZES
AND DISC

22

T-138 R29

-25 - 30-

FOUND 2" IRON WITH
3" CAP. WITH ETCHING
ALSO ALL 45°-40°
ARE IN PLACE AND IN
GOOD SHAPE.

MEASURED NORTH 26.40
FROM V-25
USING COMPASS

NO TRACES OF ANY
LINES

A. LANDCKER
K. MILLER


4

11-23-81

T-138 R29

T-25

N



ALL TREES DOUBLE
BLAZES AND DASC.

24

T-138N R29W

24 19

25 30

FOUND 2" IRON PIPE
WITH 3' CAP.

ALL 45°-40' IRONS
ARE IN GOOD SHAPE
ALSO EX BLAZE IN
12" BIRCH.

1919 J. CURRO 3" x 3" x 60' POST

4" POP N 18 1/2° E 15.1'
2" BEECH N 28° W 25.9'
3" BIRCH S 61 1/2° W 19.7'
2 1/2" BIRCH S 66° E 79' (X)

MEASURED NORTH
USING COMPASS
FROM T-25
NO TRACES OF ANY LINES

D. LANDECKER
K. MILLER


5

11-23-81

T-138N R29W

R-25

8" ASH



ALL TREES
DOUBLE BLAZES
AND DISC.

± 300

2 1/2 in

T 138 N R 29 W

11-23-81

36-31

NOTHING FOUND AT THIS LOCATION,

MEASURED NORTH ALONG FENCE FROM R-25

- ① 1375 FENCE TO EAST
- ② 2750 FENCE TO EAST

ALSO BULDOZED LINE NORTH OF FENCE E-W

FENCE CONTINUE NORTH TO V-25

NEW CORNER POST TWO OLD CORNER POST LYING ON SIDE

1863 GLS

APPEARS TO BE ON SPLIT BY ROUGH CHAINING ALTHOUGH THERE IS ALSO AN ANGLE POINT HERE.

DUNDECKER K. MILLER

6

T 138 N R 29 W

X-25

N

WOODED

OLDER FALLEN DOWN FENCE LINE


BULDOZED PATH

MORE UPRIGHT FENCE

WOODED

2 am

T138 R28




found 2" iron PINCHED
ON BOTTOM
SIDE.

4 EXISTING TIE TREES
PROBED GROUND IN AREA!
BLAZES POINTED TO
FOUND HOLE AND
REPLACED IRON AND
RETIED.

D. LANDECKER
K. MILLER
11-24-81

T138 R28
R-5



ALL TREES EX. DOUBLE BLAZES
PUT DISC IN FOR DISTANCE

2 1/2 mi

T138 R28

NO MONUMENT
FOUND.

FENCE LOOPS ARE DOWN
ROAD TO EAST WHICH
RUNS TO R-5.
ROAD STARTS TURN TO
SOUTH BY CORNER LOCATION.

MANY MAGNETIC ROCKS

MEASURED EAST 2640
FROM R-25
DISTANCE FITS
VERY WELL.

1863 GLS

FENCE TO SOUTH APPEARS
TO BE 33' FROM E TRAIL
WHERE IT IS GOING STRAIGHT
EAST - WEST.

288-4410

19

30

DLANDHECK
K. MILLER

T138 R28


R-3

8

11-24-81

N

LOOPS OF FENCE WITH
CORNER TIES
BUT NOT CORNER
POST



10' WIDE
GRASS TRAIL
OLD FENCE
DOWN
RUNNING
EAST

NORTH

FENCE
CUT STOPS
AND
NORTH OF
OAK


16' BURR OAK

WITH THREE SPIKES
POINTING N 50° E

POSSIBLY OLD DEER STAND
STEP. 3' ABOVE GROUND
(NAILS)

2 1/2 am

T-138 R-29



FOUND 2" IRON PIPE
WITH 3" CAP
ALSO ALL 45°-40'
MONUMENTS IN PLACE
NO OTHER TIES NEAR
SO USED AS TIES.

1919 J. CURO 3" X 3" X 6" POST

3" BIRCH N 55 1/2° E 52.0'
2" BIRCH N 37 1/2° W 16.6'


MEASURED NORTH FROM R-25
2640 USING COMPASS
MONUMENTS WERE ALL
FLUSH TO 1300 AND NEED
LOCATOR TO FIND
AGAIN NO TRACES OF ANY LINE

D. LANDER
K. MILLER

11-24-81

P-25
T-138 R-29

12" BIRCH
15' 14" DIST.
SAME DIST.
N 45° E
DOUBLE
DISC
AND DISC



2 1/2 in

T-138 R-29

13 18

24 19

MEASURED NORTH 26 1/4° FROM R-25
USING COMPASS

found two large rocks
NO IRON MONUMENT
MEASURED NORTH FROM
P-25 COMPASS NORTH

MUCK IRON ROCK BELOW
SURFACE OF ICE

1919 J. CORO 3" x 1/2" x 60" POST

LANDOWNER CHARLES
TOHIESAND REMEMBERED
WHEN OLD TIMER TOLD
THAT COULD NOT SET IRON
BUT LARGE ROCK WAS SO
CLOSE THEY USED ROCK
AS CORNER, NORTH EDGE
OF SWAMP.

THESE WERE ONLY TWO
ROCKS WITHIN 500'± IN
LOW AREA

NO TRACES OF ANY LINE

D. LANDOWNER
K. MILLER


1-24-81

T-138 R-29

N-25

WOODED

10



WOODED
TALKED AGAIN
TO C.T. AND HE
SAYS MUST BE ROCK
THAT AN
AXE WAS USED
TO CUT MARKS

5th CREEK

7138 R29

1 hr

TALKED TO CHARLES

TOLLEFSEN

SAYS THERE IS

S CORNER MON.

WENT BACK AND FOUND
CORNER AND 45°-42'

ALL IN GOOD SHAPE

15

14

22

23

P. L. ANDERSON
K. M. L. E. P.

7138 R29

N-17

SUNNY

ALDER

ALDER

N

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

3 1/2 in

7138 R29

- 13 - 18

FOUND 2" IRON PIPE WITH
3" CAP FLUSH TO GROUND

ALL 45°-40' IRONS IN
PLACE AND IN GOOD SHAPE.

MEASURE NORTH FROM N-25
SEARCHED AREA.

NO TRACES OF ANY LINES

1919 V-CURO 3" x 3" x 60' POST

6" POPLAR N 67° E 26.8'

2" POPLAR S 37 1/2° W 38.1'


D. LANDED KILL
K. MILLER

11-25-81

7138 R29

4-25

9" R. ONK



324-

T138 R29

12 7

13 18

FOUND EX 2" IRON PIPE
WITH 3" CAP SLIGHTLY
BENT 2' HIGH.

USGS WANDERED
WEST ± 400 FROM EDGE
BEAVER DAM AND
FOUND 5 CORNER MONUMENT.
IN PLACE
FIRMED UP ALL CORNERS

SNOWING HARD SO DIFFICULT
TO MEASURE USING COMPASS.

LOOKS LIKE CURED
MONUMENT.

DAMBUCKEL
K. MILLER

13

11-25-81

T138 R29

5-25

HIGH DRY

N ± 100
W 7" ASH

GROUND

AUD BRUSH

N 200° W
76.70'

10.46'

ALICE

N 45° W
40.38'

400' BEAVER DAM

N 45° E
39.49'

11.5' HIGH

OPEN MARSH
GRASS ± 100'

AUD BRUSH

7138 R29

1 1/2 mi

14	13
23	24

NOTHING FOUND
WENT BACK TO AGAIN
SEARCH FOR N-21
MEASURED EAST FROM
N-17 5280'

ALSO GOING BACK BECAUSE
C. TOLLEFSDAL INSISTS
THERE IS 1 AN IN GROUND.
HE RAN A ROBSON LINE
EAST THRU WOODS.
FELL ABOUT 100'
SOUTH OF MY COMPASS
LINE.

SEARCH AREA
NO CORNER.

7138 R29

N-21

D. LAMBECKER
K. MILLER

11-25-81

14

24

7138 R28

31 | 36
1 | 6

found 2 1/2" GALV PIPE
WITH PLUMBERS CAP
1.0 ABOVE GROUND.
WITH SECTIONS

36 | 31
1 | 6

MEASURED EAST FROM
ROAD 1250' E

GROUND MOUNDED BY
CORNER WITH A FEW
ROCKS AROUND.

1922 J. C. CRO 2" x 48" IRON ANDON

8" POK. STUB S55E 8.0'
7" POK. STUB S25W 25'


D. LANDICKER
K. MILLER

15

12-4-81

7138 R28

A-25



DOUBLE BLAZE AND DISC
IN TIES

F132 K23

3

FOUND 2" 1 Row

2.0' ABOVE GROUND

10' NORTH 3 OLD TRAIL

FOUND OLD NORWAY
TREE DEAD 12' HIGH
WITH OLD BLAZE
AND ETCHING

IRON HAS WAITING
ON SIDES $\frac{1}{4}$ 5

MEASURE	WEST	FKOM	A-25
2640'			

LOOKS LIKE OTHER OLD TIES
FROM CUBA WORKS

519 1863


D. ANDERSEN
K. MILLER

T138 R28

A23

12-4-51

91



2nd

7138 R28

WITNESS POST

WE FOUND 40-50YR BIRCH
POSSIBLE BLAZE
CUT OPEN BUT APPEARED
TO BE NATURAL.
ONLY BLAZE CHEST HIGH
ABOUT 20YR OLD BLAZE
WOULD FIT APPROX.
LOCATION ACCORDING
TO USGS TOPO.

COULD NOT SAY DEFINITELY
THAT THIS TREE IS
ANYTHING

SEARCHED AREA FOR OTHER
SIGNS OF CORNER
NOTHING.

WOULD HAVE BEEN 4-5" BIRCH
NOW IT IS 7"-8" TREE
1863 GLS

D. LANDBECK
K. MILLER
12-4-81 17

7138 R28

A-21

2a

T738 R28

35


2

FOUND 2" IRON PIPE
2.0' ABOVE SAND.
WITH MOUND OF ROCKS
AROUND IRON.

MEASURE WEST FROM
A-21 2680'

ON CREST OF SMALL
RIDGE

N



GLS 1863


D. ANDERSON
K. MILLER

12-4-81

T738 R28

A-19

N



DOUBLE BLAZE AND DISC
IN ALL TIES

7-138 A28

34 35

3 2

FOUND 2 1/2" GALV PIPE
WITH PLUMBERS CAP.
1.0 ABOVE GROUND
WITH SECTIONS ON PIPE CAP

LIKE A-25
MEASURE WEST
2600 ±
FROM A-17
AGAIN CORNER HAS
BEEN FOUND WITH ROCK


ALSO FENCE COR
RUNNING NORTH AND WEST
GOOD FENCE. BULLED LINE
RUNNING EAST FROM CORN

575 1863

T138 R28

A-17


19
K. MILLER
D. L. ANDERSON
12-4-81



DOUBLE BLAZES AND DISC
IN ALL TIES.

3 June

T138 R28



NOTHING FOUND
MANY MAGNETIC ROCKS
IN AREA

MEASURED WEST 2640
FROM A-17
ACROSS CRANDORRY LAKE
FOLLOWING FENCE AND STILL
BEING ABLE TO SEE
LINE FROM ACROSS LAKE
FENCE RAN TRUE WEST
USING COMPASS AS
USED IN PAST LOCATION
MADE SEARCH IN AREA


1863 GLS

D. LANDECKER
K. MILLER
12-8-81 20

T138 R28

A-15

TRAIL



138' WEST TO E TRAIL

2 1/2 in

T-138 R28

33	34
4	3

FOUND 2 1/2" IRON PIPE
WITH PLUMBERS CAP
WITH SECTIONS ON PIPE CAP
SAME AS A-25 + A-17

33/34
4/3

CAP HEAVE GRIND
IN MOUND OF DIRT

MEASURED WEST FROM
A-15

1863 GUS

D. LANDECKER
K. MILLER


21

12-8-81

T-138 R28

A-13

DOUBLE BLAZES AND
DISC IN ALL TIES.



7138 1128

M

91

FOUND 2" IRON PIPE
LYING ON SIDE 6'
EAST OF FENCE INTERSECT.
PUT IN AND FILLED
INTO GROUND. LOOKS
LIKE FROST MAY
HAVE PUSHED OUT.

	NO	OLD	TIE	TREES
PRESNT				

1863 425

ALL TREE HAVE
DOUBLE BLAZES AND
NAIL IN SIDE OF
TREE.

MEASURE EAST FROM
ROAD, INTERSECTION AT A-1
2540', FOLLOWED FENCE
FROM A-1 - 1-3 THEN
STOPS.

D. L. ANDERCKE

K. Miller

22

13/1

T/38 K28

3-4

344 1944-1945
1944 1945-1946

30

812	WOODEN	POST	BRAID WIRE
-----	--------	------	------------

OLD SPANISH LINE.

190.65
75.55
115.10

~~630° E~~
~~99.4~~

2

180° West To Edge of Land

34mm

T138 R28

FOUND $2\frac{1}{2}$ GALV
PLUMBERS CAP
WITH SECTIONS ON CAP



0.50 ABOVE GROUND
NO ORG TIES AREA
HAS BEEN BURNT OVER

SAME AS A-25 - AND OTHERS

MEASURE EAST
2640' FROM
A-3

1863 GLS

31 | 32
6 | 5

PIPE WITH
CAP


D. SANDERSON
K. M. C. C. C.

T138 R28

A-5

12-7-81

23



DOUBLE BLUES AND NAILS
IN TIES

4 June

T138 R28



FOUND 2 1/4" IRON PIPE
18" ABOVE GROUND
AT BASE OF 8" POPLAR.

MEASURED EAST FROM
A-5 USING COMPASS
2640'

NO OTHER PINE TREES
WITH IN 600' ±

1863 GUS

7138 R28
A-7
D. LANDECKER
K. MILLER
24
R-7-81



DOUBLE BLAZES AND NAILS
IN ALL TIES

2 June
T138 R28

32 33
5 4

NOTHING FOUND MEASURED
EAST USING COMPASS
2640 FROM A-7.

FIT USGS

AFTER WALKING NORTH 1 MILE
THEN OUT TO TIEBACK WE FOUND
SAME TYPE OF IRON ON
SECTIONS IN CASS CO. AS ON
CORNERS ON TWP LINE
IT APPEARS AS THOUGH THE
LINE HAD BEEN SURVEYED
WHEN SURVEYING IN CASS
COUNTY

1863 645

D. LANDECKER
R. MILLER
12-8-81

T138 R28
A-9

AFTER SPENDING MUCH
TIME ON CORNER
AND NOT FINDING IT
WE CONTINUED, I
BELIEVE SOMETHING IS
THERE WE JUST DIDNT
HIT IT RIGHT.

T138 R28
A-11

12-7-81

2 June

33
1 4

SAME HOLD TRUE
FOR THIS POINT AS
ABOVE.

1863 645

3/4 in

3/4 in

11-29

15

22

FOUND EX 2" IRON PIPE
0.10 BELOW GRAVEL SURFACE
TWP ROAD

ALL TREES HAVE EX. BLAZES
AND BT'S IN BOTTOM BLAZES

WE PLACED DISC IN SIDE
OF ALL BLAZES

DISC WIDE
5.00

11-6-81

TWP ROAD

N-15

TWP ROAD

ADDED WING BLADE
8-3-81

8" NORWAY

8" TYPINE

53.00 E
83.00

B.T. SURFACE
CO. RD. 15

5.5 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in

5.8 in


5.8 in

5.8 in

5.8 in

344

7107 R29



FOUND LAKE $\frac{3}{8}$ " SQUARE SPIKE
 0.30 BELOW DIT SURFACE
 CO. KU #15, 2.5 EAST
 OF E HWY.

NO DISC AND DOUBLED
 BLADES IN TIES


29

D. LANDECKER
 S. MOE

T137 R29

11-6-81

R-15



NORWAY
 PLANTATION

DRIVE WAY
 100' 0" 2




34
7/27 1981

15 14
22 23

FOUND 3" CAST IRON
CA. 1900. 0.20 BELOW SURFACE.
2.0' SOUTH OF & CO. 120 #15

BRUSH LINE TO NORTH FROM
CORNER DUNE SUMMIT 1981



DOUBLE BLAZES AND DISC
IN AN TIES

7137 R29

FOUND ST. RR SPIKE
SURFACE D.T. ROAD
NEW ORLEANS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

50

T-137 R 29

2-24

5/26/20

124
EX "J. ONE
TRINIE DUNE
DUNE W/ BAG
BAG

SECTION

INDEX

5" 10 12 14

FIELD

DOUBLE BLADES AND OTHER
IN ALL TIES EXCEPT
WHERE NOTED.

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

11-63

200

TRIPLES
EX
BWA 35-
12' NO. 100
W/ BT
TAC

1330.7

~~155°W~~
~~210.80°~~

76.2.92

~~5/17/20~~

2

3/4 Sec

T137 R29

14

13

FOUND 3" CAST IRON COUNTY MARK.
FLUSH WITH E BRIT. SURVEYOR AREA

D. LANDSCAPE
S. 1/4

32

11-6-81

T137 R29

L-21

TELE
PED

50' N
50' E

E BLACK
ROAD

69.25
57.0 E

9" ST. PIPE
EX BLAKE

N 81.77
WEST

7" NORWAY
EX. BLAZE
BRASS PLATE
AND BT TAGS

N STUMP
OLD NORWAY
IS PLATE
BRASS TAG
+ BT

N

DOUBLE BLAZES AND DATE
IN ALL TIES

3/4 in
3/4 in

T137 R29

11 12
14 13

FOUND 3" CAST IRON
CU. MEN. 0.40 BELOW
BIT. SURFACE CO. 120 #15

MON. IS IN E ROAD

U. LANDECKER
S. MOE

11-6-81

T137 R29

J-21

FIELD

20 20

8" EX. NORWAY
WITH BLAZES
ALSO NAIL
MEASURING TO HEAD

N 70° W
80.20

GRAVEL
ROAD

GRAVEL
ROAD

57.5° E
76.65
53.5° E
64.65
12" J. PINE
EX BLAZES

14" J. PINE
EX. BLAZES
FIELD

N 20° W
100.00

DOUBLE BLAZES AND DISC
IN ALL TIES

D. CHANDLER
S. 1700E

34

11-6-81

T137N R29W

V-17

N

EX. BLAZE
10" J.P.N.E

EX. BLAZE
8" BURL OAK

EX. BLAZE
10" J.P.N.E

DOUBLE BLAZES AND
DISC IN ALL TIES

TO
JENKINS
SECTION

CO RD # 145

N.

3/4 in

T137N R29W

27

26

34

35

FOUND EX. RR SPIKE
0.10 BELOW BIT. SURFACE
ROAD CO #145
FITS E-W INTERSECTION
OF N-S AND E-W ROADS

0.10 BELOW BIT. SURFACE

ROAD CO #145

FITS E-W INTERSECTION

OF N-S AND E-W ROADS

3/11

3/4 June

T137 R29

21 22

28 27

EX RR SPIKE
EXPOSED FLUSH WITH
BLACK TOP.

RR STRAIGHT NORTH 13.45'

WE TIED OUT RR SPIKE
OTHER BT'S WERE
POINTING TOWARD IT

D. LANDECKER
5.770E

35

11-6-81

T137 R29

R-13

TWIST GRATEL ROAD

E HWY 4
25° W 371

EX BRASS DISC
EX BLADE
EX BLADE
16" NORWAY PINE

WEST
82.67

RR TRACKS
6" NORWAY

DOUBLE BLADES
AND DISC IN
ALL TIES

EX 12.5"
BRASS

EX 8" NORWAY

48.70


EX 12.5" PINE
EX BLADE

56.50
90.0

62.54
96.28

12. LAND CLEAR
S. MIDE
11-6-81
36

T 137 R 29
G-21



11 - 12

T 137 R 29

4" CAST IRON COUNTY MAN
0.50 BELOW SURFACE

E-8 CO RD #15 ON OLD
GRAVEL ROAD. IT IS ON
THE NORTH SIDE OF GRAVEL ROAD
ONLY MATCHES WITH #15

ALL TREES ARE LOGGED
BLAZED WITH NAILS
OLD BT'S WHERE NOTED.

3/4

T137N R29W

16/15


21/22

FOUND 2" IRON FLUSH WITH GROUND ON SPUR OFF MAIN TRAIL TO NORTH FITS TRAIL E TO SOUTH AND WEST

OLD SURVEY STAKE BY POINT

T137N R29W

N-13



DOUBLE BLAZE IN ALL TIES

D. LANDECKER
S. MOE

37

11-6-81

7132N R29W

51	10
11	6

FOUND EX COUNTY CAST
IRON MONUMENT.
0.20 ABOVE GROUND
BRUSH LINE TO EAST.
ACROSS RIVER.

BRUSH LINE TO EAST.
ACROSS RIVER

T/37N 1P29W

$$\frac{13}{5}$$

PINE RIVER

10⁴ R. AIR

14" BURR OAK
EX. BLAZE $\nearrow$ N.C.

1300

DEAB

6" Birch
4ump
EX ties
BT. TAG

6" BURR OAK
EX BLH215

160' ± to E Road

Twp.	RO.
------	-----

ALL TIES DOUBLE
AND DISC.

D. L. ANDERSON
5. moe

38

18-9-1

D. LANDECKER
5, 110 E

39

11-30-84

T 138 N R 29 W

N-15

N

WOODS

WATER

OLD HIGHWAY

FIELD

1 1/2 mi

T 138 N R 29 W

15

22

NOTHING FOUND AT

LOCATION MEASURED

2675.90 EAST FROM

N-13

FIELD LINE TO NORTH

LINE IS ON TRAIL

1919 J. C. CRO

LARGE SPIKE MIDWAY

BETWEEN N-13 & N-17

10" JK PINE N 42° 35' E 263.3'

corner has probably been
filled up and lost
was to reset this would
be to set it midway
as shown by curve

D. LANDECKER
S. MOE

11-30-81

40

T138 R29

X-21

-35-36

NO CORNER FOUND AT
THIS LOCATION.

MEASURED NORTH FROM
Z-21

1320 FENCE LINE TO EAST

2640 FENCE LINE TO EAST


3960 FENCE LINE TO EAST

V-21 5280 S. INWENT COR.
WILL BE OUT LATER.

OLD ROAD RUNNING N-S
FROM Z-21 4600' FROM
Hwy #1

MANY BEAVER DAMS ACROSS
ROAD. ROAD IS NOT DRIVABLE

1865 GUS



1

T138 R2B

look again

31

32

NO CORNERS FOUND AT
THIS LOCATION.

MIKE SCHULTZ UNREGISTERED
LAND SURVEY SAYS NEVER
FOUND ANY CORNERS THERE
ALTHOUGH THERE IS FENCE
TO EAST WHICH IS ONE ROAD
FENCE & OF ROAD.

APPEARS WE THOUGHT TRAVELING
IN ROAD MIGHT HAVE
TAKEN CORNER SET.

FOUND MANY PIECES OF
FENCE IN E OF ROAD
DOWN FENCE LINE,
ALSO PARTS OF FENCE
ON WEST SIDE OF TRAIL.

T138 R2B

X-5

NO. 445

WELDED

CORNERS
10
16.5

OLD
FENCE
REMAINING

TRAIL

N

D. CANDECKER
J. MOORE

11-30-81

41

70415
14370-70415

7138 1828

62

11

[illegible]

AGAIN WITH ~~THE~~ SAYS
 NEVER FOUND CORNER BT
 THERE IS MORE WIDE LANE
 TO EAST AND MAYBE
 OLD W. PINE GROVE BT
 TO WEST OF TAIL.


THANK YOU VERY MUCH
FOR THE BOOKS
AND THE
PAPER

OLD IRON FENCE TO EAST
RIVER. ARE THERE ANY MORE?
LUD. NO? ADJUT. GOVT NOTES

25

11-30-9

✓-5



14th

T138 R28

-30 - 29

NO CORNER FOUND AT THIS LOCATION.

ONLY E OF TRAIL
NO OTHER EVIDENCE
IN 500' SEARCH AREA

1863 91.5


D. C. ANDERSON
S. MOORE

11-30-81

T138 R28

T-5

43



POPULAR WOODS

14.

1/2

T138 N

R28 N

19

20

30 29

FOUND 1 1/2 PACH IRON PIPE 16" LONG
FOUND CORNER LYING ON
SIDE W/ FOUR TIE PIPES
WITH IN 10 YRS OLD.

CANNOT DRIVE UP TRAIL
MUCH PAST T-5
BECAUSE BEAVER HAVE
WATER STANDING EVERY-
WHERE

WILL TRY TO ESTABLISH
CORNER LATER
AND RE-TIE OUT.
(GETTING DARK)

Two in later notes!!

D. CANDECKER
S. MOE

44

T138 N R28 W

11-30-81

R-5

1/2 in

T135N R28W

MC



NOTHING FOUND AT THIS LOCATION.

DURING SURVEY FOR PROPERTY IN BOTH SEC. 7 & 18 ON SEC. LINE

LANDECKER & ASSOC. DETERMINED LAKESHORE HAD WASHED AWAY LAND WHERE MC WOULD BE LOCATED.

IN DOING A PLAT IN THIS AREA ABOVE FIRM WILL SET AND RETIE MC OUT. ON A FUTURE DATE.

MC WAS RESET BY USING NOTES FROM 1945 SURVEY KNUTSON. AND ALSO A PLAT OF SHARWOOD DONE IN 1912 BY KNUTSON ALSO, BOTH LOCATING MC.

D. LANDECKER
K. MILLER

11-12-81

T135N R28W

J-2/3

NO. 445

WELDON

1/2 in


T135N R38W

7

18

FOUND CONC MONUMENT
BROKE OFF AT GROUND
4" X 4"

DUG OUT CONC. AND
REPLACED WITH 1 1/2" IRON PIPE
24" LONG, LYING CONC. MON.
IN HOLE NEXT TO IRON.



1945 INFORMATION
CORNER DID EXIST AND
WAS CONCRETE.
INFORMATION PER PHONE
TO COUNTY SURVEYOR

CORNER ALSO USED IN SURVEY
BY LANDECKER & ASSOC 11-12-81


D. LANDECKER
K. MILLER

46

T135N R38W

T-3

11-12-81



ALL TIES DOUBLE BLAZES
AND DISC. FOR MEASUREMENT

T135 N R28W

MC

7
18

LOOKED FOR MC
NOTHING FOUND.

MEASURED 1000' EAST
FROM J-3 TO EDGE OF
MARSH ON RICE LAKE.

SEARCHED AREA FOR CORNICE
AND INTO MARSH 130'±
NOTHING UNCOVERED.

FOUND END TREE NEXT TO
MARSH 14" DOUBLE OAK
WITH FENCE ATTACHED
TO IT. ALTHOUGH THERE
ARE A FEW DOUBLE OAKS
IN AREA BESIDES JUST
THIS ONE.

INFO FROM PHONE CO. SURVEYOR
1934 MC 6' DBL OAK BX
570'W 146.7'

D. LANDECKER
K. MILLER

T135 N R28W

11-12-81

J-4/5

(3/4)

47

MANY BLAZES ON TREES
MARKING LINE

-1000'-

J-3

REMAINS OF FENCE
LOCATED MAINLY
WITH METAL
LOCATOR

MARSH TO NET TO
LOOK MORE THAN 100'

14" 4
DOUBLE
OAK

1/2 in.
T135N R29W

16 / 15
21 / 22


FOUND 1/4" STEEL ROD
16" DOWN FROM SURFACE
OF GRAVEL ROAD.
REPAIRED WITH 1/2" IRON PIPE
0.10 BELOW SURFACE OF
ROAD.

PLAT OF 1976 'WASEYA WOODS'
MARION DANDECKER

10' WEST TO E GRAVEL ROAD
24' WEST TO E BLACKTOP ROAD

DANDECKER
K. MILLER 48

T135N R29W
N-13 11-20-81



DOUBLE BLAZES AND
DISC IN ALL TIES.

1 2 4

1/2 in

3	2
10	11

T137N R28W

1 1/4" FROM 7' W. OF E FLUSH WITH TAR

EXISTING BLAZES WHERE FOUND IN TWO OF THE TREES.

ALL BLAZES, DOUBLE BLAZES AND HAVE

A 2 1/2" IN SIDE OF TREE

K. MILLER
S. M. F.
11/19/81

T137N R28W

E-17

TAR ROAD

OLD BLAZE
5" RED OAK

9" ASPEN

85.41
N 55.5° E

51.92
N 25.0° E

51.92
N 10.8° E

96.46
S 55.5° E

BOTH ROAD CUT

9" ASPEN

ROADWAY PINE

OLD BLAZE

$$\frac{1}{2} \sqrt{2}$$

T 137 N 12 29 W

RR. SPIKE & ROAD
1 1/2" UNOER TRAIL

TWO TREES AND OLD
BLAZES THEY ARE NOTED


ALL TREES HAVE DOUBLE
BLADES AND METAL
OILS AND GREASES ON THEM

$$\frac{2}{3}$$

2

K. MILLER
S. MOE
11/19/81

50



1

34	35
3	2

T 137N R 28W

4" CAST IRON MONUMENT
EJECTED IN TOP. ALL
BUT THE N.E. 45' IRON
U.S. IN.


CORNER IS E E
OF THE EXTENSION
OF THE ROAD IS
SOUTH FRONT CORNER.

BRICK 11' IN
ALL TREES AND METAL
DISCS IN S.W. OF
TREES.

K. MILLER
S. MOE
11/19/81

T 137N R 28W
A-17

N




NO. 445
METEORITE

K. MILLER
S. MOE
12/3/01
52

T138N R29W
E. 23

N



FENCE COR.

WOODED

CREEK

150'

242

T 138 N R29 W
1/4 COR

1/2

CHAINED FROM NW COR
OF SEC 12 TOWARD
THE EAST 2640'

FOLLOWING FENCE MOST
OF THE WAY CREEK
IS ABOUT 150' W OF
FENCE CORNER

NO TIE


NO IRONS NO 45'S
NO SIGN EXCEPT FENCE
CORNER

1865 615

OLD
TIE ST
PINE

T138 R29

3 June



NOTHING FOUND AT THIS
LOCATION
MEASURED SOUTH 86.40°
USING COMPASS FROM
E-25
FET TOPO WELL
SCANNED WITHIN 300'
NOTHING

1919 J. CURRO $3" \times 3" \times 80"$ EAST

8" PINE	N 70° E	59.9
PINE STUD	N 2° W	64.0

K. MILLER
J. MOE

T138 R29
9-25
12-2-81
54