

CROW WING COUNTY SURVEYOR
S-126

CONTRACT NO.
5-126

APRIL 1984 THEN

AUG. 1982

SILVA HAND COMPASS

TYPE 15T

7° E. DECL.

RAYMOND L. ANDERSON

R.L.S. #10798



SEP - 7 REC'D



INDEX (S-126)

1	Q-31	T45N R28W	1/4 COR.
2	J-25	T43N R29W	SEC. COR.
3	J/K-25	"	M.C.
4	J-19	"	1/4 COR.
5	J-21	"	SEC. COR.
6	J-23	"	1/4 COR.
7	L-17	"	1/4 COR.
8	J-5	"	SEC. COR.
9	L-5	"	1/4 COR.
10	J-3	"	1/4 COR.
11	G-5	"	1/4 COR.
12	J-13	"	SEC. COR.
13	G-13	"	1/4 COR.
14	E-13	"	SEC. COR.
15	F-9	"	SEC. COR.
16	E-5	"	SEC. COR.
17	J-1	T45N R29W	SEC. COR.
18	J-3	"	1/4 COR.
19	J-5	"	SEC. COR.
20	J-9	"	SEC. COR.
21	J-11	"	1/4 COR.
22	J-13	"	SEC. COR.
23	N-13	"	SEC. COR.
24	N-15	"	1/4 & M.C.
25	P-13	"	1/4 COR.

NO. 447

WELDON

INDEX (S-126)

26	J-17	T45N R29W	SEC. COR.
27	L-13	"	1/4 COR.
28	J-15	"	1/4 COR.
29	J-16	"	1/6 COR.
30	J-19	"	1/4 COR.
31	J-21	"	SEC. COR.
32	E-21	"	SEC. COR.
33	E-23	"	M.C.E. 1/4 COR.
34	Q-21	"	1/4 COR.
35	N-17	"	M.C.E. SEC. COR.
36	N-17/18	"	M.C.
37	T-17	"	1/4 COR.
38	P-17	"	1/4 COR.
39	Q/R-17	"	M.C.
40	T-9	"	1/4 COR.
41	T-13	"	1/4 COR.
42	V-13	"	SEC. COR.
43	V-1	"	SEC. COR.
44	V-3	"	1/4 COR.
45	V-5	"	SEC. COR.
46	Z-1	"	TWR COR.
47	X-1	"	1/4 COR.
48	Z-3	"	1/4 COR.
49	Z-5	"	SEC. COR.
50	X-5	"	1/4 COR.

INDEX (S-126)

51	V-17	T45N R29W	SEC. COR.
52	T-21	"	1/4 COR.
53	R-25	"	SEC. COR.
54	R-23	"	1/4 COR.
55	R-21	"	SEC. COR.

C-21 1/4 COR. 2x1
T45N R28W

FOUND I.P. TIPPED OVER

RESET FROM 1953 TIE TREES

(DMA BOOK 73 PAGE 63)

BOTH TIE TREES DEAD.

TIME 3 HRS.

C-21 1/4 COR. 2x1
T45N R28W


4-20-82
HOMERULLMAN
DAVE ARCHIBALD
Clear, Cool

OLD TIE (DEAD)
12" TAMARACK
BLAZE TOP & BOTTOM

OLD TIE (DEAD)
10" TAMARACK
BLAZE OFF & HIGH
BLAZE TOP & BOTTOM

NEW TIE
8" ASH

NEW TIE
12" ASH



TIME 3 HRS


7	13	T43U R28W
12	18	T43U R27W

INFORMATION FROM T. FULTON - HE	
USED THIS CORNER TO RUN SOUTH	
J. OLIVER FD. R.R. SPIKE IN 1978	
AND USED.	

TIME / HR.

18	12
13	7

Ray
HOMER
5-28-82
CLEAR, WARM



13-43-28
18-43-27

5/K-25 M.C.

OWNER OF RESORT TO
N.E. OF THIS CORNER
SHOWED US THIS POSITION.
HE SAID IT HAD BEEN
SET LAST WINTER. HE
HAD NEVER SEEN IT BEFORE
THAT TIME

TALK WITH TOM FULTON -
HE FOUND I.P. IN PLACE
DURING WINTER 81-82

TIME 14R

(3)
RAY
HOMER
5-29-82
clear, warm

J/K-25 M.C.

72.76 CH N. SECCOR.

4654 TO N.E. COR

DISC. ON FACE
OF P.P.

NO. 447


W. B. DYNE

13-43-28

36.14

18-43-27

WHITE FISH CAKE



J-21 SEC. COR. 11/12

14/13

5-28-82

WE FIND LARGE SPIKE AT
P.I. OF HIGHWAY - DOES
NOT FIT FENCE TO NORTH
OR OCCUPATION TO SOUTH
DO NOT FEEL THIS IS SECTION
CORNER - NOTHING ELSE

FOUND

IT BELIEVE THERE IS A
CO-ORDINATE POSITION FOR
THIS CORNER IN PORT
MILLS LACE WORK (WISN)

TIME

5-28-82 1 HR.

(5)

RAY
HOMER
5-28-82

J-21 SEC. COR.

11/12

14/13

11

12

CITY RD #2

WOODS

13

14

LARGE
SPRINKLER

U.A. RD

NO. 447

WILBYNE

J-23 1/4 COR. 12/13
T43N R28W

5-28-82


WE FIND LARGE SPIKE
ON 4" NAIL AND DISC
TO NORTH & SOUTH IN
SMALL TREES.

THIS POSITION SHOULD BE
CHECKED WITH PORT MILE
LACS WORK (W.S.N.) BEFORE
USE.

5-28-82 TIME 1HR

RAY 16

J-23 1/4 COR. 12/13
T43N R28W
5-28-82
CLEAR WARM



L-17 1/4 COR. 15/14

T43N R28W

WE FIND NOTHING AT THIS
LOCATION:

OWNER TO WEST HAD BEEN

THERE 17 YRS. AND HAD

NEVER SEEN ANYTHING.

ALSO TALKED WITH PETE

EVANS (NE-NW & S $\frac{1}{2}$ -NW) HE

IS A OLD TIMER IN AREA.

(SAD HE WORKED SOME WITH

L. K. ANDERSON) HE HAD NEVER

SEEN ANYTHING AT THIS

CORNER FELT FENCE WAS

ON LINE

TIME - 2 HRS

(17)

RAY
HOMER

5-28-82

CLEAR - WARM

L-17 1/4 COR. 15/14

T43N R28W

J-5	Sec. Corp.	78
-----	------------	----

00	1
----	---

T43 228W

WE FINO 2 I.P. @ 1-1 OF
ROADS AS STAMIN. FITS OLD
TIE TO N.E.

Time	HR
10:00	100
10:15	105
10:30	110
10:45	115
11:00	120
11:15	125
11:30	130
11:45	135
12:00	140
12:15	145
12:30	150
12:45	155
13:00	160
13:15	165
13:30	170
13:45	175
14:00	180
14:15	185
14:30	190
14:45	195
15:00	200
15:15	205
15:30	210
15:45	215
16:00	220
16:15	225
16:30	230
16:45	235
17:00	240
17:15	245
17:30	250
17:45	255
18:00	260
18:15	265
18:30	270
18:45	275
19:00	280
19:15	285
19:30	290
19:45	295
20:00	300
20:15	305
20:30	310
20:45	315
21:00	320
21:15	325
21:30	330
21:45	335
22:00	340
22:15	345
22:30	350
22:45	355
23:00	360
23:15	365
23:30	370
23:45	375
00:00	380
00:15	385
00:30	390
00:45	395
01:00	400
01:15	405
01:30	410
01:45	415
02:00	420
02:15	425
02:30	430
02:45	435
03:00	440
03:15	445
03:30	450
03:45	455
04:00	460
04:15	465
04:30	470
04:45	475
05:00	480
05:15	485
05:30	490
05:45	495
06:00	500
06:15	505
06:30	510
06:45	515
07:00	520
07:15	525
07:30	530
07:45	535
08:00	540
08:15	545
08:30	550
08:45	555
09:00	560
09:15	565
09:30	570
09:45	575
10:00	580
10:15	585
10:30	590
10:45	595
11:00	600
11:15	605
11:30	610
11:45	615
12:00	620
12:15	625
12:30	630
12:45	635
13:00	640
13:15	645
13:30	650
13:45	655
14:00	660
14:15	665
14:30	670
14:45	675
15:00	680
15:15	685
15:30	690
15:45	695
16:00	700
16:15	705
16:30	710
16:45	715
17:00	720
17:15	725
17:30	730
17:45	735
18:00	740
18:15	745
18:30	750
18:45	755
19:00	760
19:15	765
19:30	770
19:45	775
20:00	780
20:15	785
20:30	790
20:45	795
21:00	800
21:15	805
21:30	810
21:45	815
22:00	820
22:15	825
22:30	830
22:45	835
23:00	840
23:15	845
23:3	

④

6-2-82

Ray

Homework

clear, cool

8

J-5 Sec. 602

T43N	R28W
------	------

418

2

00

$$\begin{array}{r} 100.78 \\ 3.09 \\ \hline 103.87 \end{array}$$

— CON. COME. BACK
BULLION

CORNER WOOD
FRAME

NO. 447

INTELLECT

FOUND 2 1/2

Bit	CWC	#2
SURFACE		

EXIS. B.T. TAG ON	FACE OF
T. POLE	

50	50R = ACF
----	-----------

P.K. in
PALE

55	15
00	-

STORY	P	GAS	STATION
-------	---	-----	---------

L-5 1/4 COR. 18/17

T43N R28W

FIND 3/4" I.P. FLUSH IN BIT.

SURFACE: FITS D.M.A. TIE

OF 1965 TO N.E. JACK PINE

WSW 53.7 IN PLACE BUT FIND

NO GLAZE OR TAG.

TIME 1 HR.

(9)

6-2-82


Ray

HOMER

clear, cool

L-5 1/4 COR. 18/17

T43N R28W



J-3 1/4 COR. 7/18
T43N R28W

FIND SPIKE OR ROD @ 4-4
FITS CLOSE TO 1967 TIES
C.W.C. HIGH DEPT. TIES

TIME 142.

110
6-2-82
Ray
Homer
Clear, Cool

J-3 1/4 COR. 7/18
T43N R28W

7

LINE OF FENCE
INTERSECTS 2-2
EAST OF

FIELD

100.18
11.62
111.80
P.K. IN POWER
POLE

11.80
11.90
N56W

FOUND 1"
LARGE SPIKE OR
ROD IN E-E

BIT CWC#2
SURFACE

HARD
MUD
79.5
54.65

EXIS. VALVE
DISC. IN P.P.

GRAVEL
ROAD

18

SIDE
115.91
53.22
52.2

EXIS. 16" TWIN
R.OAK W/ NAIL
AND DISC.

WOODED
PASTURE

100.64
51.48
152.12

SET NAIL IN OLD BLAZE
IN 10" R. OAK

100.59
15.32
115.91

G-5 1/4 COR. 7/8
T43N R28W

6-2-82

FOUND HOPE IN BIT SURFACE
Q NES and Q ROAD EAST.
LOCATOR INDICATES SOMETHING
DO NOT FIND THIS DAY.

6-3-82

FIND ROCK - NOTHING ELSE
FOUND:

TIME 6-2-82 1 HR.
6-3-82 1/2 HR.

6-2-82
Ray Homer
Clear Cop 1

G-5 1/4 COR. 7/8
T43N R28W

J-13 Sec. Cor. 9/10
T43N R28W 16/15

FIND 2" I.P. WITH OVAL CAP
PUNCH MARKED AS SHOWN

TIME 2 HRS.

(112)

6-3-82
RAY

HOMELE
CLEAR, C401

9/10

J-13 Sec. Cor.

T43N R28W

16/15

EDGE
SWAMP

NEW TIE
9" POP

9

8.58
12.61
27.19

FIND
2" CAPPED PIPE
11" HIGH. PUNCHED
AS SHOWN

NO. 447

NEW TIE
8" MAPLE

8" BIRCH SNAG
EXIS. TOP BLAZE
BLAZED BOTTOM

084E
34.47

33.91
1.56
34.47

9" BIRCH
EXIS. TOP BLAZE
BLAZED BOTTOM

16

582W
17.38

112.2
27.3

58W
22.02

17.11
3.09
20.26

20" POP
EXIS. TOP BLAZE
BLAZED BOTTOM

OLD FORESTAY TAG ON SOUTH SIDE
J. HAAS 0.4 CH N

15

2
12
16
15

G-13 1/4 COR. 9/10
T43N R28W

FIND 2" CAPPED PIPE AND
TIES: TIES FROM BOOK 188
PAGE 75, W.S.N.

TIME 1 1/2 HR

G-13 1/4 COR. 9/10
T43N R28W

6-3-82
Ray

Homer
Cleary, CACG

34.02
1.82
34.84
EXIS. 0" PIPE
DBL BLAZES

EXIS. TIE
18" W. PIPE
WITH DBL BLAZES

24.20
34.84

FOUNO 2" I.P.

WITH 3 1/2" ROUND CAP
PUNCHED 1/4" 9-10 12" HIGH
TIPPEO WIRE
DIST. TO CENTER
TOP

24.20
34.84

NEW TIE
14" R. OAK

EXIS. TIE 12" W. OAK
WITH DBL BLAZES

SIDE
28.75

36.1

OLD
ROAD

NO. 447

WIRELINE

E-13 SEC. COR. 4 3
T43N R28W 9 10

FIND 2" CAPPED PIPE
AND EXIS. TIES AS SHOWN

NORWAY PINE TIES OF 1955
NOT FOUND

TIME 1 HR.

(14)

6-3-82
Ray

E-13 Sec. Cor. 4 3

Header
Clear, Cool

T43N R28W 9 10

POINT

NEW TIE
18" R. OAK

3

EXIS. TIE
16" R. OAK
DBL. BLAZE

12' 8"
12' 8"
12' 8"

NO. 447

YELLOW FOREST
TR 9 J H A A S

FOUND 2" I.P. WITH 3 1/2"
ROUND CAP MARKED
3-4-9-10
16" HIGH

WITNESS

5' 8" 1/2
5' 8" 1/2
5' 8" 1/2

EXIS. TIE TREE
15" R. OAK
DBL. BLAZES

23.65
26.58
50.23

EXIS. TIE TREE
26" WHITE PINE
DBL. BLAZE

10

9

E-9 SEC. COR. 5 4
T43N R28W 8 9


FIND 2" I.P. WITH OVAL CAP
STAMPED 4-5-8-9

DO NOT FIND ANY EXISTING TREES.

TIME 2 HR.

6-3-82
Ray
Homer
Clear, cool

E-9 SEC. COR. 5 4
T43N R28W 8 9



NO. 447
WILSON

E-5 SEC. COR 6/5
T43N R28W 7/8


FIND LARGE SPIKE @
C/O OF ROAD - NO USABLE
TIES - MADE TIES AS
SHOWN!

THIS IS POSSIBLE COUNTY
#GW. ASSUMED CORNER.
DID NOT DIG.

TIME 1 HR.

116
6-3-82
Ray
Homer
Clear, Cool

E-5 SEC. COR 6/5
T43N R28W 7/8



36.71
8

J-1 SEC. COR. 3 12 7 1229W
745N 13 18

AND 3/4" I.P. 15" LONG;
BENT TO NORTH; SET NEW P.O.D.
PIPE IN SAME LOCATION;

TIME 1 1/2 HR.

(17)

J-1 SEC. COR. 12 7 1229W
745N 13 18
6-8-82 Ray
Hamber
Cloudy, warm

12-45-30

20' J. PINE
EXIST. TOP BLAZE
OPENED BOTTOM (NOTHING FOUND)

N 40° W
94.59

SET 1" O.D. I.P. 5" DEEP
GRAVEL SURFACE

N 75° W
57.00

9' BIRCH
NEW TIE

13-45-30

7-45-29

EXIST. P.O.D. 15' HIGH
N 40° W 94.59

EX. 5. NAIL &
DISC IN T. POLE

N 40° W
94.59

EXIST. 102
GRAVEL

57.4E

7" A.OAK
99.14 (NEW)
24.66
123.80

OPEN
FIELD

18-45-29

(18)

6-8-82

Key
Dinner
Cloudy warm

7
18

J-3 1/4 COR.
T4SN R29W

7
18

J-3 1/4 COR.
T4SN R29W

WE WALK TO THIS LOCATION
FROM QUADANGLE MAP.
NO OCCUPATION OR CORNER
EVIDENCE FOUND.

TIME 1 1/2 HR.

J-5 SEC. COR. 7 8
T4SN R29W 18 17

NO CORNER FOUND

TIME 1 HR.

J-5 SEC. COR. 7 8
T4SN R29W 18 14

(19)
6-8-82
Ray
Homer
cloudy, warm

J-9 SEC. COR. 8/9

TYSN R29W 17/16

6-8-82

FIND R.R. SPIKE AS SET BY
BETLEY 10/29/81; NOT SURE
THAT HE HAS L.I.K. TIES OF
1925.

6-23-82

WE RETURN TO THIS LOCATION AND
TAPE EAST FROM J-7 (IN PLACE)
2640 ± BE WGS US TO THIS
AREA. WE DIG 2 1/2' DIA. HOLE
2' DEEP AT R.R. SPIKE LOCATION;
THIS TAKES US ABOUT 1' INTO
ORIGINAL GROUND NOTHING FOUND

6-23-82 TIME 3 HR.

6-8-82 TIME 1 HR.

6-29-82 TIME 1 1/2 HR.

(20)

6-8-82

Ray

J-9 SECTION COR. 8/9

TYSN R29W 17/16

Homer

Cloudy, warm

OWNER'S S.E.

6-28-82 CALLED FLOYD HARDY. HE SAID HE HAD

FOUND TREES AND THINKS CORNER IS ON NORTH
EDGE OF ROAD. WILL SHOW US NEXT TIME IN AREA

6-29-82 VISIT W/ FLOYD HARDY & WIFE - HE THINKS

TREE IS N.E. ISOLIC BUT HAS OLD STUMP TO N.W.

NO VISIBLE MARKS. DO NOT THINK THIS EVIDENCE


IS GOOD ENOUGH TO SPEND TIME DIGGING.

BEGS. WOULD BE VERY BAD

2654 ±

2440 ±

J-7



J-11 1/4 COR.
T4SN R29W

9
16

6-8-82

WE DUG OUT ONE HOT ROCK
IN BIT. SURFACE. UNABLE TO
FIND CORNER. LARGE OAK
W/ FORESTRY TAG & BLAZE
ON SOUTH SIDE OF ROAD.

6-16-82

WE TAPE WEST FROM J-13, 2640'.
AND CAME OUT JUST EAST OF OAK
WITH FORESTRY TAG. TALKED WITH
LES BUCK @ ROCKS GUN SHOP.
(HE USED TO OWN 40 AC. TO S.W.) HAD
NOT SEEN PIPE. OAK TREE HAS
BEEN USED AS LINE.

6-16-82 TIME 1/2 HR.

6-8-82 TIME 1 HR.

J-11 1/4 COR.
T4SN R29W

9
16

6-8-82
Ray
Homey
cloudy, warm

21

J-13 SEC. COR. 9/10
T45N R29W 16/15

FOUND 2" OD. PIPE BENT
WEST - A LARGE NAIL SET AT
APPROX. CORNER: TIED
OUT AND RESET PIPE
AT LOCATION SHOWN MADE
NEW TIES.

TIME 1 1/2 HR.

22

6-8-82
Cloudy,
Warm
Ray Hammer

J-13 SEC. COR. 9/10
16/15

10

1158
70.89
102.47
EXIS. TOP BLAZE
18" W. PIPE
DATE

9" ROAK
NEW

9

49.77
NORTH

115.1
102.47
DATE

RESET 2" PIPE
3" DEEP
BIT.
SURFACE

0.00102

NO. 447

STEW
47.93

538.8
35.87
(35.42 TO
FACE)

NAIL IN
P.P.

TO CORNER
OFF SET
10 2 1/4
3 1/2
P.P.

GRAVEL
RD.

OPEN

15

16

N-13 SEC. COR.
T45N R29W

16 | 15
21 | 22

FOUND 4"X6" APPROX. SQUARE
CONCRETE BLOCK WITH NAIL
(HEAD BROKE OFF) APPROX 11"
DEEP IN GRAVEL ROAD. FITS
PUR TIES OF 1965.

30.09

TIME 1 1/4 HR.

23
6-16-82
Ray, Homer
Cloudy, cool

N-13 SEC. COR.
T45N R29W

16 | 15
21 | 22

GRAVEL ROAD

16

15

OPEN
FIELD
FACE
P.P.

OPEN
FIELD
FACE
P.P.

30.09
N42W

DRIVEWAY

DRIVEWAY

ROUND 4X6 1/2 CONCRETE

W/IN 11" DEEP 5' WEST OF

SET 1/2" I.P. 12" DEEP

SET NAIL IN 18" ELM

FRONT BLAZE

STILL VISIBLE

GRASSY OVER

OPEN
FIELD

21

22

NO. 447

WILSON

MEANUER

N-15 1/4 COR.

T45N R29W

WE TAPE EAST FROM N-13
AS SHOWN. HAD HOPED
FENCE WOULD CONT TO LAKE.
DID NOT FIND CORNER.
UNABLE TO LOOK GOOD AS
SWAMP VERY WET.

TIME 2 1/2 HR.

MEANUER

N-15 1/4 COR.

T45N R29W


Cloudy, warm

Ray.

Home

24

6-16-82




Q-13
R+B 1/4 COR. 21/22
T45N R29W

FIND CONC. MONUMENT AS SHOWN. FIND NO VISIBLE EXISTING TIES MAKE NEW TIES AS SHOWN.

Time 142.

Q-13 1/16
P-13 1/4 COR-21/22
T45N R29W

6-16-82
Ray, Homer
Pt. Cloudy, warm



J-17	SEC. COR.	10	11
T45N	R29W	15	14

FIND 2" I.P. WITH ACUM. CAP
STAMPED AS SHOWN ONLY
U. PINE TIE (NOTES CALL FOR N. ONE)
TO N.E. LEFT. (DID NOT OPEN LINE
TO GET GOOD DIST.) MADE NEW
TIES AS SHOWN.

TIME 1 1/2 HR.

J-17 SEC. COR. 10/11
6-16-82 Ray. Homer
Pain, warm
26

NEW TIE 9" W. PINE	EXISTING 24" W. TIE	ROUGH CHAIN 150.4	TOP BLAZE OPEN CLOSED ON BOTTOM
-----------------------	------------------------	-------------------	------------------------------------

59.50	
32.46	
<u>11.58</u>	
93.54	

10

45.54
MBN

2/5

C.P. #102
BIT SURFACE

FOUND 2" CAPPED PIPE
3" HIGH (54)

15/11/15
15/11/15
15/11/15

5" R. OAK
NEW TIME

REA POLE
IS GONE

$$\begin{array}{r} 35.62 \\ + 1.52 \\ \hline 37.14 \end{array}$$

9" R. Oak NEW TIE

5

14

L-13 1/4 COR. 16 | 15
T45N R29W

WE TAPE SOUTH FROM J-13
(IN PLACE) 2640' CORNER
FALLS IN SWAMP.
NOTHING FOUND

TIME 1 1/2 HR.

(27

6-22-82

Homer

RAY

Pt. Cloudy, warm

L-13 1/4 COR. 16 | 15

T45N R29W

T-13

1840

15

16

NO. 447

WILSON

Gravel road

J-15 1/4 COR. 10/15
T45N R29W

FOUND LARGE SPIKE AT
OLD FENCE CORNER LOCATION.
HAROLD PETERSON (PROPERTY
OWNER IN BOTH SECS. 10&15)

WENT WITH US TO THIS LOCATION
BUT COULD NOT VERIFY THIS AS
CORNER! HE HAD SURVEY BY
HOLMSTROM MANY YEARS AGO
AND HELPED HIM RUN THIS

E-W SEC. LINE BUT COULD
NOT REMEMBER! IF HE FINDS
OLD SURVEY MAP HE WILL GET
IN TOUCH.

MR. PETERSON ALSO SHOWED
US 1/4 COR. TO EAST - SET BY
HOLMSTROM (PAGE 29)

THIS SPIKE SHOULD NOT BE
USED AS 1/4 COR. WITHOUT
CHECKING LINE TO EAST - THRU 1/4
TO NE COR.


TIME 2 HRS.

(28)
6-22-82
Homer

J-15 1/4 COR. 10/15

T45N R29W

Ray
At Cloudy, Wain



3 wire fence
upon posts and
trees

NO. 447

NEBLYE


LT-16 1/16 COR. 10/15
T4SN R29W

HAROLD PETERSON (SW-SE SEC. 10)
SHOWED US THIS GENERAL AREA
AND WE FOUND I.P. SET BY
HELMSTROM (SEE P. 28)

TIME 1 1/2 HRS.

29
6-22-82
RAY, HOMER
PRICORVOY - WATER

LT-16 1/16 COR. 10/15
T4SN R29W



J-21 SEC. COR.
T45N R29W

11 12
14 13

FIND CROW WING COUNTY CAST
IRON MONUMENT IN PLACE
OPENED OLD OAK ME TO N.W.
AND MADE NEW ME S.W. AS
SHOWN.


TIME 1 HR.

8-25-82
Ray, Homer

J-21 SEC. COR.
T45N R29W

11 12
14 13

clear, warm



2.25
18.95
69.84
151.04

1.57
55.87
57.44

1.47
57.34
58.81

HOUSE
CORNER CALC.
BLOCK
22' U.P. DE
DID NOT TOP
OLD BLAZES
OLD TAG IN TOP
BLAZE

NOKAY LAKE

NO. 447


E-21 SEC. COR. 2 1
T45N R29W 11 12

FIND 3/4 I.P. IN APPROX. GRAVEL
ROAD. IN TORNADO AREA.
FIND 2 OLD TIES 1967±
TOP OF PIPE BENT NORTH:
TIED OUT BASE AND DROVE
DOWN; MADE NEW TIES
AS SHOWN, NO OTHER TREES
NEAR.

TIME 1 1/2 HR.

(32)
6-25-82
Ray, Homer
Clear, warm

E-21 SEC. COR. 2 1
11 12



F-23 1/4 COR. & MEASURED COR.

T45N R29W

1/12

MR. JOHN OTTO (OWNER TO SOUTH)
TOOK US TO THIS LOCATION IN
OLD VERMADO DAMAGE. VERY
THICK BRUSH. FIND J.P.
TIPPED BADLY SOUTH -
STRAIGHTENED FROM BOTTOM
POSITION AND TIED AS SHOWN.

TIME 2:42.

33

6-25-82


Ray, Homer

F-23 1/4 COR. & MEASURED COR.

T45N R29W

1/12

clear, warm



G-2 1/4 COR. 11/12
T45N R29W


FOUND 1 1/4" I.P. IN APPROX.
CENTER OF DRIVE WAY.
THIS PIPE FIT 1967 DANA
TIES VERY CLOSE.
TALK WITH OWNER TO N.E.
HE DID NOT UNDERSTAND ALL
PIPE. SAID CREW HAD BEEN
AROUND THIS WINTER WORKING
ON CAMPGROUND TO SOUTH AND
HAD USED I.P. TO SW. OF OUR
CORNER?

TIME 1 1/2 HRS.

(34)

6-29-82
Ray. Homer
CLEAR, COOL

G-21 1/4 COR. 11/12
T45N R29W




M.C.B.
N-17 SEC. COR. 15 | 14
T45N R29W 22 | 23

OWNER OF RESET PROPERTY
TO SOUTH SHOWED US THIS
CORNER AND FENCE AS HIS
NORTH LINE.
1975 COUNTER TIES STILL
IN GOOD CONDITION. UNABLE
TO ADJUST CONC. MONUMENT TO
FIT OLD TIES AND STILL
BE CLOSE TO VERTICAL.
FOUND ROCKS IN PASTURE TO
SOUTH AND PILED AROUND
MONUMENT. MADE ONE NEW
TIE AS SHOWN!

TIME 2 HRS.

(35)
6-29-82
Ray, Homer
Clear, Cool

M.C.B.
N-17 SEC. COR. 15 | 14
T45N R29W 22 | 23



14
23

N-17/18 M.C.
T45N R29W

FIND 1975 COUNTER TIES IN
GOOD CONDITION.
RESORT OWNER TO SOUTH
HAD NO EVIDENCE OF THIS
MONUMENT! FLAGGED IT
UP AND TOLD HIM OF IT.

TIME / HR.

36

6-29-82
Ray, Homer
Clear, Cool

14
23

N-17/18 M.C.
T45N R29W

WOODS

OLD TIE
11' POP.

14

26.74
27.57

6.47' NIDE

OLD TIE
STEM

9.52' ABOVE

N88E 27.57'

85' ±

OLD TIE
T. ASH
NOKAY LAKE

2' I.P. 1' ABOVE G.D.
1/2 I.P. 3' HIGH ALONGSIDE

92.54' RESORT

23

CO R. CONCRETE
FON.

CABIN

NO. 447

WILDERNE

3

6-29-82
Ray, Homer


Clear, cool

T-17	1/4 COR.	27	26
------	----------	----	----

M 629 W
+ 45 N

6-29-82	2"Ø FIND I.P. IN CORNER OF ROCKS AND OLD FILL. FIND TREES 160' DIAMETES THAT FIT, BUT BLAZES NOT VISIBLE. FITS CLOSE TO SLOPE DISTANCE TO OLD SCHOOL (NOW HOUSE) DUG OUT OLD PIPE (FIND COUPLING AT 2' FROM BOTTOM) WE ACCEPT THIS AS CORRECT TIME 2 HRS.
7-3-82	BREAK OFF LOWER 2' OFF PIPE AND SET AND TIE AS SHOWN. SET 12' SECTION OF PIPE APPROX 6" TO N.W. TIME 2 HRS.

8-3-82	BREAK OFF LOWER 2' OFF PIPE AND SET AND TIE AS SHOWN. SET 12' SECTION OF PIPE APPROX 6" TO N.W. TIME 2 HRS.
--------	---



Q/P-17 M.C. 22/23
TUSN R270


FIND NOTHING AT THIS LOCATION.	
BRUSH VERY THICK ON SOUTH	
SLOPE TO LAKE, FOUND NO	
ONE HOME AT FARM ON N.E.	

10.45

TIME 1 1/2

Q/R-17 M.C.	22, 23
T45N R29W	

8-3-82
Ray, Homer
clear, hot



DOG	KE
	4

T-9 1/4 COR. 29/28

T45N R29W

FOUND 1 1/4 X 1/2 I.P. TIPPED
ABOUT 0.10' TO NW. DUG
OUT AND CHECKED FOR ANOTHER
PIPE. RESET 7" DEEP IN
VERTICAL POSITION.

DO NOT UNDERSTAND WHY B.T.
TAGS TO S.W. E. S.E. DO NOT
FIT ? ?

ELDERLY MAN IN HOUSE SAID
BUILDING HAD BEEN OLD
STORE - DID NOT REMEMBER
CHANGES MADE TO OUTSIDE.

(STORE)
HOUSE TIE - ONLY 1931 TIE WE
ARE ABLE TO FIND.

TIME 1 1/2 HRS.

B-3-82

Ray Homer

Clear Hot

T-9 1/4 COR. 29/28

T45N R29W

NAIL IN
P.P. 01

100.09
5.02
105.06

105.0
N 105.0
S 105.0

CORR FIELD
29

N 105.0
E 86.0
S 105.0
W 105.0

40.03
N 72E

15.4
8.7


16.5
S 86W

114.0
N 142E

28

EXIS. B.T. TAG
IN FACE OF
P.P.

EXIS. B.T.
TAG IN FACE
GUY POLE




T-13 1/4 COR. 28/27
T45N R29W

FOUND NAIL SET IN CONCRETE
FLUSH W/ GROUND
FIND DINA 1954 TIES
(BOOK 84/51) REOPEN OLD
TIES AND MAKE NEW
TIES AS SHOWN.
TALKED WITH OWNER
MR RAHTO - OWNS ALL
PROP. AROUND CORNER -
WAS NOT AWARE OF
CORNER.

TIME 2 1/2 HRS.

T-13 1/4 COR. 28/27
T45N R29W

8-4-82
Ray, former
Clear, Hot



171

V-13 SEC. COR.
T45N R29W

28 | 27
33 | 34

WE DO NOT SPEND THE TIME
TO THE THIS CONCRETE MONUMENT
AS GOOD TREES ARE IN
EXCESS OF 200'
ALL LOTS HAVE BEEN SURVEYED
ALONG CWC #8
OWNER OF ☒ HOUSE SHOWED
US HIS BACK PIDE AND SEC. COR.
LOCATION.

TIME 1 HR.

142
8-4-82
Ray, Homer
clear, hot

V-13 SEC. COR.
T45N R29W

28 | 27
33 | 34

28

28

OPEN

12' x 15" SQUARE CONCRETE
BLOCK W/ NAIL IN TOP
VERY 50-10
SECTION #5 SURVEYED
IN CONCRETE

REMAINS OF OLD FENCE

CWC #8

34

33

NO. 447

INTERVIEW

V-5 SEC. COR. 30 | 29
T45N R29W 31 | 32


FOUND 2" PIPE FLUSH
WITH GRAVEL ROAD, BADLY
BENT - REMOVED AND SET
2" PINCH TOP PIPE 5"
DEEP SET TO FIT NW
& SW TIE

TIME 1 1/2 HRS.

145

8-4-82 Ray, Homer
Clear, Hot

V-5 SEC. COR. 30 | 29
T45N R29W 31 | 32



46

8-12-82
Romer
Homer
CLEAR, warm

36-45-30 31-45-29
Z-1 TWP CORNER
T45N R29W 1-44-30 6-44-29


36-45-30

OPEN
FIELD

31-45-29

OPEN
FIELD

24'
NEW BIT
SURFACE



OPEN
FIELD

ALL TIES TO PUNCH HOLES
IN TOP OF C.M.P.

6-44-29

OPEN
FIELD

1-44-30

36-45-30 31-45-29
Z-1 TWP COR.
T45N R29W 1-44-30 6-44-29

FOUND LARGE SPIKE IN E OF

N-S HIGHWAY: LOCATOR

INDICATES SOMETHING BELOW

IT AND POSSIBLY TO SOUTH 0.2'

DID NOT DIG.

NO OLD TIES TO VERIFY

LOCATION:

SPIKE IS 3.5' S SOUTH OF E&W

ROAD E&S

TIME 1 HR.

36-45-30
31-45-29

X-1 1/4 COR.
T45N R29W

FIND LARGE SPIKE IN E
OF N-S ROAD. REMOVED
AND GET STRONG PIP Q.T.
EAST (DO NOT DIG)
EXIS. SPIKE CHECKES TO
R.C.M. N.E. POP. TIE.

1' east

pip

65.8
10.1

TIME 1 HR.

47
8-12-82

Bar
Homer
clear, warm

31-45-29
trees
SMALL
BUSH
EXIS. NAIL &
DISC.

24'
NEW BIT
SURFACE

NEW NAIL IN
FENCE POST

61.04
11.11
92.15

36-45-30

N40W

5 SKW
LIGHT

NEW NAIL
IN FENCE
POST

92.15

67.28
EAST

NBZE 63.00

7' POP
EXIS. NAIL &
DISC.

EXIS. NAIL & DISC.
IN N. SIDE FENCE
POST

POST IS 15.5'
SOUTH OF FENCE
LINE EAST X

31-45-29
6-44-29

Z-3 1/4 COR.
T45N R29W

FOUND 3/4" X 10" SOLID IRON
PIN 3" DEEP IN GRAVEL ROAD
TIPPED WEST 0.10 ± SET
STRAIGHT INSIDE 3/4" I.P. AND
DROVE DOWN TO 7" DEEP.
MADE TIES AS SHOWN.

5' 10"

TIME 1 1/2 HR.

(48)
8-12-82

Ray, Homer
Clear, warm

31-45-29
6-44-29

Z-3 1/4 COR.
T45N R29W

31-45-29

OPEN FIELD

7" WHITE OAK (TRIPLE)

16' 2" 5' 10"

WALL IN
FENCE POST

NO. 447

GRAVEL RD.

W TELEPHONE

6-44-29

8" W. OAK

OPEN FIELD

TREE LINE

X-5 1/4 COR. 31/32
T45N R29W

1/2" I.P.?
3/4" I.P. 1" DEEP
FOUNDED WEST. RESET FROM
2. REMAINING TIES AND DROVE
DOWN TO 3" - MADE NEW
TIES AS SHOWN.


39.21
37.29
1.92
37.29

37.11

39.20
37.11
1.79

TIME 1 HR.

50
8-12-82 Ray Homer
Clear warm
X-5 1/4 COR. 31/32
T45N R29W



99.99
44.25
144.24

T-21 1/4 COR.
T45N R29W

26/25

WE USE LOCATOR IN ROAD BUT
FIND ONLY ROCKS. TOWNSHIP HAS
JUST WORKED ON ROAD. CUT
DITCHES AND RAISED GRADE
TALK TO AL QUELLE (PIT SURVEY
1976) THEY FOUND SPIKE AND
LOOKING FOR EVIDENCE
DUG UP ROAD - MADE NOTES TO
SPIKE BUT HAVE CONTROL TO
REPLACE.

TIME 1 1/2 HR

(52)
8-13-82
Ray Homer
Cloudy, Warm

T-21 1/4 COR. 26/25

T45N R29W

TREELINE & X-0 FENCE

2 3 4 5 6

ORE C

WOODS

R-25 SEC. COR.

24 19
25 30

FIND LARGE SPIKE IN CROT
OF RED OAK AND A.P. WELLE
TIES OF 1976.
1976 TIES ARE SIDE TIES AND
WELL GROWN OVER. OPENED
FRONT BLAZES AND MADE
TIES TO BOTTOM BLAZE. ON
FRONT OF TREES.

TIME 1 1/2 HR.

(53)

8-13-82


Ray, Home
cloudy, warm

R-25 SEC. COR. 24 19
25 30
R25W T45N

24-45-29

EXIS. 2 1/4" N. PINE

19-45-28



NEW TIE
7\"/>

30-45-28

25-45-29

24
25

R-23 1/4 COR.
T4SN R29W

FOUND LARGE SOLID SHAFT
FLUSH WITH ROAD SURFACE,
TIED OUT AND DROVE DOWN
TO 3" DEEP.

A.P. WELL TIES OF 1976
ARE TIES TO SIDE OF TREE
OUR NEW TIES ARE FACE
TIES TO BOTTOM BLAZE

TIME 1 1/2 HR.

54

8-13-82
Ray, Homer
Cloudy, Warm

24
25

R-23 1/4 COR.
T4SN R29W

24

WOODED

PASTURE

EXIS. 12" R. OAK

NEW TIE
9" W. OAK



17384
59.27

FIELD
ROAD

3 1/2"

575E
89.23

27.93
SOUTH

ROAD

EXIS. TIE
7" W. OAK

WOODED

EXIS. TIE
14" W. OAK

25

