

**Services**

Administrative  
Child Support  
Community Corrections  
Health Services  
Income Maintenance  
Social Services  
Toll free

**Phone Numbers**

(218) 824-1140  
(218) 824-1260  
(218) 824-1135  
(218) 824-1080  
(218) 824-1250  
(218) 824-1140  
(888) 772-8211



COMMUNITY SERVICES

204 LAUREL ST.

P.O. BOX 686

BRAINERD, MN 56401

WWW.CROWWING.US

FAX (218) 824-1305

EMAIL CWCSS@CROWWING.US

**MISSION: WORKING TOGETHER TO STRENGTHEN OUR COMMUNITY**

CWC-1083

12/21

## **SUD Comprehensive Assessment Summary (245G)**

**Recommendations****Date:** \_\_\_\_\_**Client Name:** \_\_\_\_\_ **DOB:** \_\_\_\_\_**Address:** \_\_\_\_\_**Phone:** \_\_\_\_\_**Probation agent and/or Child Protection Worker (if any):** \_\_\_\_\_**Assessment completed by:** \_\_\_\_\_ **Assessor Phone No:** \_\_\_\_\_**Referral:** \_\_\_\_\_**Dimension I: Acute Intoxication/Withdrawal Potential:**

Consider the client's ability to cope with withdrawal symptoms and current state of intoxication:

Severity Rating: \_\_\_\_\_

Narrative supporting risk description:

**Dimension II: Biomedical Complications and Conditions**

Consider the degree to which any conditions or complications are likely to interfere with treatment for substance abuse, and the client's ability to tolerate any related discomfort: determine the impact of continued use on unborn child if client is pregnant.

Severity Rating: \_\_\_\_\_

Narrative supporting risk description:

**Dimension III: Emotional, Behavioral, Cognitive Conditions and Complications**

Determine the degree to which any condition or complications are likely to interfere with treatment for substance abuse or with functioning in significant life areas and the likelihood of risk of harm to self or others

Severity Rating: \_\_\_\_\_

Narrative supporting risk description:

**Dimension IV: Readiness for Change**

Consider the amount of support and encouragement necessary to keep the client involved in treatment.

Severity Rating: \_\_\_\_\_

Narrative supporting risk description:

**Dimension V: Relapse, Continued Use, and Continued Problem Potential**

Consider the degree to which the client recognizes relapse issues and has the skills to prevent relapse of either substance use or mental health problems.

Severity Rating: \_\_\_\_\_

Narrative supporting risk description:

## **Dimension VI: Recovery Environment**

Consider the degree to which key areas of client's life are supportive of or antagonistic to treatment participation and recovery.

Severity Rating: \_\_\_\_\_

Narrative supporting risk description:

### **Primary Substance Use Disorder Diagnosis:**

### **Secondary Substance Use Disorder Diagnoses:**

### **Substance Use Disorder Diagnostic Criteria Documentation in the Assessment**

A problematic pattern of use leading to clinically significant impairment or distress, as manifested by at least two of the following, occurring within a 12-month period:

#### ***Check all that apply***

- ☐ 1. Substance is often taken in larger amounts or over a longer period than was intended.
- ☐ 2. There is a persistent desire or unsuccessful efforts to cut down or control substance use.
- ☐ 3. A great deal of time is spent in activities necessary to obtain substances, use substances, or recover from its effects.
- ☐ 4. Craving, or a strong desire or urge to use substances.
- ☐ 5. Recurrent substance use resulting in a failure to fulfill major role obligations at work, school, or home.
- ☐ 6. Continued substance use despite having persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of substance use.
- ☐ 7. Important social, occupational, or recreational activities are given up or reduced because of substance use.
- ☐ 8. Recurrent substance use in situations in which it is physically hazardous.
- ☐ 9. Substance use is continued despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been caused or exacerbated by substance use.
- ☐ 10. Tolerance, as defined by either of the following:
  - ☐ a. A need for markedly increased amounts of substance to achieve intoxication or desired effect.
  - ☐ b. A markedly diminished effect with continued use of the same amount of a substance.
- ☐ 11. Withdrawal, as manifested by either of the following:
  - ☐ a. The characteristic withdrawal syndrome for a particular substance
  - ☐ b. Alternative substance is taken to relieve or avoid withdrawal symptoms.
- ☐ Specify if: In early remission: After full criteria for substance use disorder were previously met, none of the criteria for substance use disorder have been met for at least 3 months but for less than 12 months (with the exception that, "Craving, or a strong desire or urge to use," may be met).