

Crow Wing County Mound Design

Property Owner: _____ Date: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

Home Phone Number: _____ - _____ - _____ Cell: _____ - _____ - _____

Site Address: _____

City: _____ State: _____ Zip: _____

Driving directions if no address issued: _____

Legal Description: _____

Sec: _____ Twp: _____ Range: _____ Township Name: _____

Parcel Number: _____ - _____ - _____ - _____ - _____ - _____

Lake/ River: _____ Lake/River Classification: _____

Flow Data

Number of Bedrooms: _____

Dwelling Classification: I II III

System Type: I II III IV V

GPD: _____

Estimated Flow in Gallons per Day (GPD)			
Bedrooms	Class I	Class II	Class III
2	300	225	180
3	450	300	218
4	600	375	256
5	750	450	294
6	900	525	332
7	1050	600	370
8	1200	675	408

Wells

Deep Well: Y or N Proposed or Existing

Shallow Well: Y or N Proposed or Existing

Wells to be sealed (if applicable)? _____

Setbacks

Tank(s) to: Well _____ Drainfield to: Well _____ Sewer Line to well: _____

House _____ House _____ Air Test (Y or N) _____

Property Line _____ Property Line _____

Additional System Notes and Information: _____

Designer Name: _____ License Number: _____

Address: _____

City: _____ State: _____ Zip: _____

Home Phone Number: _____ - _____ - _____ Cell: _____ - _____ - _____

E-Mail Address: _____

I hereby certify that I have completed this work in accordance with all applicable requirements.

Designer Signature: _____ Date: _____

Crow Wing County Mound Design

Property Owner: _____

Date: _____ Designer's Initials: _____

Tank Sizing

A. Septic Tank *Existing New Capacity: _____ Gallons
 Compartmentalized (Y or N): _____ Filter (Y or N): _____
 Garbage Disposal (Y or N): _____ Bsmt Lift Station (Y or N): _____

B. Pump Tank Existing New
 Capacity: _____ Gallons (7080.2100) Alarm Type: _____

*Sewage Tank Integrity Assessment Form must be attached

Septic Tank Capacity		
Bedrooms	Minimum	GD/BL
5 or less	1,500	2,250
6 or 7	2,000	3,000
8 or 9	2,500	3,750

Soils

C. Depth to Restricting Layer: _____ ft.
 D. Depth of Clean Sand at Upslope Edge (3 ft. - C): _____ ft.
 E. Native SSF: _____ (Perc. Rate [Optional] _____ MPI)
 F. Land Slope: _____ %

Absorption Width Ratio Table		
Texture	SSF	AWR
Sand	0.83	1.00
Fine Sand	1.67	2.00
Sandy Loam	1.27	1.52
Loam	1.67	2.00
Silt Loam	2.00	2.40
Clay Loam	2.20	2.67

Rock Bed Dimensions

G. GPD _____ \times .83 = _____ sq. ft.
 H. Rock Bed Width _____ ft.
 I. Rock Bed Length (G) / (H): = _____ ft.
 J. Cubic Yards of Rock (H) \times (I) \times Rock Depth \div 27 = _____ yds³

Mound Size Calculations

K. AWR (from table): _____ \times Rock Bed Width (H): _____ = _____ ft. (Absorption Width)
 L. Absorption Width (K): _____ ft. - Rock Bed Width (H): _____ ft. = _____ ft. (Downslope Minimum)
 M. Depth of washed sand (D): _____ + 1 ft. of rock + 1 ft. of cover = _____ ft. (Upslope Height)
 N. Enter upslope berm value from Berm Multiplier Table: _____
 O. Upslope berm multiplier (N): _____ \times upslope height (M): _____ = _____ ft. (Upslope Width)
 P. Rock bed width (H): _____ ft. \times land slope (F): _____ % \times 0.01 = _____ ft. (Drop in Elevation)
 Q. Upslope height (M): _____ ft. + drop in elevation (P): _____ ft. = _____ ft. (Downslope Height)
 R. Enter downslope berm value from Berm Multiplier Table: _____
 S. Downslope height (Q): _____ \times Downslope berm multiplier (R): _____ = _____ ft. (Downslope Width)
 T. Select the larger number of Step (L) and Step (S): _____ ft.
 U. Upslope width (O): _____ + rock bed width (H): _____ + downslope width (T): _____ = _____ ft. (Mound Width)
 V. Upslope width (O): _____ + rock bed length (I): _____ + Upslope width (O): _____ = _____ ft. (Mound Length)
 W. Final Mound Dimensions Are: Width (U): _____ ft. by Length (V): _____ ft.

Berm Multiplier Table													
Land Slope \rightarrow	0%	1%	2%	3%	4%	5%	6%	7%	8%	9%	10%	11%	12%
Upslope Berm \downarrow	3/1	3.00	2.91	2.83	2.75	2.68	2.61	2.54	2.48	2.42	2.36	2.31	2.26
	4/1	4.00	3.85	3.70	3.57	3.45	3.33	3.23	3.12	3.03	2.94	2.86	2.78
	5/1	5.00	4.76	4.54	4.35	4.17	4.00	3.85	3.70	3.57	3.45	3.33	3.23
	6/1	6.00	5.66	5.36	5.08	4.84	4.62	4.41	4.23	4.05	3.90	3.75	3.61
	7/1	7.00	6.54	6.14	5.79	5.46	5.19	4.93	4.70	4.49	4.30	4.12	3.95
Downslope Berm \downarrow	3/1	3.00	3.09	3.19	3.30	3.41	3.53	3.66	3.80	3.95	4.11	4.29	4.48
	4/1	4.00	4.17	4.35	4.54	4.76	5.00	5.26	5.56	5.88	6.25	6.67	7.14
	5/1	5.00	5.26	5.56	5.88	6.25	6.67	7.14	7.69	8.33	9.09	10.00	11.11
	6/1	6.00	6.38	6.82	7.32	7.89	8.57	9.38	10.34	11.54	13.04	15.00	17.65
	7/1	7.00	7.53	8.14	8.86	9.72	10.77	12.07	13.73	15.91	18.92	23.33	30.43

Crow Wing County Mound Design

Property Owner: _____ Date: _____

Determine Pump Capacity

1) Gravity Distribution Pump Capacity Range: 10 - 45 GPM

*Skip to Pump Head Requirements if pumping to gravity

2) Pressure Distribution:

a) Number of laterals: _____

b) Lateral Size: _____ in.

c) Perforation spacing _____ in.

d) Check Table 4 to see the maximum number of perforations per lateral.

3) Lateral Length (choose):

a) End manifold: rock bed length: _____ - 2 ft. = _____ ft.

b) Center manifold: rock bed length /2: _____ - 1 ft. = _____ ft.

4) Total Perforation Determination:

a) (3a or 3b): _____ ft. \div (2c): _____ ft. + 1 = _____ Perforations / Lateral

b) (4a): _____ \times (2a): _____ = _____ Total Number of Perforations

c) Select perforation discharge from Table 1 = _____ GPM/Perf.

d) (4b): _____ \times (4c): _____ GPM/Perf. = _____ GPM

PUMP HEAD REQUIREMENTS

5) Elevation difference:

a) Elevation difference between pump and point of discharge _____ ft.

b) If pumping to a pressure distribution system, (5a) + 5 = _____ ft.

c) If pumping to a gravity distribution system, (5a) + 0 = _____ ft.

6) Friction loss:

a) Select a value from Table 2: _____ ft. / 100 ft. of pipe

b) Pipe length to drainfield: _____ \times 1.25 = _____ ft.

c) (6a): _____ \times (6b): _____ \div 100 = _____ Total Friction Loss

7) Drainback:

a) Actual Pipe length: _____ ft. \times _____ gal/ft. (Table 3) = _____ gal

8) (5b or 5c): _____ ft. + (6c): _____ ft. = _____ Total Head Required

9) Minimum Pump Size: _____ GPM (4d) & _____ ft. of dynamic head (8)

Designer's Initials: _____

Table 1

Perforation Discharge (GPM/perf.)		
Ft. of Head	7/32"	1/4"
Perf	Perf	Perf
1.0	0.56	0.74
2.0	0.80	1.04

Use 1.0 for single homes, 2.0 for everything else

Table 2

Friction Loss in Plastic Pipe

Flow (GPM)	1.5"	2"	3"
20	2.47	0.73	0.11
25	3.73	1.11	0.16
30	5.23	1.55	0.23
35	6.96	2.06	0.30
40	8.91	2.64	0.39
45	11.07	3.28	0.48
50	13.46	3.99	0.58
55		4.76	0.70
60		5.60	0.82
65		6.48	0.95
70		7.44	1.09

Table 3

Volume of Liquid in Pipe

Pipe Diameter	Gal/Ft.
1.25 in.	0.078
1.5 in.	0.11
2.0 in.	0.17

Table 4

Max Perforations/Lateral

Perf.	1.25"	1.5"	2"
Spacing	Pipe	Pipe	Pipe
30 in.	14	18	28
36 in.	13	17	26
40 in.	12	16	25
48 in.	11	15	23
60 in.	10	14	22

Crow Wing County Mound Design

Property Owner: _____ Date: _____ Designer's Initials: _____

Please record the depths of all horizons, redoximorphic features, restricting layers, and saturated soils. Include all chroma and hue values.

#1 Proposed Site

Depth (in.)	Texture	Color

#1 Alternate Site

Depth (in.)	Texture	Color

#2 Proposed Site

Depth (in.)	Texture	Color

#2 Alternate Site

Depth (in.)	Texture	Color

Soil Sizing Factors/Hydraulic Loading Rates

Perc. Rate	Texture	SSF	HLR	Perc. Rate	Texture	SSF	HLR
<0.1	Coarse Sand			16 to 30	Loam	1.67	0.60
0.1 to 5	Sand	0.83	1.20	31 to 45	Silt Loam	2.00	0.50
0.1 to 5	Fine Sand	1.67	0.60	46 to 60	Clay Loam	2.20	0.45
6 to 15	Sandy Loam	1.27	0.79	> 60	Clay Loam	****	0.24

Description of Soil Treatment Areas

	Proposed Site		Alternate Site	
Disturbed Areas?	Yes or No		Yes or No	
Compacted Areas?	Yes or No		Yes or No	
Flooding Potential?	Yes or No		Yes or No	
Run on Potential?	Yes or No		Yes or No	
Limiting Layer Depth	Proposed #1	Proposed #2	Alternate #1	Alternate #2
Slope % and Direction				
Landscape Position				
Vegetation Types				
Soil Texture				
Soil Sizing Factor	0.83	1.27	1.67	2.0
			2.2	
	0.83	1.27	1.67	2.0
			2.2	

Crow Wing County Mound Design

Property Owner: _____ Date: _____

Please Draw to Scale with North Arrow to top or Left Side of Page

Please show all that apply (Existing or Proposed):

Wells within 100 ft. of a Drainfield

Boring Locations

Access Route for Tank Maintenance

Water lines within 10 ft. of a Drainfield

Component Location

Property Lines

Disturbed/Compacted Areas

OHW

Structures

Drainfield Areas

Lot Easements

Setbacks

Elevations:

_____ Benchmark Elevation

_____ Pump Elevation

_____ Elevation of Sewer Line at House

_____ Pump Discharge Elevation

_____ Tank Inlet Elevation

_____ Restricting Layer Elevation

_____ Drainfield Elevation

Designer Signature: _____

Date: _____

License Number: _____

Page _____ of _____